

Lampiran 01. Hasil Output SPSS

Uji Deskripsi

Statistics

Usia

N	Valid	100
	Missing	0

Usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	17	17.0	17.0
	2.00	82	82.0	99.0
	3.00	1	1.0	100.0
	Total	100	100.0	100.0

Statistics

JenisKelamin

N	Valid	100
	Missing	0

JenisKelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	44	44.0	44.0
	2.00	56	56.0	100.0
	Total	100	100.0	100.0

Uji Reabilitas (Y)

Reliability Statistics

Cronbach's Alpha	N of Items
.787	3

Item Statistics

	Mean	Std. Deviation	N
Y1	4.3900	.73711	100
Y2	3.9800	.93182	100
Y3	4.0200	.75183	100

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y1	8.0000	2.283	.599	.744
Y2	8.4100	1.618	.706	.630
Y3	8.3700	2.235	.604	.737

Uji Reabilitas (X1)

Reliability Statistics

Cronbach's Alpha	N of Items
.869	4

Item Statistics

	Mean	Std. Deviation	N
X1.1	4.2000	.71067	100
X1.2	4.1900	.83720	100
X1.3	4.1800	.80879	100
X1.4	4.2300	.86287	100

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1.1	12.6000	4.949	.639	.864
X1.2	12.6100	4.079	.797	.800
X1.3	12.6200	4.460	.691	.844
X1.4	12.5700	4.066	.766	.814

Uji Reabilitas (X2)**Reliability Statistics**

Cronbach's Alpha	N of Items
.827	3

Item Statistics

	Mean	Std. Deviation	N
X2.1	4.6300	.52522	100
X2.2	4.3100	.73437	100
X2.3	4.1300	.78695	100

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X2.1	8.4400	2.006	.615	.845
X2.2	8.7600	1.336	.779	.660
X2.3	8.9400	1.289	.721	.736

Uji Validitas

Correlations

		Y1	Y2	Y3	Y
Y1	Pearson Correlation	1	.600**	.460**	.805**
	Sig. (2-tailed)		.000	.000	.000
	N	100	100	100	100
Y2	Pearson Correlation	.600**	1	.606**	.897**
	Sig. (2-tailed)	.000		.000	.000
	N	100	100	100	100
Y3	Pearson Correlation	.460**	.606**	1	.812**
	Sig. (2-tailed)	.000	.000		.000
	N	100	100	100	100
Y	Pearson Correlation	.805**	.897**	.812**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X1.1	X1.2	X1.3	X1.4	X1
X1.1	Pearson Correlation	1	.666**	.446**	.583**	.780**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	100	100	100	100	100
X1.2	Pearson Correlation	.666**	1	.665**	.694**	.895**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	100	100	100	100	100
X1.3	Pearson Correlation	.446**	.665**	1	.678**	.830**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	100	100	100	100	100
X1.4	Pearson Correlation	.583**	.694**	.678**	1	.880**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	100	100	100	100	100
X1	Pearson Correlation	.780**	.895**	.830**	.880**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X2.1	X2.2	X2.3	X2
X2.1	Pearson Correlation	1	.615**	.533**	.781**
	Sig. (2-tailed)		.000	.000	.000
	N	100	100	100	100
X2.2	Pearson Correlation	.615**	1	.734**	.914**
	Sig. (2-tailed)	.000		.000	.000
	N	100	100	100	100
X2.3	Pearson Correlation	.533**	.734**	1	.898**
	Sig. (2-tailed)	.000	.000		.000
	N	100	100	100	100
X2	Pearson Correlation	.781**	.914**	.898**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Uji Analisis Regresi Linier Berganda

Determinasi R

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change
1	.881 ^a	.777	.772	.97356	.777	168.728	2	97	.000

a. Predictors: (Constant), X2, X1

b. Dependent Variable: Y

Uji F

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	319.851	2	159.925	168.728	.000 ^b
	Residual	91.939	97	.948		
	Total	411.790	99			

a. Dependent Variable: Y

b. Predictors: (Constant), X2, X1

Uji T dan Uji Multikolinieritas

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations			Collinearity Statistics	
	B	Std. Error	Beta			Zero-order	Partial	Part	Tolerance	VIF
(Constant)	-.133	.727		-.184	.855					
1 X1	.439	.056	.589	7.898	.000	.853	.626	.379	.414	2.414
X2	.394	.085	.345	4.630	.000	.796	.425	.222	.414	2.414

a. Dependent Variable: Y

Uji Normalitas


One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters ^{a,b}	Mean	.0E-7
	Std. Deviation	.96368048
	Absolute	.087
Most Extreme Differences	Positive	.052
	Negative	-.087
Kolmogorov-Smirnov Z		.867
Asymp. Sig. (2-tailed)		.440

a. Test distribution is Normal.

b. Calculated from data.

Normal P-P Plot of Regression Standardized Residual



Uji Heteroskedastisitas

