

## DAFTAR RUJUKAN

- Aditya, C., Halim, A., & Silviana, S. (2016). Pemanfaatan Limbah Marmer dan Serbuk Silika pada Industri Batu Beton Pejal dan Berlubang. *Prosiding SENIATI*, 16-A.
- Aksu, Z., & Tezer, S. (2005). Biosorption of reactive dyes on the green alga Chlorella vulgaris. *Process Biochemistry*, 40(3-4), 1347-1361.
- Albanis, T. A, D. G., Hela, T. M., Sakelaried dan Danies, T. G., 2000. Removal of Dyes From Aqueous Solution by Adsorption on Mixtures of Fly Ash and Soil in Batch and Column Techniques. *Global Nest : The Int. J*, 2 (3), 237-244.
- Alberty, R. A. (1983). Extrapolation of standard chemical thermodynamic properties of alkene isomer groups to higher carbon numbers. *The Journal of Physical Chemistry*, 87(24), 4999-5002.
- Allen, R. G., Clemmens, A. J., Burt, C. M., Solomon, K., & O'Halloran, T. (2005). Prediction accuracy for projectwide evapotranspiration using crop coefficients and reference evapotranspiration. *Journal of irrigation and Amin*, N. K. (2008). Removal of reactive dye from aqueous solutions by adsorption onto activated carbons prepared from sugarcane bagasse pith. *Desalination*, 223(1-3), 152-161. *drainage engineering*, 131(1), 24-36.
- Bird, R. B., Curtiss, C. F., Armstrong, R. C., & Hassager, O. (1987). *Dynamics of polymeric liquids, volume 2: Kinetic theory*. Wiley.
- Cahyo, W.R 2015. Kemampuan Kulit Pisang Kepok (*Musa acuminate L.*) Dalam Penurunan Kadar Timbal (Pb) Dalam Air. *Jurnal Sanitasi Kesehatan Lingkungan*. Makasar : Poltekkes Kemenkes Makasar.
- Chinniagounder, T., Mylsamy, S. dan Sivakumar, N. 2011. Adsorptive Removal of Crystal Violet Dye using Agricultural Waste Cacao (*Theobroma cacao*) Shell. *Research Journal of Chemical Sciences*, Vol. 1, No. 7, pp. 38-45.
- Darmawan, 2008. Sifat Arang aktif Tempurung Kemiri dan pemanfaatannya sebagai penyerap emisi Formaldehida Papan Serat berkerapatan Sedang. ITB. Bogor.
- Elystia, S., Putri, R. R., & Muria, S. R. (2018). "Biosorpsi Kromium (Cr) Pada Limbah Cair Industri Elektroplating Menggunakan Biomassa Ragi Roti (*Saccharomyces cerevisiae*"). *Jurnal Dampak*, 15(1), 1.
- Ghibate, R., Senhaji, O., & Taouil, R. (2021). Kinetic and thermodynamic approaches on Rhodamine B adsorption onto pomegranate peel. *Case Studies in Chemical and Environmental Engineering*, 3, 100078.
- Gultom, E. M., & Lubis, M. T. (2014). Aplikasi karbon aktif dari cangkang kelapa sawit dengan aktivator H<sub>3</sub>PO<sub>4</sub> untuk penyerapan logam berat Cd dan Pb. *Jurnal Teknik Kimia USU*, 3(1), 5-10.

- Harti, R., Allwar, & Fitri, N. (2016). Karakterisasi Dan Modifikasi Karbon Aktif Tempurung Kelapa Sawit Dengan Asam Nitrat Untuk Menjerap Logam Besi Dan Tembaga Dalam Minyak Nilam. *Chemical*, 2(1), 74–83.
- Haq, M., Fitra, S., Madusari, S., & Yama, D. I. (2018). Pelepasan Kelapa Sawit Dengan Teknik Fermentasi. *Jurnal.Umj.Ac.Id*, 1–8.
- El-Hendawy, A. N. A. (2003). Influence of HNO<sub>3</sub> oxidation on the structure and adsorptive properties of corncob-based activated carbon. *Carbon*, 41(4), 713-722.
- Inglezakis, Vassilis & Poulopoulos, Stavros. (2006). Adsorption, Ion Exchange, and Catalysis. 10.1016/B978-044452783-7/50002-1.
- Isminingsih, G. L. Djufri, dan Rassid; 1982. *Pengantar Kimia Zat Warna*.
- Jain, M., Murray, A. S., & Bøtter-Jensen, L. (2003). Characterisation of blue-light stimulated luminescence components in different quartz samples: implications for dose measurement. *Radiation Measurements*, 37(4-5), 441-449.
- Jalil, A.A., Triwahyono, S., Adam, S.H., Rahim, N.D., Aziz, A. A. A., Hairom, N. H. H., Razali, N.A. M., Abidin, M. A. Z. dan Mohammadiah, M. K.A. 2010. Adsorption of Methyl Orange from Aqueous Solution onto Calcined Lapindo Volcanic Mud. *Journal Hazard Mater*, Vol. 181, pp. 755-762.
- Jena, L., Dhani, S., Pratap, K. D., Puspala, P. (2021). Preparation, characterization and optical properties evaluations of bamboo charcoal. *Jurnal Current Research in Green and Sustainable Chemistry*, 4:100077.
- Kan, B., Li, M., Zhang, Q., Liu, F., Wan, X., Wang, Y., ... & Chen, Y. (2015). A series of simple oligomer-like small molecules based on oligothiophenes for solution-processed solar cells with high efficiency. *Journal of the American Chemical Society*, 137(11), 3886-3893.
- Siti Khadijah, I., Rahman, M. M., Abdullah, R. B., & Wan Khadijah, W. E. (2014). Comparison of bovine embryonic development of parthenogenetically activated oocytes by different combinations of chemical treatments. *Malaysian Journal of Animal Science*, 17(1), 85-94.
- Kirk, R. E., & Othmer, D. F. (1992). In JI Kroschwitz and M. Howe-Grant. *Encyclopedia of chemical technology*, 4, 942.
- Krim, L., Sahmoune, N., dan Goma, B., 2006. Kinetics of Chromium Sorption on Biomass Fungi from Aqueous Solution. *American journal of Environmental Sciences*, 2 (1), 31- 36.
- Kara, S., Aidiner, C., Damirbas, E., Kobya, M., dan Dizge, N., 2006. Modeling the Effects of Adsorbent Dose and Particle Size on the Adsorption of Reactive Textile Dyes by Fly Ash. *J. Desalination*, 212, 282-293.
- Koner, S., Biswajit, K.S. dan Rahul, A.A. 2011. Adsorption Kinetics and Mechanism of Methyl Orange Dye on Modified Silica Gel Factory Wash.

- International journal of Current Research Vol 3, No. 6, pp.128-133.
- Kosting, P.R., dan Conrad H., 1931, Corrosion of Metals by Phosphoric Acid, Industrial and Engineering Chemistry, 23:2
- Lailatul, A. (2016). *Evaluasi Aktivitas Antioksidan Ekstrak Daun Jambu Bol (Syzygium malaccense (L.) Merr & LM Perry* (Doctoral dissertation, Universitas Andalas).
- Madrakian, T., Afkhami, A., & Ahmadi, M. (2012). Adsorption and kinetic studies of seven different organic dyes onto magnetite nanoparticles loaded tea waste and removal of them from wastewater samples. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 99, 102-109.
- Manurung, R. (2017). Perombakan Zat Warna Azo Reaktif Secara Anaerob – Aerob.
- Monteiro, M. S., Robson, F. F., Jose, A. P. C., Sirlane, A. S., Hildo, A. S. S., Cicero, B. B. B. (2017) Wood (Bagassa guianensis Aubl) and green coconut mesocarp (*cocos nucifera*) residues as textile dye removers (Remazol Red and Remazol Brilliant Violet). *Journal of Environmental Management*, 204: 23-30.
- Oćcik, J., Różyło, J. K., Gross, J., Malinowska, I., & Chojnacka, G. (1982). Possibility of calculating the  $R_m$  values in thin-layer chromatography using a ternary mobile phase. *Chromatographia*, 15(1), 25-29.
- Pari, G., D. Tri W., dan Mashato Y., 2009, Mutu Arang Aktif dari Serbuk Gergaji Kayu, *Jurnal Penelitian Hasil Hutan*, 27 (4)
- Pijarn, N., Janpen, I., Sukanya, O., Thanida, U., Siripan, D. Warunee, B. (2021). Microstructural characterization of white charcoal for rapid reduction of chemical oxygen demand and automatically adjust pH to neutral in wastewater treatment. *Journal of materials research and technology*, 13:336-345.
- Pohan, H. G., & Tjiptadi, B. (1987). Pembuatan Desain/Prototipe Alat Pembuatan Arang Aktif dan Studi Teknologi Ekonominya. *BBPP IHP Proyek Penelitian dan Pengembangan Industri Hasil Pertanian IPB*. Bogor.
- Pujiastuti, C. (2008). KAJIAN PENURUNAN Ca DAN Mg DALAM AIR LAUT MENGGUNAKAN RESIN (DOWEX). *Jurnal Teknik Kimia*, 3(1), 199–206.<https://media.neliti.com/media/publications/133821-ID-kajian-penurunan-ca-dan-mg-dalam-air-lau.pdf>
- Qiu, W., Xie, X. Y., Qiu, J., Fang, W. H., Liang, R., Ren, X., ... & Sun, X. (2018). High-performance artificial nitrogen fixation at ambient conditions using a metal-free electrocatalyst. *Nature communications*, 9(1), 1-8.
- Rahmawati, K., Ghaffour, N., Aubry, C., & Amy, G. L. (2012). Boron removal efficiency from Red Sea water using different SWRO/BWRO membranes. *Journal of membrane science*, 423, 522-529.
- Ramdja, A. F., Halim, M., & Handi, J. (2008). Pembuatan Karbon Aktif dari Pelepah Kelapa (*Coccus nucifera*). *Jurnal Teknik Kimia*, 15(2), 1–8.

- Rasjid D, G.A. Kosoenarno, Astini S, Arifin L., 1976, Teknologi Pengelantangan, Pencelupan, dan Pencapan, Institut Teknologi Tekstil. Bandung
- Sa'adah, N., Hastuti, R., dan Prasetya, N. B. A. 2013. Pengaruh Asam Formiat Pada Bulu Ayam Sebagai Adsorben Terhadap Penurunan Kadar Larutan Zat Warna Tekstil Remazol Golden Yellow RNL. *Jurnal Penelitian UNDIP Semarang*, 1 (1), 202-209.
- Setiawan, A., Basyiruddin, F., & Dermawan, D. (2019). Biosorpsi Logam Berat Cu(II) Menggunakan Limbah Saccharomyces Cereviseae. *Jurnal Presipitasi : Media Komunikasi Dan Pengembangan Teknik Lingkungan*, 16(1), 29.
- Sime, D. G., & Hundhausen, A. J. (1987). The coronal mass ejection of July 6, 1980: A candidate for interpretation as a coronal shock wave. *Journal of Geophysical Research: Space Physics*, 92(A2), 1049-1055.
- Subadra, I., Setiaji, B., & Tahir, I. (2005, September). Activated carbon production from coconut shell with (NH4) HCO3 activator as an adsorbent in virgin coconut oil purification. In *Prosiding Seminar Nasional DIES ke* (Vol. 50, pp. 1-8).
- Sudirjo, M., 2006, Pembuatan Karbon Aktif dari Kulit Kacang Tanah (*Arachis hypogaea*) dengan Aktivator Asam Sulfat, Skripsi, Universitas Diponegoro, Semarang
- Suryani, H., Zain, M., Ningrat, R. W. S., & Jamarun, N. (2016). Supplementation of direct fed microbial (DFM) on in vitro fermentability and degradability of ammoniated palm frond. *Pakistan Journal of Nutrition*, 15(1), 90–95.
- Suseno, H. P. (2011). Model Adsorpsi Mn<sup>+</sup> 2, Cd<sup>+</sup> 2 Dan Hg<sup>+</sup> 2 Dalam Sistem Air-Sedimen Di Sepanjang Sungai Code, Yogyakarta. *Jurnal Teknologi*, 4(2), 174-179.
- Wibowo, A. C., Smith, M. D., & zur Loye, H. C. (2011). A new Kagomé lattice coordination polymer based on bismuth and pyridine-2, 5-dicarboxylate: structure and photoluminescent properties. *Chemical Communications*, 47(26), 7371-7373.
- Zainal-Abidin, M. H., Hayyan, M., Hayyan, A., & Jayakumar, N. S. (2017). New horizons in the extraction of bioactive compounds using deep eutectic solvents: A review. *Analytica Chimica Acta*, 979, 1-23.