

DAFTAR RUJUKAN

- Adusei, S. (2020). Bioactive Compounds and Antioxidant Evaluation of Methanolic Extract of Hibiscus Sabdariffa. *IPTEK The Journal for Technology and Science*, 31(2), 139. <https://doi.org/10.12962/j20882033.v31i2.6572>
- Alara, O. R., & Abdurahman, N. H. (2019). GC–MS and FTIR analyses of oils from Hibiscus sabdariffa, Stigma maydis and Chromolaena odorata leaf obtained from Malaysia: Potential sources of fatty acids. *Chemical Data Collections*, 20, 100200. <https://doi.org/10.1016/j.cdc.2019.100200>
- Amelinda, E., Widarta, I. W. R., & Darmayanti, L. P. T. (2018). Pengaruh Waktu Maserasi Terhadap Aktivitas Antioksidan Ekstrak Rimpang Temulawak (Curcuma xanthorrhiza Roxb.). *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 7(4), 165. <https://doi.org/10.24843/itepa.2018.v07.i04.p03>
- Amlashi, H. A., Madani, H., Sonboli, A., Khaghani, S., & Ramezani, M. (2020). Volatile Composition of The Leaves and Calyces Essential Oil of Roselle (Hibiscus sabdariffa L.) From Iran. *Journal of Essential Oil-Bearing Plants*, 23(4), 743–755. <https://doi.org/10.1080/0972060X.2020.1832585>
- Anggia, F., Yuharmen, & Balatif, N. (2014). *Kenanga (Cananga odorata (Lam .) Hook . f & Thoms) Cara*. 1(2), 344–351.
- Anggraini, R., Jayuska, A., & Alimuddin, A. H. (2018). Isolasi dan Karakterisasi Minyak Atsiri Lada Hitam (Piper Ningrum L.) asal Sajingan Kalimantan Barat. *Jurnal Kimia Khatulistiwa*, 7(4), 124–133.
- Annisas, J. (2013). *Kadar Fenolik dan Aktivitas Antioksidan Lima Akses Ekstrak Kunyit (Curcuma domestica) pada Lokasi Budidaya Kecamatan Nagrak, Sukabumi*. Institut Pertanian Bogor.
- Arsa, A. K., & Achmad, Z. (2020). Ekstraksi Minyak Atsiri dari Rimpang Temu Ireng (Curcuma aeruginosa Roxb) Dengan Pelarut Etanol dan N-Heksana. *Jurnal Teknologi Technoscientia*, 13(1), 83–94.
- Aruoma, O. I. (2003). Methodological considerations for characterizing potential antioxidant actions of bioactive components in plant foods. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, 523–524, 9–20. [https://doi.org/10.1016/S0027-5107\(02\)00317-2](https://doi.org/10.1016/S0027-5107(02)00317-2)
- Badarinath, A. V, Rao, K. M., Madhu, C., Chetty, S., Ramkanth, S., Rajan, T. V. S., & Gnanaprakash, K. (2010). A Review on *in-vitro* antioxidant methods: Comparisons, correlations and considerations. *International Journal of PharmTech Research*, 2(2), 1276–1285. <https://www.sid.ir/en/journal/ViewPaper.aspx?ID=383951>

- Coniwanti, P., Novela, R., & Azimah, F. (2010). Proses ekstraksi minyak biji rosella. *Teknik Kimia*, 17(2), 1–8.
- Dan, S., Olahannya, P., Husna, N. El, Novita, M., & Rohaya, S. (2013). Kandungan Antosianin dan Aktivitas Antioksidan Ubi Jalar Ungu Segar dan Produk Olahannya. *Agritech*, 33(03), 296–302. <https://doi.org/10.22146/agritech.9551>
- De Groot, A. C., & Schmidt, E. (2016). Essential Oils, Part III: Chemical Composition. *Dermatitis*, 27(4), 161–169. <https://doi.org/10.1097/DER.0000000000000193>
- Dincer, I., Colpan, C. O., Kizilkan, O., & Ezan, M. A. (2015). Progress in clean energy, volume 1: Analysis and modeling. *Progress in Clean Energy, Volume 1: Analysis and Modeling, 1*, 1–968. <https://doi.org/10.1007/978-3-319-16709-1>
- Evama, Y., & Sylvia, N. (2021). *Jurnal Teknologi Kimia Unimal Ekstraksi Minyak Serai Dapur (Cymbopogon Citratus) Menggunakan Metode Maserasi*. 2(November), 57–70.
- Guenther, E. (1987). *Minyak Atsiri Jilid 1 Diterjemahkan Oleh Ketaren*. Universitas Indonesia.
- Hamidah, T., Kumalaningsih, S., & Dewi Ika Atsari. (2015). *Pembuatan Ekstrak Oleoresin Daun Sirih Hijau (Piper betle L.) Sebagai Pengawet Alami (Kajian Suhu dan Lama Waktu Ekstraksi)*. Universitas Brawijaya, Malang.
- Hamzah, N., Ismail, I., & Saudi, A. D. A. (2014). Pengaruh Emulgator Terhadap Aktivitas Antioksidan Krim Ekstrak Etanol Kelopak Bunga Rosella (*Hibiscus Sabdariffa* Linn). *Jurnal Kesehatan*, VII(2), 376–385.
- Handayani, P. A., & Nurcahyani, H. (2015). Ekstraksi Minyak Atsiri Daun Zodia (*Evodia Suaveolens*) Dengan Metode Maserasi dan Distilasi Air. *Bahan Alam Terbarukan*, 4(1), 1–7. <https://doi.org/10.15294/jbat.v3i1.3095>
- Hilda, F. G., Kaseke, & Silalan, P. D. (2014). Identifikasi Sifat Fisiko Kimia Minyak Pala Daratan Dan Kepulauan Di Sulawesi Utara. *Jurnal Penelitian Teknologi Industri*, 6(2), 55–62.
- Hossain, M. B., Barry-Ryan, C., Martin-Diana, A. B., & Brunton, N. P. (2010). Effect of drying method on the antioxidant capacity of six Lamiaceae herbs. *Food Chemistry*, 123(1), 85–91. <https://doi.org/10.1016/j.foodchem.2010.04.003>
- Hsieh, B. C., Matsuura, R., Moriyama, H., Chen, R. L. C., Shimamura, T., & Ukeda, H. (2008). Characterization of superoxide anion scavenging compounds in roselle (*Hibiscus sabdariffa* L.) extract by electron spin resonance and LC/MS. *Food Science and Technology Research*, 14(4), 383–388. <https://doi.org/10.3136/fstr.14.383>

- Hussein, R. M., Shahein, Y. E., El, A. E., & Awad, H. M. (2010). Biochemical and molecular characterization of three coloured types of Roselle (*Hibiscus sabdariffa* L.). *Journal of American Science*, 6, 726–733. <https://doi.org/10.7537/marsjas061110.105>
- Inggrid, M., Hartanto, Y., & Widjaja, J. F. (2018). Karakteristik Antioksidan pada Kelopak Bunga Rosella (*Hibiscus sabdariffa* Linn.). *Jurnal Rekayasa Hijau*, 2(3), 283–289. <https://doi.org/10.26760/jrh.v2i3.2517>
- Inikpi, E., Lawal, O. A., Ogunmoye, A. O., & Ogunwande, I. A. (2014). Volatile composition of the floral essential oil of *Hibiscus sabdariffa* L. from Nigeria. *American Journal of Essential Oils and Natural Products*, 2(2), 04–07. https://www.researchgate.net/profile/Abdulrazaq-Ogunmoye/publication/329699437_Volatile_composition_of_the_floral_essential_oil_of_Hibiscus_sabdariffa_L_from_Nigeria/links/5c161f2192851c39ebf0edcd/Volatile-composition-of-the-floral-essential-oil-of-Hibisc
- Julianto, T. S. (2016). *Minyak Atsiri Bunga Indonesia*. Deepublish.
- Juniarka, I. G., Lukitaningsih, E., & Noegrohati, S. (2011). Analisis Aktivitas Antioksidan dan Kandungan Antosianin Total Ekstrak dan Liposom Kelopak Bunga Rosella (*Hibiscus Sabdariffa* L.) Analysis Antioxidant Activity And Total Anthocyanin Content in Extract and Liposome of Roselle (*Hibiscus Sabdariffa* L.) Calyex. *Majalah Obat Tradisional*, 16(3), 115–123.
- Khare, C. P. (2007). *Hibiscus sabdariffa* Linn. *Indian Medicinal Plants*, 8(1), 1–1. https://doi.org/10.1007/978-0-387-70638-2_749
- Kurniawati, A. (2019). Pengaruh Jenis Pelarut Pada Proses Ekstraksi Bunga Mawar Dengan Metode Maserasi Sebagai Aroma Parfum. *Journal of Creativity Student*, 2(2), 74–83. <http://journal.unnes.ac.id/nju/index.php/jcs>
- Marjoni, R. (2016). Dasar-Dasar Fitokimia. *Trans Info Media*, 1–38.
- Mata, A. T., Proenc, C., Ferreira, A. R., & Serralheiro, M. L. M. (2007). Food Chemistry Antioxidant and antiacetylcholinesterase activities of five plants used as Portuguese food spices. *Food Chemistry*, 103, 778–786. <https://doi.org/10.1016/j.foodchem.2006.09.017>
- Mohamed, R., Fernández, J., Pineda, M., & Aguilar, M. (2007). Roselle (*Hibiscus sabdariffa*) seed oil is a rich source of γ -tocopherol. In *Journal of Food Science* (Vol. 72, Issue 3). <https://doi.org/10.1111/j.1750-3841.2007.00285.x>
- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarinn Journal of Science and Technology*, 26(December 2003), 211–219. <https://doi.org/10.1287/isre.6.2.144>
- Nurchahyo, H. (2014). Pembuatan Destilasi Kapasitas 100 Kg. *Jurnal Ilmiah Farmasi*, 3(2), 1–3.

- Paputungan, Z., Wonggo, D., & Kaseger, B. E. (2017). Uji Fitokimia dan Aktivitas Antioksidan Buah Mangrove *Sonneratia alba* di Desa Nunuk Kecamatan Pinolosian Kabupaten Bolaang Mongondow Selatan. *Media Teknologi Hasil Perikanan*, 5(3), 96. <https://doi.org/10.35800/mthp.5.3.2017.16866>
- Pietta, P. G. (2000). Flavonoids as antioxidants. *Journal of Natural Products*, 63(7), 1035–1042. <https://doi.org/10.1021/np9904509>
- Pitpiangchan, P., Dilokkunanant, U., Sukkatta, U., Vajrodaya, S., Haruethaitanasan, V., Punjee, P., & Rukthaworn, P. (2009). Comparative study of scented compound extraction from *Plumeria obtusa* L. *Kasetsart Journal - Natural Science*, 43(5 SUPPL.), 189–196.
- Potgieter, P. N. (2020). Cytotoxic, Anti-Inflammatory, Antibacterial and Anti-HIV Effects of *Tabernaemontana Elegans* Leaves and Fractions. *Doctoral Dissertation, February 2020*.
- Pratiwi, D., & Wardaniati, I. (2019). Pengaruh Variasi Perlakuan (Segar dan Simplisia) Rimpang Kunyit (*Curcuma domestica*) Terhadap Aktivitas Antioksidan dan Kadar Fenol Total. *Jurnal Farmasi Higea*, 11(Vol 11, No 2 (2019): Jurnal Farmasi Higea Vol 11. No. 2 Tahun 2019), 159–165.
- Purnomo, & Asmarayani, R. (2006). Hubungan Kekerbatan Antar Spesies Piper Berdasarkan Sifat Morfologi dan Minyak Atsiri Daun di Yogyakarta. *Biodiversitas*, 7(3).
- Rahma, A., Taufiqurrahman, I., & Edyson. (2017). Perbedaan Total Flavanoid antara Metode Maserasi dengan Sokletasi pada Ekstrak Daun *Ramania* (*Bouea macrophylla* Griff). *Dentino Jurnal Kedokteran Gigi*, 1(1), 22–27.
- Riaz, G., & Chopra, R. (2018). A review on phytochemistry and therapeutic uses of *Hibiscus sabdariffa* L. *Biomedicine and Pharmacotherapy*, 102(May 2017), 575–586. <https://doi.org/10.1016/j.biopha.2018.03.023>
- Ridho, E. Al, Sari, R., & Wahdaningsih, S. (2013). Uji Aktivitas Antioksidan Ekstrak Metanol Buah Lakum Dengan Metode DPPH (2,2-Difenil-1-Pikrihidrazil). *Universitas Tanjungpura : Program Studi Farmasi Fakultas Kedokteran*. <https://doi.org/10.1190/segam2013-0137.1>
- Robinson, T. (1983). *The Organic Constituents of Higher Plants Their Chemistry and Interrelationship* (5th ed.). Cordus Press.
- Rubiyanto, D., & Fitriyah, D. (2016). Isolasi CIS- dan Trans-Sitral dari Minyak Atsiri Kemangi (*Ocimum citriodorum*, L) dengan Metode Ekstraksi Bisulfit Dan Metode Distilasi Uap. *Indonesia Journal of Essential Oil*, 11(1), 1–11.
- Sari, L., Lesmana, D., & Taharuddin. (2018). Estraksi minyak atsiri dari daging buah pala (tinjauan pengaruh metode destilasi dan kadar air bahan). *Seminar*

Nasional Sains Dan Teknologi 2018, 919, 1–6.

- Sarrou, E., Chatzopoulou, P., Dimassi-Theriou, K., & Therios, I. (2013). Volatile constituents and antioxidant activity of peel, flowers and leaf oils of *Citrus aurantium* L. growing in Greece. *Molecules*, 18(9), 10639–10647. <https://doi.org/10.3390/molecules180910639>
- Sastrohamidjojo, H. (2021). *Kimia Minyak Atsiri* (Siti (ed.)). UGM Press.
- Sen. (1968). Institute of Mathematical Statistics is collaborating with JSTOR to digitize, preserve, and extend access to The Annals of Statistics. © www.jstor.org. *Annals of Statistics*, 19(3), 1403–1433.
- Setiawan, D. (1999). *Atlas Tanaman Obat Jilid 1*. Trubus.
- Shen, C. Y., Zhang, T. T., Zhang, W. L., & Jiang, J. G. (2016). Anti-inflammatory activities of essential oil isolated from the calyx of: *Hibiscus sabdariffa* L. *Food and Function*, 7(10), 4451–4459. <https://doi.org/10.1039/c6fo00795c>
- Utomo, D. B. G., & Mujiburohman, M. (2018). Pengaruh kondisi daun dan waktu penyulingan terhadap rendemen minyak kayu putih. *Jurnal Teknologi Bahan Alam*, 2(2), 124–128.
- Widayani, A., & Cahyono, E. (2018). Isolasi dan Uji Antioksidan Minyak Atsiri Daun Sirih Merah (*Piper crocatum* Ruiz & Pav.) pada Minyak Goreng Curah. *Indonesian Journal of Chemical Science*, 7(3), 214–220.
- Winarsi, H. (2007). *Antioksidan Alami & Radikal Bebas*. Kanisius.
- Wollinger, A., Perrin, É., Chahboun, J., Jeannot, V., Touraud, D., & Kunz, W. (2016). Antioxidant activity of hydro distillation water residues from *Rosmarinus officinalis* L. leaves determined by DPPH assays. *Comptes Rendus Chimie*, 19(6), 754–765. <https://doi.org/10.1016/j.crci.2015.12.014>
- Wright, C. I., Van-Buren, L., Kroner, C. I., & Koning, M. M. G. (2007). Herbal medicines as diuretics: A review of the scientific evidence. *Journal of Ethnopharmacology*, 114(1), 1–31. <https://doi.org/10.1016/j.jep.2007.07.023>
- Wu, H. Y., Yang, K. M., & Chiang, P. Y. (2018). Roselle anthocyanins: Antioxidant properties and stability to heat and pH. *Molecules*, 23(6). <https://doi.org/10.3390/molecules23061357>
- Zaman, H. U. (2017). Analysis of Physicochemical, Nutritional and Antioxidant Properties of Fresh and Dried Roselle (*Hibiscus sabdariffa* Linn.) Calyces. *International Journal of Pure & Applied Bioscience*, 5(1), 261–267. <https://doi.org/10.18782/2320-7051.2532>
- Zhang, Y. N., & Wang, Z. Z. (2007). Essential oil composition of *Hibiscus sabdariffa* from Yunnan, China. *Chemistry of Natural Compounds*, 43(6), 714–715. <https://doi.org/10.1007/s10600-007-0242-7>