

**“ASUHAN KEBIDANAN KOMPREHENSIF PADA PEREMPUAN “NL”  
DI PMB IP WILAYAH KERJA PUSKESMAS SAWAN I  
KABUPATEN BULELENG  
TAHUN 2022”**

**Oleh:**

**Elisabeth Nadia Kristania**

**NIM:1906091043**

**ABSTRAK**

Dalam kehamilan banyak terjadi perubahan pada ibu hamil, terutama perubahan pada berat badan. Perubahan berat badan ini sangat mempengaruhi kondisi ibu hamil dan kondisi janin yang ada di dalam kandungan. Penelitian ini bertujuan untuk memberikan asuhan yang berkesinambungan pada ibu “NL” di PMB “IP” Wilayah Kerja Puskesmas Sawan I. Jenis penelitian yang digunakan dengan metode deskriptif dengan pendekatan studi kasus serta dilakukan pendokumentasian asuhan dengan SOAP. Pada asuhan pertama pada tanggal 23 Februari 2022 UK 36 Minggu 2 Hari di dapatkan hasil kenaikan berat badan tidak sesuai dengan rekomendasi kenaikan berat badan sesuai IMT normal yaitu 11,5-16 kg. Penatalaksanaan yang sudah dilakukan pada kehamilan memantau perkembangan berat badan ibu setiap ibu datang melakukan kunjungan ANC, memberikan konseling tentang pemenuhan nutrisi selama kehamilan, memberikan KIE tentang dampak jika ibu memiliki berat badan yang tidak sesuai dengan standar ibu hamil pada umumnya Pada UK 39 Minggu 1 Hari berat badan ibu mengalami kenaikan sebanyak 0,5 kg. Jadi terdapat kenaikan berat badan pada ibu “NL” sehingga KIE yang diberikan sudah berhasil. Analisa kehamilan G3P2A0 UK 36 Minggu 2 Hari. Pada persalinan Kala I berlangsung selama 6 jam, pada kala II berlangsung selama 15 menit, pada kala III berlangsung selama 7 menit, pada kala IV dilakukan pemantauan dari setelah lahirnya plasenta sampai dengan 2 jam *post partum*. Analisa persalinan G3P2A0 UK 39 Minggu 5 hari Preskep  $\cup$  Puka Janin Tunggal Hidup Intrauteri Partus Kala I Fase Aktif sampai Kala IV. Analisa nifas P3A0 Partus Spontan Belakang Kepala Nifas 12 jam dengan laserasi grade I sampai nifas 14 hari. Untuk itu ibu perlu diberikan pemahaman tentang pentingnya menjaga pola makan ibu di trimester III. Dengan demikian dapat disimpulkan bahwa terdapat perubahan kenaikan berat badan pada ibu “NL” selama dilakukan asuhan.

**Kata Kunci:** IMT, Continue Of Care

***COMPREHENSIVE MIDWIFERY CARE FOR WOMEN "NL" AT PMB IP IN  
THE WORK AREA OF THE SAWAN I PUBLIC HEALTH CENTER,  
BULELENG REGENCY IN 2022***

***By***

**Elisabeth Nadia Kristania**

**NIM:1906091043**

***ABSTRACT***

During pregnancy many changes occur in pregnant women, especially changes in body weight. Changes in body weight greatly affect the condition of pregnant women and the condition of the fetus in the womb. This study aims to provide continuous care for "NL" mothers in PMB "IP" in the Working Area of Sawan I Health Center. The type of research used is descriptive method with a case study approach and documentation of care with SOAP is carried out. In the first care on 23 February 2022 UK 36 Weeks 2 Days, the results of weight gain were not in accordance with the recommendations for weight gain according to the normal BMI of 11.5-16 kg. The management that has been carried out in pregnancy monitors the progress of the mother's weight every time the mother comes to visit the ANC, provides counseling on nutritional fulfillment during pregnancy, provides KIE about the impact if the mother has a weight that is not in accordance with the standards of pregnant women in general. In the UK 39 Weeks 1 Day Mother's weight increased by 0.5 kg. So there is an increase in weight in the "NL" mother so that the KIE given has been successful. G3P2A0 pregnancy analysis UK 36 weeks 2 days. In the first stage of labor it lasts for 6 hours, in the second stage it lasts for 15 minutes, in the third stage it lasts for 7 minutes, in the fourth stage, monitoring is carried out from after the birth of the placenta until 2 hours post partum. Analysis of labor G3P2A0 UK 39 Weeks 5 days Presept U Puka Fetus Single Live Intrauterine Parturition Stage I Active Phase to Stage IV. Postpartum analysis P3A0 Spontaneous Parturition behind the Head Postpartum 12 hours with grade I laceration until 14 days postpartum. For this reason, mothers need to be given an understanding of the importance of maintaining a mother's diet in the third trimester. Thus it can be concluded that there is a change in weight gain in "NL" mothers during care.

***Keywords: BMI, Continue Of Care***