

**ASUHAN KEBIDANAN KOMPREHENSIF PADA PEREMPUAN “KA” DI
PMB “KM” WILAYAH KERJA PUSKESMAS TEJAKULA I
TAHUN 2022**

Oleh :

Kadek Mas Yogi Cahyati Wahyuni

NIM. 1906091009

ABSTRAK

Asuhan kebidanan pada kehamilan, persalinan, nifas, dan neonatus merupakan faktor penting yang mempengaruhi angka kematian ibu dan janin, maka dari itu perlu melakukan COC (*Continuity Of Care*). Salah satu masalah yang sering terjadi setelah kelahiran bayi adalah masalah pemberian ASI. ASI eksklusif adalah air susu ibu yang diberikan kepada bayi sejak lahir sampai 6 bulan, tanpa menambahkan atau mengganti dengan makanan atau minuman lain. Gagal ASI eksklusif dapat disebabkan dari berbagai faktor, seperti pendidikan dan pekerjaan ibu. Tujuan dari penelitian ini adalah memberikan asuhan yang berkesinambungan pada perempuan “KA” dari usia kehamilan 38 minggu sampai 14 hari masa nifas. Asuhan ini dimulai pada tanggal 19 Maret 2022-24 April 2022. Perempuan “KA” diberikan asuhan secara langsung yaitu 2 kali pada kehamilan, terdapat masalah yang dialami perempuan “KA” yaitu memiliki riwayat gagal ASI eksklusif. Penulis sudah memberikan penatalaksanaan berupa KIE cara menstimulasi ASI dan teknik perlekatan yang benar sehingga dapat membantu mengurangi masalah yang perempuan “KA” alami. Perempuan “KA” melahirkan bayi perempuan pada tanggal 10 April 2022 pada pukul 09.25 WITA. Pada persalinan kala II terjadi distosia bahu dan terdapat laserasi perineum grade II, lalu dilakukan pemantauan selama 2 jam, dilanjutkan dengan pemeriksaan masa nifas dan pemeriksaan pada bayi. Pada masa nifas, hasil pemeriksaan pada ibu dan bayi normal dan ibu sudah memilih KB IUD. Dari asuhan perempuan “KA” didapatkan hasil bahwa ibu memiliki gagal ASI eksklusif yang sudah teratasi, hal ini dilihat dari kunjungan selanjutnya ibu sudah memberikan ASI kepada bayinya. Simpulan yang dapat ditarik yaitu, pada kasus ini ada beberapa kesenjangan antara teori dengan aktual di lapangan seperti pada saat pengukuran MC.Donalds.

Kata kunci: *Continuity of care*, riwayat gagal ASI eksklusif, stimulasi ASI

**Comprehensive Midwifery Care for Women “KA” in PMB “KM” the Working
Area of the Tejakula Public Health Center I
year 2022**

By :

Kadek Mas Yogi Cahyati Wahyuni

NIM. 1906091009

ABSTRACT

Midwifery care in pregnancy, childbirth, postpartum, and neonates is an important factor affecting maternal and fetal mortality, therefore it is necessary to carry out COC (Continuity Of Care). One of the problems that often occur after the birth of a baby is the problem of breastfeeding. Exclusive breastfeeding is breast milk that is given to babies from birth to 6 months, without adding or replacing it with other foods or drinks. Failure to exclusively breastfeed can be caused by various factors, such as the mother's education and occupation. The purpose of this study was to provide continuous care for “KA” women from 38 weeks of gestation to 14 days of the puerperium. This care starts on March 19, 2022-April 24, 2022. Women “KA” are given direct care, namely 2 times in pregnancy, there are problems experienced by women “KA” that has a history of failure to exclusive breastfeeding. The author has provided management in the form of IEC how to stimulate breast milk and the correct attachment technique so that it can help reduce the problems that “KA” women experience. The “KA” woman gave birth to a baby girl on April 10, 2022 at 09.25 WITA. In the second stage of labor there was shoulder dystocia and there was a grade II perineal laceration, then monitoring was carried out for 2 hours, followed by an examination of the puerperium and examination of the baby. During the postpartum period, the results of the examination on the mother and baby are normal and the mother has chosen the IUD KB. From the care of the “KA” woman, it was found that the mother had failed exclusive breastfeeding which had been resolved, this was seen from the next visit the mother had given breast milk to her baby. The conclusion that can be drawn is, in this case there are some gaps between theory and actual in the field, such as when measuring MC.Donalds.

Keywords: Continuity of care, history of exclusive breastfeeding failure, breastmilk stimulation.