

**ASUHAN KEBIDANAN KOMPREHENSIF PADA
PEREMPUAN “PA” DI PMB “KS” WILAYAH KERJA
PUSKESMAS SERIRIT 1 KABUPATEN BULELENG
TAHUN 2022**

Oleh:

Kadek Tarisa Descanida Giri

Nim. 1906091013

ABSTRAK

Sering buang air kecil adalah salah satu keluhan yang umum terjadi pada ibu hamil trimester III. Keluhan sering buang air kecil pada ibu hamil ini bila tidak ditangani dengan benar akan mempengaruhi proses persalinan, masa nifas serta kesehatan ibu dan bayi. Maka dari itu, harus dilakukan asuhan yang komprehensif. Jenis penelitian laporan tugas akhir ini adalah deskriptif dengan pendekatan studi kasus. Pengambilan data dilakukan dengan metode wawancara, observasi, pemeriksaan fisik, dan dokumentasi. Hasil yang didapat dengan melakukan asuhan komprehensif pada ibu “PA” G1P0A0 UK 37 minggu 4 hari Preskep U Puka Janin Tunggal Hidup Intra Uteri pada masa kehamilan trimester III yang mengalami keluhan sering buang air kecil. Pada saat persalinan mengalami keluhan disertai lendir bercampur darah, sakit perut hilang timbul yang menjalar ke pinggang. Proses kala I, kala II, kala III berlangsung dengan normal dan dilakukan pemantauan kala IV hingga 2 jam post partum, penatalaksanaan yang dilakukan kala I fase aktif yaitu pemantauan dengan menggunakan partograf WHO, kala II dilakukan sesuai dengan APN, kala III dilakukan sesuai dengan manajemen aktif kala III dan pada kala IV dilakukan pemantauan sampai 2 jam post partum. Masa nifas pada ibu “PA” dimulai dari KF 1 pada 6 jam, KF 2 pada hari ke-4, KF 3 pada hari ke-14. Penatalaksanaan didasarkan pada kebutuhan dan kunjungan pascapersalinan. Pada bayi laki-laki ibu “PA” diberikan penatalaksanaan pada KN 1 berusia 6 jam, pada KN 2 berusia 4 hari tidak ada keluhan pada bayi, dan pada KN 3 berusia 14 hari dan bayi tidak ada keluhan. Penatalaksanaan yang diberikan sesuai dengan kebutuhan dan sesuai dengan kunjungan neonatus. Kesimpulan yang dapat ditarik dari kasus tersebut yaitu tidak terdapat kesenjangan antara teori dengan aktualisasi di lapangan pada saat pelaksanaan asuhan ibu.

Kata Kunci : *Asuhan Komprehensif, Kehamilan TM III, Sering Buang Air Kecil*

Comprehensive Midwifery Care for “PA” Women at PMD “KS” in the Work Area of the Seririt I Public Health Center, Buleleng Regency in 2022”

ABSTRACT

Frequent urination is a common complaint in third trimester pregnant women. Complaints of frequent urination in pregnant women if not handled properly will affect the delivery process, the postpartum period and the health of the mother and baby. Therefore, comprehensive care must be carried out. The type of research in this final project report is descriptive with a case study approach. Data were collected by interview, observation, physical examination, and documentation methods. The results obtained by providing comprehensive care to the mother "PA" G1P0A0 UK 37 weeks 4 days Preskep U Puka Single Fetus Live Intra Uterine during the third trimester of pregnancy who complains of frequent urination. At the time of delivery, she experienced complaints accompanied by mucus mixed with blood, intermittent abdominal pain that spread to the waist. The process of stage I, stage II, stage III proceeds normally and stage IV monitoring is carried out for up to 2 hours post partum, the management carried out in stage I is the active phase, namely monitoring using the WHO partograph, stage II is carried out according to APN, stage III is carried out according to management active stage III and in stage IV monitoring until 2 hours post partum. The puerperal period in "PA" mothers starts from KF 1 at 6 hours, KF 2 on the 4th day, KF 3 on the 14th day. Management is based on postpartum needs and visits. In male infants, the mother "PA" was given management at KN 1 aged 6 hours, at KN 2 aged 4 days there were no complaints in the baby, and in KN 3 at 14 days old and the baby had no complaints. The management is given according to the needs and according to the neonate's visit. The conclusion that can be drawn from this case is that there is no gap between theory and actualization in the field during the implementation of maternal care.

Keywords: Comprehensive Care, Pregnancy TM III, Frequent urination