



LAMPIRAN

LAMPIRAN 02.
HASIL SPSS



Deskriptif Variabel Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
SIA	33	22.00	40.00	33.0000	4.23503
PI	33	31.00	45.00	38.4375	4.25735
SDM	33	23.00	41.00	35.7720	4.23872
LK	33	29.00	50.00	42.4375	5.33363
Valid N (listwise)	33				

(sumber: Ouput SPSS)

Instrumen penelitian	r hitung	r tabel	Keterangan
Item_1	0,680	0.338	Valid
Item_2	0,604	0.338	Valid
Item_3	0,726	0.338	Valid
Item_4	0,516	0.338	Valid
Item_5	0,525	0.338	Valid
Item_6	0,643	0.338	Valid
Item_7	0,790	0.338	Valid
Item_8	0,713	0.338	Valid

Instrumen penelitian	r hitung	r tabel	Keteran gan
Item_1	0,700	0.338	Valid
Item_2	0,745	0.338	Valid
Item_3	0,709	0.338	Valid
Item_4	0,619	0.338	Valid
Item_5	0,560	0.338	Valid
Item_6	0,733	0.338	Valid
Item_7	0,784	0.338	Valid
Item_8	0,802	0.338	Valid
Item_9	0,654	0.338	Valid

Instrumen penelitian	r hitung	r tabel	Keterangan
Item_1	0,793	0.338	Valid
Item_2	0,824	0.338	Valid
Item_3	0,596	0.338	Valid
Item_4	0,639	0.338	Valid
Item_5	0,813	0.338	Valid


Instrumen penelitian	r hitung	r tabel	Keterangan
Item_1	0,793	0.338	Valid
Item_2	0,824	0.338	Valid
Item_3	0,596	0.338	Valid
Item_4	0,639	0.338	Valid
Item_5	0,813	0.338	Valid
Item_6	0,813	0.338	Valid
Item_7	0,570	0.338	Valid
Item_8	0,863	0.338	Valid
Item_9	0,776	0.338	Valid
Item_10	0,703	0.338	Valid

Variabel	Cronbach's Alpha	Batas reliabilitas	Ket.
Sistem informasi akuntansi	0,809	0.60	Reliabel
Sistem Pengendalian Internal	0,870	0.60	Reliabel
Kapasitas SDM	0,789	0.60	Reliabel
Kualitas Laporan Keuangan Pemerintah Daerah	0,909	0.60	Reliabel

**One Sample Kolmogorov-Smirnov
One-Sample Kolmogorov-Smirnov Test**

		Unstandardized Residual
N		33
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	3.39126679
	Most Extreme Differences	
	Absolute	.188
	Positive	.154
	Negative	-.188
Test Statistic		.188
Asymp. Sig. (2-tailed)		.005 ^c


- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.



Tabel 4.13 Uji Coefficients

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1 (Constant)	3.876	6.527		.594	.557		
SIA	.075	.158	.060	.474	.639	.882	1.134
PI	.939	.158	.749	5.960	.000	.882	1.134

a. Dependent Variable: LK
 (Sumber: Output SPSS 22)



Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	3.876	6.527		.594	.557		
	SIA	.075	.158	.060	.474	.002	.882	1.134
	PI	.939	.158	.749	.960	.000	.882	1.134
	SDM	.081	.158	.079	.601	.001	.882	1.134