

DAFTAR PUSTAKA

- Adhika, D. R., Anindya, A. L., Tanuwijaya, V. V., & Rachmawati, H. (2019). *Teknik Pengamatan Sampel Biologi Dan Non-Konduktif Menggunakan Scanning Electron Microscopy*. 53–58. <https://doi.org/10.5614/sniko.2018.9>
- Al-Tabakha, M. M., Khan, S. A., Ashames, A., Ullah, H., Ullah, K., Murtaza, G., & Hassan, N. (2021). Synthesis, characterization and safety evaluation of sericin-based hydrogels for controlled delivery of acyclovir. *Pharmaceuticals*, 14(3). <https://doi.org/10.3390/ph14030234>
- Aplikasi, P., & Isotop, T. (2011). *C yang lebih rendah serta dapat mengabsorbsi air lebih banyak dibandingkan dengan formula*. 125–131.
- Ayu, A. M., Wardhani, S., & Darjito. (2013). Studi Pengaruh Konsentrasi NaOH dan pH Terhadap Sintesis Silika Xerogel Berbahan Dasar Pasir Kuarsa. *Kimia Student Journal Universitas Brawijaya*, 2(2), 517–523.
- Cao, T. T., & Zhang, Y. Q. (2016). Processing and characterization of silk sericin from Bombyx mori and its application in biomaterials and biomedicines. *Materials Science and Engineering C*, 61, 940–952. <https://doi.org/10.1016/j.msec.2015.12.082>
- Danks, A. E., Hall, S. R., & Schnepf, Z. (2016). The evolution of “sol-gel” chemistry as a technique for materials synthesis. *Materials Horizons*, 3(2), 91–112. <https://doi.org/10.1039/c5mh00260e>
- Endrawati, Y. C. (2012). *Ekstraksi Protein Serisin dari Kokon Sutera Liar Attacus atlas dan Karakterisasinya sebagai Biomaterial*. 11–12.
- Fadhlulloh, M. A., Rahman, T., Nandiyanto, A. B. D., & Mudzakir, A. (2014). Review Tentang Sintesis SiO₂ Nanopartikel. *Jurnal Integrasi Proses*, 5(1), 30–45.
- Hamidi, M., Azadi, A., & Rafiei, P. (2008). Hydrogel nanoparticles in drug delivery. *Advanced Drug Delivery Reviews*, 60(15), 1638–1649.

- <https://doi.org/10.1016/j.addr.2008.08.002>
- Han, Y. H., Taylor, A., Mantle, M. D., & Knowles, K. M. (2007). Sol-gel-derived organic-inorganic hybrid materials. *Journal of Non-Crystalline Solids*, 353(3), 313–320. <https://doi.org/10.1016/j.jnoncrysol.2006.05.042>
- Hou, A., & Chen, H. (2010). Preparation and characterization of silk/silica hybrid biomaterials by sol-gel crosslinking process. *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 167(2), 124–128. <https://doi.org/10.1016/j.mseb.2010.01.065>
- Kartika, R., Gadri, A., & Darma, G. C. E. (2015). Formulasi Basis Sediaan Pembalut Luka Hidrogel dengan Teknik Beku Leleh Menggunakan Polimer Kappa Karagenan. *Prosiding Penelitian SPeSIA Unisba*, 0(0), 643–648.
- Khairani, I., Nuryanti, N., & Sunarto, S. (2019). Formulasi Sediaan Gel Ekstrak Etil Asetat Bunga Kecombrang (*Nicolaia Speciosa*) dengan Basis HPMC dan Uji Aktivitasnya terhadap *Staphylococcus Aureus*. *Acta Pharm Indo*, 7(1), 19–27. <https://doi.org/10.5281/zenodo.3703111>
- Kickelbick, G. (2007). *Introduction to Hybrid Materials The Development of Hybrid Materials*.
- Kunz, R. I., Brancalhão, R. M. C., Ribeiro, L. D. F. C., & Natali, M. R. M. (2016). Silkworm Sericin: Properties and Biomedical Applications. *BioMed Research International*, 2016. <https://doi.org/10.1155/2016/8175701>
- Kusuma, D. S., Soegijono, B., & Sarwono, R. (2010). PENGARUH pH PADA SINTESIS KATALIS Cu-ZnO DENGAN PROSES SOL GEL UNTUK HIDROGENOLISIS GLISEROL. 209–214.
- Lee, J. Y., & Lee, K. H. (2013). Synthesis of Silica using Silk Sericin without Hydrolysis of Tetraethyl Orthosilicate. *International Journal of Industrial Entomology*, 27(2), 298–302. <https://doi.org/10.7852/ijie.2013.27.2.298>
- Momete, D. C., & Vasilescu, D. S. (2004). Synthetic materials used in orthopedy. *Revue Roumaine de Chimie*, 49(12), 955–964.
- Nurjayanti, E. D. (2011). Budidaya Ulat Sutera Dan Produksi Benang Sutera Melalui

- Sistem Kemitraan Pada Pengusaha Sutera Alam (PSA) Regaloh Kabupaten Pati. *Mediagro*, 7(2), 1–10.
- Obadiah, A. L. I. W. A. (2011). Production of silica gel from rice husk ash ali w anderimam obadiah. *Quim. Nova*, 34(November), 71–75.
- Oh, T. (2010). Study on the correlation between dielectric constant and chemical shift in FTIR spectra of SiOC film by chemical vapor deposition after annealing. *Physica Status Solidi (C) Current Topics in Solid State Physics*, 7(2), 448–451. <https://doi.org/10.1002/pssc.200982437>
- Pandey, S., & Mishra, S. B. (2011). Sol-gel derived organic-inorganic hybrid materials: Synthesis, characterizations and applications. *Journal of Sol-Gel Science and Technology*, 59(1), 73–94. <https://doi.org/10.1007/s10971-011-2465-0>
- Park, W., Shin, H., Choi, B., Rhim, W. K., Na, K., & Keun Han, D. (2020). Advanced hybrid nanomaterials for biomedical applications. *Progress in Materials Science*, 114, 100686. <https://doi.org/10.1016/j.pmatsci.2020.100686>
- Qu, S., Wu, G., Fang, J., Zang, D., Xing, H., Wang, L., & Wu, H. (2017). Dielectric and Magnetic Loss Behavior of Nanooxides. In *Spectroscopic Methods for Nanomaterials Characterization* (Vol. 2, Issue December). <https://doi.org/10.1016/B978-0-323-46140-5.00011-X>
- Rachman, T. (2018). Identifikasi Protein Pada Albumin Telur. *Angewandte Chemie International Edition*, 6(11), 951–952., 10–27.
- Rashti, A., Yahyaei, H., Firoozi, S., Ramezani, S., Rahiminejad, A., Karimi, R., Farzaneh, K., Mohseni, M., & Ghanbari, H. (2016). Development of novel biocompatible hybrid nanocomposites based on polyurethane-silica prepared by sol gel process. *Materials Science and Engineering C*, 69, 1248–1255. <https://doi.org/10.1016/j.msec.2016.08.037>
- Review, T. (2018). *Article type : Tutorial Review Paper Title : Silkworm Silk-based Materials and Devices generated using Bio- nanotechnology.*
- Rubežić, M., Krstić, A., Stanković, H., Ljupković, R., Randelović, M., & Zarubica,

- A. (2020). Different types of biomaterials: Structure and application: A short review. *Advanced Technologies*, 9(1), 69–79.
<https://doi.org/10.5937/savteh2001069r>
- S., S. (2020). Education Management Information System - Three-Tier Web Application Prototype for Education Workflow. *Madras Agricultural Journal*, 107(7–9). <https://doi.org/10.29321/maj.2020.000382>
- Saha, J., H. Mondal, M. I., Karim Sheikh, M. R., & Habib, M. A. (2019). Extraction, Structural and Functional Properties of Silk Sericin Biopolymer from Bombyx mori Silk Cocoon Waste. *Journal of Textile Science & Engineering*, 09(01).
<https://doi.org/10.4172/2165-8064.1000390>
- Santos, N. T. das G., da Silva, M. G. C., & Vieira, M. G. A. (2019). Development of novel sericin and alginate-based biosorbents for precious metal removal from wastewater. *Environmental Science and Pollution Research*, 26(28), 28455–28469. <https://doi.org/10.1007/s11356-018-3378-z>
- Schacht, E. (2004). Biomaterials. In *Verhandelingen - Koninklijke Academie voor Geneeskunde van België* (Vol. 66, Issue 4).
https://doi.org/10.4324/9780203381564_biomaterials
- Shi, L., Yang, N., Zhang, H., Chen, L., Tao, L., Wei, Y., Liu, H., & Luo, Y. (2015). A novel poly(γ -glutamic acid)/silk-sericin hydrogel for wound dressing: Synthesis, characterization and biological evaluation. *Materials Science and Engineering C*, 48, 533–540. <https://doi.org/10.1016/j.msec.2014.12.047>
- Silverstein, R. M., Webster, F. X., & Kiemle, D. J. (1949). Spectrometric Identification of Organic Compounds (seventh edition). In *Analytical Chemistry* (Vol. 21, Issue 4).
- Siti Sunarintyas, Yeni Yustisia, & Alva Edy Tontowi. (2011). Efek Aplikasi Sericin Pada Hidroksiapatit Terhadap Perlekatan Sel Osteoblas. *Jurnal Teknosains*, 1(1), 35–41.
- Sriwuryandari, L., Priantoro, E. A., Janetasari, S. A., Butar Butar, E. S., & Sembiring, T. (2020). Utilization of rice husk (*Oryza sativa*) for amorphous biosilica (SiO_2)

production as a bacterial attachment. *IOP Conference Series: Earth and Environmental Science*, 483(1). <https://doi.org/10.1088/1755-1315/483/1/012023>

- Steven, S., Restiawaty, E., & Bindar, Y. (2021). Routes for energy and bio-silica production from rice husk: A comprehensive review and emerging prospect. *Renewable and Sustainable Energy Reviews*, 149(May 2020), 111329. <https://doi.org/10.1016/j.rser.2021.111329>
- Sukmana, I., Eka Risano, A. Y., Arif Wicaksono, M., & Adi Saputra, R. (2022). Perkembangan dan Aplikasi Biomaterial dalam Bidang Kedokteran Modern: A Review. *INSOLOGI: Jurnal Sains Dan Teknologi*, 1(5), 635–646. <https://doi.org/10.55123/insologi.v1i5.1037>
- Tilburey, G. E., Patwardhan, S. V., Huang, J., Kaplan, D. L., & Perry, C. C. (2007). Are hydroxyl-containing biomolecules important in biosilicification? A model study. *Journal of Physical Chemistry B*, 111(17), 4630–4638. <https://doi.org/10.1021/jp068539s>
- Ulfa, M., Yahya, P. T., Angriani, P. D., & Nur, A. A. (2020). FORMULASI DAN UJI EFEKTIVITAS KRIM LIMBAH AIR KOKON ULAT SUTERA (*Bombyx mori*) ASAL KABUPATEN SOPPENG SEBAGAI PELEMBAB KULIT. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Wang, X., Schröder, H. C., & Müller, W. E. G. (2014). Enzyme-based biosilica and biocalcite: Biomaterials for the future in regenerative medicine. *Trends in Biotechnology*, 32(9), 441–447. <https://doi.org/10.1016/j.tibtech.2014.05.004>
- Wang, Y. J., & Zhag, Y. Q. (2011). Three-layered sericins around the silk fibroin fiber from *Bombyx mori* cocoon and their amino acid composition. *Advanced Materials Research*, 175–176, 158–163. <https://doi.org/10.4028/www.scientific.net/AMR.175-176.158>