



LAMPIRAN

Lampiran 1: Kuesioner

Bagian I: Data Responden

Dimohonkan untuk mengisi data dibawah ini dengan lengkap dan benar.

1. Nama Responden :
2. Umur Responden :
3. Jenis Kelamin Responden :
4. Divisi Responden :



Bagian II: Petunjuk Pengisian Kuesioner

Berilah jawaban pertanyaan berikut sesuai dengan pendapat anda, dengan cara memberi tanda cheklis (√) pada kolom yang tersedia di lembar jawab yang telah disediakan.

Keterangan :

1. Skor 1 : STS (Sangat Tidak Setuju)
2. Skor 2 : TS (Tidak Setuju)
3. Skor 3 : N (Netral)
4. Skor 4 : S (Setuju)
5. Skor 4 : SS (Sangat Setuju)

Bagian III: Pertanyaan

No	Pernyataan	Alternatif				
		STS	TS	N	S	SS
Sistem Informasi Akuntansi (X1)						
1.	Saya mengetahui sistem informasi akuntansi yang digunakan di Dinas Perhubungan Kabupaten Buleleng.					
2.	Kualitas pelayanan yang diberikan oleh Dinas Perhubungan Kabupaten Buleleng Kurang memuaskan.					
3.	Saya memahami penggunaan sistem informasi akuntansi di Dinas Perhubungan Kabupaten Buleleng.					
4.	Saya kurang puas terhadap sistem informasi akuntansi di Dinas Perhubungan Kabupaten Buleleng.					
5.	Saya mengetahui keuntungan menggunakan sistem informasi akuntansi.					

No	Pernyataan	Alternatif				
		STS	TS	N	S	SS
Akuntansi Pertanggungjawaban (X2)						
1.	Saya mengetahui struktur organisasi di Dinas Perhubungan Kabupaten Buleleng					
2.	Saya memahami anggaran pengelolaan biaya di Dinas Perhubungan Kabupaten Buleleng.					
3.	Saya tidak mampu menggunakan sistem akuntansi yang digunakan di Dinas Perhubungan Kabupaten Buleleng					
4.	Saya memahami sistem pelaporan biaya di Dinas Perhubungan Kabupaten Buleleng.					

No	Pernyataan	Alternatif				
		STS	TS	N	S	SS
Kinerja Pegawai (Y)						
1.	Saya memahami kuantitas dan kualitas hasil kinerja					
2.	Saya melaksanakan tugas dengan efektif dan efisien					
3.	Saya selalu menjadi pegawai yang disiplin dan jujur dalam melaksanakan kerja					
4.	Saya selalu inisiatif dalam melaksanakan tugas					
5.	Saya tidak teliti saat menjalankan tugas					
6.	Saya memiliki jiwa kepemimpinan					
7.	Saya kurang kreatif saat melaksanakan tugas					

Lampiran 2: Tabulasi Data Responden

X1,1	X1,2	X1,3	X1,4	X1,5	Total X1	X2,1	X2,2	X2,3	X2,4	Total X2	Y1	Y2	Y3	Y4	Y5	Y6	Y7	Total Y
1	1	1	1	1	5	4	4	1	4	13	4	5	5	5	1	4	1	25
5	1	5	1	5	17	5	5	1	5	16	5	5	5	4	1	3	3	26
5	2	3	1	4	15	4	3	2	4	13	5	4	5	4	1	5	1	25
5	5	4	3	3	20	5	3	2	3	13	5	5	5	5	1	5	1	27
4	5	3	2	4	18	5	3	3	3	14	5	4	5	4	2	4	1	25
1	1	1	1	1	5	1	1	1	1	4	1	1	1	1	1	1	1	7
5	3	5	2	5	20	5	5	1	5	16	5	5	5	5	1	5	1	27
4	5	4	2	4	19	5	4	2	4	15	5	4	5	4	2	4	1	25
5	2	4	1	4	16	5	4	2	4	15	5	4	5	4	2	4	1	25
5	1	4	1	5	16	5	4	2	5	16	4	4	4	5	2	4	2	25
4	3	5	1	5	18	5	4	2	3	14	4	5	5	4	1	4	1	24
5	2	4	2	5	18	4	5	1	5	15	4	5	4	4	1	4	2	24
5	1	4	3	4	17	5	5	1	4	15	5	4	4	4	1	5	2	25
5	3	4	3	4	19	5	4	2	4	15	5	4	5	4	2	5	3	28
5	3	5	2	4	19	5	4	1	4	14	4	5	4	4	2	4	2	25
5	1	4	1	4	15	5	4	2	4	15	5	4	4	4	1	4	2	24
5	2	5	2	5	19	5	5	1	5	16	5	5	5	5	1	5	1	27
5	1	5	1	5	17	5	5	1	5	16	5	5	5	5	1	5	1	27
5	1	5	1	5	17	5	5	1	5	16	5	5	5	5	1	5	1	27
5	1	5	1	5	17	5	5	1	5	16	5	5	5	5	1	5	1	27
5	1	5	1	5	17	5	5	1	5	16	5	5	5	5	1	5	1	27
5	1	5	1	5	17	5	5	1	5	16	5	5	5	5	1	5	1	27
5	2	5	3	5	20	5	5	2	4	16	5	5	5	4	1	4	2	26
5	1	5	1	5	17	5	4	3	5	17	5	5	5	5	1	5	3	29
4	2	4	3	4	17	5	4	3	4	16	5	4	4	4	2	4	3	26
4	4	4	4	4	20	4	4	4	4	16	4	4	4	4	4	4	4	28
1	1	1	1	1	5	1	1	1	1	4	1	1	1	1	1	1	1	7
5	1	5	2	5	18	5	5	2	5	17	5	5	5	4	3	5	2	29
4	3	4	2	4	17	5	4	3	4	16	4	5	4	4	2	5	3	27
5	2	4	2	4	17	4	4	2	5	15	5	4	4	5	2	5	1	26
4	2	4	2	5	17	4	5	2	5	16	4	4	5	4	1	5	2	25
5	2	4	3	5	19	5	4	3	3	15	4	4	5	5	2	4	2	26
4	3	5	2	4	18	5	5	1	4	15	4	5	4	5	2	4	1	25
4	3	5	2	4	18	5	4	2	3	14	4	4	5	4	2	4	3	26
5	3	3	1	3	15	4	4	2	3	13	4	4	4	4	2	3	2	23
4	3	4	2	4	17	4	4	3	3	14	5	5	5	5	2	5	2	29
5	1	5	1	5	17	5	5	1	5	16	5	5	5	5	1	5	1	27

5	1	5	1	5	17	5	5	1	5	16	5	5	5	5	1	5	1	27
5	1	5	1	5	17	5	5	1	5	16	5	5	5	5	1	5	1	27
4	2	4	2	5	17	5	4	2	4	15	5	4	4	4	2	4	1	24
5	1	5	1	5	17	5	5	1	5	16	5	4	4	4	1	4	2	24
5	1	5	1	5	17	1	5	1	5	12	5	5	5	4	1	5	1	26
5	1	5	1	5	17	5	4	1	5	15	4	4	4	4	1	4	2	23
5	1	5	1	5	17	5	4	2	4	15	4	4	4	4	2	4	2	24
5	3	4	2	4	18	4	3	2	4	13	5	5	4	4	3	4	2	27
5	3	4	3	4	19	5	5	3	4	17	4	4	5	4	2	4	3	26
4	3	4	2	4	17	4	4	2	4	14	4	5	4	4	2	4	2	25
4	1	4	2	4	15	4	4	1	4	13	4	4	4	4	2	4	1	23
4	1	5	1	4	15	5	4	1	3	13	4	4	4	4	3	4	2	25
4	1	5	2	5	17	5	4	1	5	15	5	4	4	4	1	5	1	24
4	1	4	2	5	16	4	4	1	4	13	5	4	5	4	1	4	1	24
4	2	4	1	5	16	4	5	1	4	14	4	5	4	4	1	4	1	23
4	1	5	1	5	16	5	4	1	5	15	4	4	4	4	1	5	1	23
5	1	5	2	5	18	4	4	1	5	14	5	4	4	4	1	5	2	25
4	1	4	1	5	15	5	3	1	4	13	4	4	5	4	1	4	2	24
4	3	4	2	5	18	4	4	3	4	15	4	4	5	5	1	4	1	24
5	2	4	1	5	17	5	4	1	4	14	4	4	4	5	1	5	1	24
4	1	5	1	4	15	4	5	3	4	16	4	5	4	4	1	4	2	24
4	2	4	1	4	15	5	4	1	5	15	5	4	4	4	1	4	1	23
5	1	5	3	5	19	1	1	1	1	4	5	5	5	5	5	5	5	35
4	2	5	3	4	18	5	4	1	3	13	4	5	4	4	1	5	2	25
4	3	4	1	4	16	4	4	1	3	12	4	4	5	3	1	4	1	22
4	1	5	2	4	16	5	4	1	4	14	4	4	5	4	1	4	1	23
5	2	3	1	4	15	4	3	1	5	13	4	4	5	4	1	4	1	23
4	2	5	1	4	16	4	5	1	5	15	4	5	4	4	1	5	2	25
5	2	4	1	4	16	5	4	2	5	16	5	4	5	3	1	4	1	23
4	3	4	3	4	18	4	4	3	4	15	4	4	4	3	2	4	1	22
5	1	4	2	5	17	4	3	1	4	12	5	4	4	5	2	4	1	25
5	1	4	2	4	16	4	5	1	4	14	5	4	4	5	1	5	1	25
4	2	4	1	5	16	5	4	2	5	16	4	4	3	4	1	4	1	21
5	2	4	1	5	17	5	4	2	4	15	5	4	4	3	2	4	1	23
5	1	4	1	5	16	5	4	2	5	16	4	4	5	4	1	4	1	23
5	2	4	1	5	17	5	4	1	5	15	5	4	4	4	1	4	1	23
5	1	4	2	5	17	5	4	1	4	14	5	3	3	4	1	4	1	21
5	2	5	3	4	19	5	4	2	3	14	4	4	4	4	1	3	1	21
5	2	4	2	5	18	5	4	1	5	15	4	5	4	4	1	4	2	24
5	2	4	3	5	19	5	4	2	4	15	4	3	4	3	1	3	2	20
5	2	5	2	4	18	5	4	1	4	14	4	4	5	4	1	3	1	22

1	1	1	1	1	5	4	4	1	5	14	4	5	3	4	1	4	1	22
5	1	4	2	5	17	5	4	1	5	15	4	5	4	4	1	4	2	24
5	1	4	3	5	18	5	4	1	5	15	5	4	4	4	1	4	2	24
5	2	5	3	4	19	5	4	1	5	15	4	5	4	4	1	4	1	23
5	2	5	2	5	19	5	4	1	5	15	4	4	5	3	1	4	1	22
5	1	5	2	5	18	5	4	2	5	16	5	4	4	4	1	4	1	23
5	2	5	3	5	20	5	4	2	5	16	5	4	4	4	1	5	1	24
5	2	5	2	5	19	5	4	1	5	15	4	4	5	3	1	4	1	22
5	1	5	2	5	18	5	4	3	5	17	5	4	4	3	2	5	1	24
5	1	4	2	5	17	5	4	2	5	16	4	4	5	4	1	5	1	24



Lampiran 3: Hasil Pengujian Instrumen

A. UJI VALIDITAS X1

		Correlations					
		X1_1	X1_2	X1_3	X1_4	X1_5	Total_X1
X1_1	Pearson Correlation	1	-,007	,707**	,165	,776**	,822**
	Sig. (2-tailed)		,952	,000	,125	,000	,000
	N	88	88	88	88	88	88
X1_2	Pearson Correlation	-,007	1	-,090	,379**	-,166	,360**
	Sig. (2-tailed)	,952		,403	,000	,122	,001
	N	88	88	88	88	88	88
X1_3	Pearson Correlation	,707**	-,090	1	,125	,765**	,781**
	Sig. (2-tailed)	,000	,403		,245	,000	,000
	N	88	88	88	88	88	88
X1_4	Pearson Correlation	,165	,379**	,125	1	,044	,503**
	Sig. (2-tailed)	,125	,000	,245		,681	,000
	N	88	88	88	88	88	88
X1_5	Pearson Correlation	,776**	-,166	,765**	,044	1	,756**
	Sig. (2-tailed)	,000	,122	,000	,681		,000
	N	88	88	88	88	88	88
Total_X1	Pearson Correlation	,822**	,360**	,781**	,503**	,756**	1
	Sig. (2-tailed)	,000	,001	,000	,000	,000	
	N	88	88	88	88	88	88

** Correlation is significant at the 0.01 level (2-tailed).

X2

		Correlations				
		X2_1	X2_2	X2_3	X2_4	Total_X2
X2_1	Pearson Correlation	1	,531**	,103	,519**	,813**
	Sig. (2-tailed)		,000	,339	,000	,000
	N	88	88	88	88	88
X2_2	Pearson Correlation	,531**	1	-,051	,662**	,803**
	Sig. (2-tailed)	,000		,635	,000	,000
	N	88	88	88	88	88
X2_3	Pearson Correlation	,103	-,051	1	-,156	,285**
	Sig. (2-tailed)	,339	,635		,147	,007
	N	88	88	88	88	88

X2_4	Pearson Correlation	,519**	,662**	-,156	1	,781**
	Sig. (2-tailed)	,000	,000	,147		,000
	N	88	88	88	88	88
Total_X2	Pearson Correlation	,813**	,803**	,285**	,781**	1
	Sig. (2-tailed)	,000	,000	,007	,000	
	N	88	88	88	88	88

** . Correlation is significant at the 0.01 level (2-tailed).

Y

Correlations

		Y_1	Y_2	Y_3	Y_4	Y_5	Y_6	Y_7	Total_Y
Y_1	Pearson Correlation	1	,539**	,588**	,600**	,076	,690**	,014	,752**
	Sig. (2-tailed)		,000	,000	,000	,481	,000	,895	,000
	N	88	88	88	88	88	88	88	88
Y_2	Pearson Correlation	,539**	1	,591**	,685**	,052	,640**	,142	,785**
	Sig. (2-tailed)	,000		,000	,000	,633	,000	,186	,000
	N	88	88	88	88	88	88	88	88
Y_3	Pearson Correlation	,588**	,591**	1	,563**	,019	,565**	,056	,729**
	Sig. (2-tailed)	,000	,000		,000	,860	,000	,605	,000
	N	88	88	88	88	88	88	88	88
Y_4	Pearson Correlation	,600**	,685**	,563**	1	,071	,670**	,063	,785**
	Sig. (2-tailed)	,000	,000	,000		,510	,000	,562	,000
	N	88	88	88	88	88	88	88	88
Y_5	Pearson Correlation	,076	,052	,019	,071	1	,030	,582**	,394**
	Sig. (2-tailed)	,481	,633	,860	,510		,784	,000	,000
	N	88	88	88	88	88	88	88	88
Y_6	Pearson Correlation	,690**	,640**	,565**	,670**	,030	1	,034	,781**
	Sig. (2-tailed)	,000	,000	,000	,000	,784		,751	,000
	N	88	88	88	88	88	88	88	88
Y_7	Pearson Correlation	,014	,142	,056	,063	,582**	,034	1	,415**
	Sig. (2-tailed)	,895	,186	,605	,562	,000	,751		,000
	N	88	88	88	88	88	88	88	88
Total_Y	Pearson Correlation	,752**	,785**	,729**	,785**	,394**	,781**	,415**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	
	N	88	88	88	88	88	88	88	88

** . Correlation is significant at the 0.01 level (2-tailed).

B. Reliabilitas

X1

Case Processing Summary

		N	%
Cases	Valid	88	100,0
	Excluded ^a	0	,0
	Total	88	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,754	6

X2

Case Processing Summary

		N	%
Cases	Valid	88	100,0
	Excluded ^a	0	,0
	Total	88	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,770	5

Y

Case Processing Summary

		N	%
Cases	Valid	88	100,0
	Excluded ^a	0	,0
	Total	88	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,764	8

C. Normalitas

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		88
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	2,73632797
Most Extreme Differences	Absolute	,125
	Positive	,125
	Negative	-,109
Test Statistic		,125
Asymp. Sig. (2-tailed)		,002 ^c
Exact Sig. (2-tailed)		,119
Point Probability		,000

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		88
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	2,73632797
Most Extreme Differences	Absolute	,125
	Positive	,125
	Negative	-,109
Test Statistic		,125
Asymp. Sig. (2-tailed)		,002 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

D. Linearitas

X1

ANOVA Table

		Sum of Squares	df	Mean Square	F	Sig.
Total_Y *	Between (Combined)	404,815	6	67,469	8,595	,000
Total_X1	Groups	354,453	1	354,453	45,156	,000
	Linearity					
	Deviation from Linearity	50,363	5	10,073	1,283	,279
	Within Groups	635,810	81	7,850		
	Total	1040,625	87			

X2

ANOVA Table

		Sum of Squares	df	Mean Square	F	Sig.
Total_Y *	Between (Combined)	265,920	6	44,320	4,634	,000
Total_X2	Groups	214,643	1	214,643	22,442	,000
	Linearity					
	Deviation from Linearity	51,276	5	10,255	1,072	,382
	Within Groups	774,705	81	9,564		
	Total	1040,625	87			

E. Multikolinieritas

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	10,256	2,084		4,921	,000		
	Total_X1	,569	,119	,476	4,773	,000	,741	1,349
	Total_X2	,317	,149	,212	2,130	,036	,741	1,349

a. Dependent Variable: Total_Y

F. Heteroskedastisitas Sperman

Correlations

		Total_X1	Total_X2	Unstandardized Residual
Spearman's rho	Total_X1	Correlation Coefficient	1,000	,247*
	Total_X2			-,159

	Sig. (2-tailed)	.	,021	,138
	N	88	88	88
Total_X2	Correlation Coefficient	,247*	1,000	-,012
	Sig. (2-tailed)	,021	.	,914
	N	88	88	88
Unstandardized Residual	Correlation Coefficient	-,159	-,012	1,000
	Sig. (2-tailed)	,138	,914	.
	N	88	88	88

*. Correlation is significant at the 0.05 level (2-tailed).

G. Regresi linier berganda

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	10,256	2,084		4,921	,000
	Total_X1	,569	,119	,476	4,773	,000
	Total_X2	,317	,149	,212	2,130	,036

a. Dependent Variable: Total_Y

H. R²

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,612 ^a	,374	,359	2,768

a. Predictors: (Constant), Total_X2, Total_X1

I. Uji t

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	10,256	2,084		4,921	,000
	Total_X1	,569	,119	,476	4,773	,000
	Total_X2	,317	,149	,212	2,130	,036

a. Dependent Variable: Total_Y


J. Statistik deskriptif

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Total_X1	88	5	20	16,74	2,891
Total_X2	88	4	17	14,48	2,314
Total_Y	88	7	35	24,38	3,458
Valid N (listwise)	88				



Lampiran 4: Dokumentasi



Lampiran 5. Riwayat Hidup

RIWAYAT HIDUP



Gede Wahyu Januarta lahir di Tinggarsari pada tanggal 23 Januari 2001. Penulis lahir dari pasangan suami istri Ketut Kariana dan Ronita Asmara. Penulis berkebangsaan Indonesia dan beragama Hindu. Penulis beralamat di Jalan Srikandi, Gang Mawar, Blok B.17, Kecamatan Buleleng, Kabupaten Buleleng, Bali.

Penulis menyelesaikan pendidikan dasar di SD N 3 Tinggarsari dan lulus pada tahun 2013. Kemudian penulis melanjutkan di SMP N 6 Waikanan dan lulus pada tahun 2016. Penulis melanjutkan pendidikan di SMA N 1 Blambangan Umpu dan lulus pada tahun 2019 dengan jurusan IPS, lalu kemudian melanjutkan di Universitas Pendidikan Ganesha dengan jurusan S1 Akuntansi. Pada semester akhir, penulis telah menyelesaikan Skripsi yang berjudul “Pengaruh Sistem Informasi Akuntansi Dan Akuntansi Pertanggungjawaban Terhadap Kinerja Pegawai Di Dinas Perhubungan Kabupaten Buleleng.”