

## OUTPUT SPSS

### Deskripsi Data Diri Responden

#### Usia

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid 1,00	8	<b>13,1</b>	13,1	13,1
2,00	24	<b>39,3</b>	39,3	52,5
3,00	25	<b>41,0</b>	41,0	93,4
4,00	4	<b>6,6</b>	6,6	100,0
Total	61	<b>100,0</b>	100,0	

#### Pendidikan

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid 2,00	6	<b>9,8</b>	9,8	9,8
3,00	47	<b>77,0</b>	77,0	86,9
4,00	8	<b>13,1</b>	13,1	100,0
Total	61	<b>100,0</b>	100,0	

#### Masa\_Kerja

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid 1,00	1	<b>1,6</b>	1,6	1,6
2,00	11	<b>18,0</b>	18,0	19,7
3,00	14	<b>23,0</b>	57,4	77,0
4,00	35	<b>57,4</b>	23,0	100,0
Total	61	<b>100,0</b>	100,0	

### Deskripsi Jawaban Komunikasi Internal (X)

#### Statistics

	Ko1	Ko2	Ko3	Ko4	Ko5	Ko6	Ko7
N Valid	61	61	61	61	61	61	61
Missing	0	0	0	0	0	0	0
Mean	<b>3,0328</b>	<b>2,9344</b>	<b>3,0000</b>	<b>3,3115</b>	<b>3,5738</b>	<b>3,2623</b>	<b>2,7541</b>
Minimum	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Maximum	5,00	5,00	5,00	5,00	5,00	5,00	5,00

#### Statistics

	Ko8	Ko9	Ko10

N	Valid	61	61	61
	Missing	0	0	0
Mean		<b>2,6066</b>	<b>2,8689</b>	<b>2,8197</b>
Minimum		1,00	1,00	1,00
Maximum		5,00	5,00	5,00

### Ko1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1,00	6	<b>9,8</b>	9,8	9,8
	2,00	8	<b>13,1</b>	13,1	23,0
	3,00	30	<b>49,2</b>	49,2	72,1
	4,00	12	<b>19,7</b>	19,7	91,8
	5,00	5	<b>8,2</b>	8,2	100,0
	Total	61	<b>100,0</b>	100,0	

### Ko2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1,00	5	<b>8,2</b>	8,2	8,2
	2,00	10	<b>16,4</b>	16,4	24,6
	3,00	32	<b>52,5</b>	52,5	77,0
	4,00	12	<b>19,7</b>	19,7	96,7
	5,00	2	<b>3,3</b>	3,3	100,0
	Total	61	<b>100,0</b>	100,0	

### Ko3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1,00	7	<b>11,5</b>	11,5	11,5
	2,00	9	<b>14,8</b>	14,8	26,2
	3,00	26	<b>42,6</b>	42,6	68,9
	4,00	15	<b>24,6</b>	24,6	93,4
	5,00	4	<b>6,6</b>	6,6	100,0
	Total	61	<b>100,0</b>	100,0	

### Ko4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1,00	4	<b>6,6</b>	6,6	6,6
	2,00	7	<b>11,5</b>	11,5	18,0
	3,00	20	<b>32,8</b>	32,8	50,8
	4,00	26	<b>42,6</b>	42,6	93,4

5,00	4	<b>6,6</b>	6,6	100,0
Total	61	<b>100,0</b>	100,0	

#### Ko5

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	2	<b>3,3</b>	3,3	3,3
2,00	2	<b>3,3</b>	3,3	6,6
3,00	26	<b>42,6</b>	42,6	49,2
4,00	21	<b>34,4</b>	34,4	83,6
5,00	10	<b>16,4</b>	16,4	100,0
Total	61	<b>100,0</b>	100,0	

#### Ko6

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	2	<b>3,3</b>	3,3	3,3
2,00	7	<b>11,5</b>	11,5	14,8
3,00	30	<b>49,2</b>	49,2	63,9
4,00	17	<b>27,9</b>	27,9	91,8
5,00	5	<b>8,2</b>	8,2	100,0
Total	61	<b>100,0</b>	100,0	

#### Ko7

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	6	<b>9,8</b>	9,8	9,8
2,00	13	<b>21,3</b>	21,3	31,1
3,00	35	<b>57,4</b>	57,4	88,5
4,00	4	<b>6,6</b>	6,6	95,1
5,00	3	<b>4,9</b>	4,9	100,0
Total	61	<b>100,0</b>	100,0	

#### Ko8

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	9	<b>14,8</b>	14,8	14,8
2,00	19	<b>31,1</b>	31,1	45,9
3,00	23	<b>37,7</b>	37,7	83,6
4,00	7	<b>11,5</b>	11,5	95,1
5,00	3	<b>4,9</b>	4,9	100,0
Total	61	<b>100,0</b>	100,0	

**Ko9**

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	6	<b>9,8</b>	9,8	9,8
2,00	10	<b>16,4</b>	16,4	26,2
3,00	34	<b>55,7</b>	55,7	82,0
4,00	8	<b>13,1</b>	13,1	95,1
5,00	3	<b>4,9</b>	4,9	100,0
Total	61	<b>100,0</b>	100,0	

**Ko10**

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	4	<b>6,6</b>	6,6	6,6
2,00	14	<b>23,0</b>	23,0	29,5
3,00	35	<b>57,4</b>	57,4	86,9
4,00	5	<b>8,2</b>	8,2	95,1
5,00	3	<b>4,9</b>	4,9	100,0
Total	61	<b>100,0</b>	100,0	

**Deskripsi Jawaban Kinerja (Y)****Statistics**

	Ki1	Ki2	Kii3	Kii4	Kii5	Kii6	Kii7
N Valid	61	61	61	61	61	61	61
Missing	0	0	0	0	0	0	0
Mean	<b>3,4426</b>	<b>3,3279</b>	<b>2,9836</b>	<b>2,6885</b>	<b>3,2623</b>	<b>2,7541</b>	<b>2,6066</b>
Minimum	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Maximum	5,00	5,00	5,00	5,00	5,00	5,00	5,00

**Statistics**

	Kii8	Kii9
N Valid	61	61
Missing	0	0
Mean	<b>2,8033</b>	<b>2,8197</b>
Minimum	1,00	1,00
Maximum	5,00	5,00

**Ki1**

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	2	<b>3,3</b>	3,3	3,3
2,00	5	<b>8,2</b>	8,2	11,5

	3,00	27	<b>44,3</b>	44,3	55,7
	4,00	18	<b>29,5</b>	29,5	85,2
	5,00	9	<b>14,8</b>	14,8	100,0
	Total	61	<b>100,0</b>	100,0	

### Ki2

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	1,00	2	<b>3,3</b>	3,3	3,3
	2,00	5	<b>8,2</b>	8,2	11,5
	3,00	31	<b>50,8</b>	50,8	62,3
	4,00	17	<b>27,9</b>	27,9	90,2
	5,00	6	<b>9,8</b>	9,8	100,0
	Total	61	<b>100,0</b>	100,0	

### Kii3

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	1,00	2	<b>3,3</b>	3,3	3,3
	2,00	12	<b>19,7</b>	19,7	23,0
	3,00	36	<b>59,0</b>	59,0	82,0
	4,00	7	<b>11,5</b>	11,5	93,4
	5,00	4	<b>6,6</b>	6,6	100,0
	Total	61	<b>100,0</b>	100,0	

### Kii4

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	1,00	6	<b>9,8</b>	9,8	9,8
	2,00	20	<b>32,8</b>	32,8	42,6
	3,00	25	<b>41,0</b>	41,0	83,6
	4,00	7	<b>11,5</b>	11,5	95,1
	5,00	3	<b>4,9</b>	4,9	100,0
	Total	61	<b>100,0</b>	100,0	

### Kii5

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	1,00	2	<b>3,3</b>	3,3	3,3
	2,00	7	<b>11,5</b>	11,5	14,8
	3,00	30	<b>49,2</b>	49,2	63,9
	4,00	17	<b>27,9</b>	27,9	91,8
	5,00	5	<b>8,2</b>	8,2	100,0

**Kii5**

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	2	<b>3,3</b>	3,3	3,3
2,00	7	<b>11,5</b>	11,5	14,8
3,00	30	<b>49,2</b>	49,2	63,9
4,00	17	<b>27,9</b>	27,9	91,8
5,00	5	<b>8,2</b>	8,2	100,0
Total	61	<b>100,0</b>	100,0	

**Kii6**

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	6	<b>9,8</b>	9,8	9,8
2,00	13	<b>21,3</b>	21,3	31,1
3,00	35	<b>57,4</b>	57,4	88,5
4,00	4	<b>6,6</b>	6,6	95,1
5,00	3	<b>4,9</b>	4,9	100,0
Total	61	<b>100,0</b>	100,0	

**Kii7**

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	9	<b>14,8</b>	14,8	14,8
2,00	19	<b>31,1</b>	31,1	45,9
3,00	23	<b>37,7</b>	37,7	83,6
4,00	7	<b>11,5</b>	11,5	95,1
5,00	3	<b>4,9</b>	4,9	100,0
Total	61	<b>100,0</b>	100,0	

**Kii8**

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid 1,00	6	<b>9,8</b>	9,8	9,8
2,00	11	<b>18,0</b>	18,0	27,9
3,00	34	<b>55,7</b>	55,7	83,6
4,00	9	<b>14,8</b>	14,8	98,4
5,00	1	<b>1,6</b>	1,6	100,0
Total	61	<b>100,0</b>	100,0	

**Kii9**

	Frekuensi	Percent	Valid Percent	Cumulative Percent

Valid	1,00	4	<b>6,6</b>	6,6	6,6
	2,00	14	<b>23,0</b>	23,0	29,5
	3,00	35	<b>57,4</b>	57,4	86,9
	4,00	5	<b>8,2</b>	8,2	95,1
	5,00	3	<b>4,9</b>	4,9	100,0
Total		61	<b>100,0</b>	100,0	

#### Reliabilitas Variabel Kom. Internal

	Cronbach's Alpha Based on	
Cronbach's Alpha	Standardized Items	N of Items
<b>,886</b>	,884	10

#### Validitas Variabel Komunikasi Internal

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
Ko1	27,1311	35,149	<b>,754</b>	,724	,865
Ko2	27,2295	36,080	<b>,780</b>	,701	,864
Ko3	27,1639	34,406	<b>,793</b>	,812	,862
Ko4	26,8525	36,928	<b>,624</b>	,532	,875
Ko5	26,5902	40,446	<b>,354</b>	,396	,893
Ko6	26,9016	38,457	<b>,559</b>	,567	,880
Ko7	27,4098	38,213	<b>,571</b>	,422	,879
Ko8	27,5574	36,151	<b>,658</b>	,604	,873
Ko9	27,2951	36,545	<b>,705</b>	,583	,869
Ko10	27,3443	40,330	<b>,396</b>	,466	,890

#### Reliabilitas Variabel Kinerja

	Cronbach's Alpha Based on	
Cronbach's Alpha	Standardized Items	N of Items
<b>,849</b>	,848	9

#### Validitas Variabel Kinerja

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
Ki1	23,2459	26,189	<b>,389</b>	,363	,852
Ki2	23,3607	25,301	<b>,540</b>	,889	,836
Kii3	23,7049	25,445	<b>,557</b>	,765	,835

Kii4	24,0000	23,267	<b>,712</b>	,947	,817
Kii5	23,4262	24,882	<b>,588</b>	,900	,831
Kii6	23,9344	24,696	<b>,599</b>	,759	,830
Kii7	24,0820	22,777	<b>,714</b>	,948	,816
Kii8	23,8852	24,937	<b>,599</b>	,519	,830
Kii9	23,8689	26,516	<b>,409</b>	,419	,848

### Uji Statistik Deskriptif

	N	Minimum	Maximum	Mean
Ki1	61	1,00	5,00	3,4426
Ki2	61	1,00	5,00	3,3279
Kii3	61	1,00	5,00	2,9836
Kii4	61	1,00	5,00	2,6885
Kii5	61	1,00	5,00	3,2623
Kii6	61	1,00	5,00	2,7541
Kii7	61	1,00	5,00	2,6066
Kii8	61	1,00	5,00	2,8033
Kii9	61	1,00	5,00	2,8197
Ki	61	<b>10,00</b>	<b>44,00</b>	<b>26,6885</b>
Valid N (listwise)	61			

### Analisis Regresi Linier Sederhana

#### Uji R<sup>2</sup> Atau Uji Koefisien Determinasi

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	<b>,909<sup>a</sup></b>	,827	,824	2,33248

a. Predictors: (Constant), Ko

b. Dependent Variable: Ki

#### Persamaan Regresi dan Uji Parsial

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	<b>4,062</b>	1,380		2,943	,005
	Ko	<b>,750</b>	,045	,909	<b>16,792</b>	<b>,000</b>

a. Dependent Variable: Ki

#### Uji Normalitas

	Unstandardized Residual
N	61



Normal Parameters <sup>a,b</sup>	Mean	,0000000
	Std. Deviation	2,31296225
Most Extreme Differences	Absolute	,089
	Positive	,089
	Negative	-,083
Kolmogorov-Smirnov Z		<b>,692</b>
Asymp. Sig. (2-tailed)		<b>,725</b>

a. Test distribution is Normal.

b. Calculated from data.

### Uji Heteroskedastisitas

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3,111	,884		3,518	,001
	Ko	-,046	,029	-,203	-1,595	<b>,116</b>

a. Dependent Variable: AbsUt

