

DAFTAR REFERENSI

- Abed, K. M., Kurji, B. M., & Abdul-Majeed, B. A. (2015). Extraction and Modelling of Oil from Oil *Eucalyptus camadulensis* by Organic Solvent. *Journal of Materials Science and Chemical Engineering*, 03(08), 35–42.
- Al-Tameme, H. J., Hadi, M. Y., & Hameed, I. H. (2015). Phytochemical analysis of *Urtica dioica* leaves by fourier-transform infrared spectroscopy and gas chromatography-mass spectrometry. *Journal of Pharmacognosy and Phytotherapy*, 7(10), 238–252.
- Alen, Y., Agresa, F. L., & Yuliandra, Y. (2017). Analisis Kromatografi Lapis Tipis (KLT) dan Aktivitas Antihiperurisemia Ekstrak Rebung *Schizostachyum brachycladum* Kurz (Kurz) pada Mencit Putih Jantan. *IEEE International Test Conference (TC)*, 3(May), 1223.
- Anggraeni, O. N., Fasya, A. G., & Hanapi, A. (2014). Uji Aktivitas Antioksidan Fraksi Etil Asetat, Kloroform, Petroleum Eter, dan N-Heksana Hasil Hidrolisis Ekstrak Metanol Mikroalga *Chlorella* sp. *Alchemy*, 3(1).
- Awouafack, M. D., Tane, P., Kuete, V., & Eloff, J. N. (2013). 2 Sesquiterpenes from the Medicinal Plants of Africa. In *Medicinal Plant Research in Africa*.
- Aziz, S. D. A., Jafarah, N. F., & Yusof, Z. N. B. (2019). Phytol-containing seaweed extracts as control for ganoderma boninense. *Journal of Oil Palm Research*, 31(2), 238–247.
- Beechan, M. C., Djerassi, C., & Eggert, H. (1978). The sesquiterpenes from the soft coral *sinularza mayi*. *Tetrahedron*, 34, 2503–2508.
- Bishara, A., et al. (2008). Nardosinanol A-I and lemnafricanol, sesquiterpenes from several soft corals, *Lemnalia* sp., *Paralemnalia clavata*, *Lemnalia africana*, and *Rhytisma fulvum fulvum*. *Journal of Natural Products*, 71(3), 375–380.
- Bucar, F., Wube, A., & Schmid, M. (2013). Natural product isolation-how to get from biological material to pure compounds. *Natural Product Reports*, 30(4), 525–545.
- Cheng, S., Lin, E., Huang, J., Wen, Z., & Du, C. (2010). Ylangene-Type and Nardosinane-Type Sesquiterpenoids from the Soft Corals *Lemnalia flava* and *Paralemnalia thyrsoides*. *Chem. Pharm. Bull.*, 58(March), 381–385.
- Citra, I. P. A. (2018). Strategi Pengelolaan Sumberdaya Pesisir Di Kabupaten Buleleng. *Jurnal Pendidikan Geografi Undiksha*, 6(1), 154–160.
- Coskun, O. (2016). Separation Techniques: Chromatography. *Northern Clinics of Istanbul*, 3(2), 156–160.

- Cui, J., Wang, C., Guo, S., Yang, L., Xiao, P., & Wang, M. (2013). Evaluation of fungus-induced agilawood from *Aquilaria sinensis* in China. *Symbiosis*, 60(1), 37–44.
- Dantes, G. R., Sudarma, K., & Suputra, H. (2016). Virtual Reality dan Augmented Reality: Pemberdayaan Wisata Bawah Laut dalam Rangka Meningkatkan Daya Dukung Pariwisata. *Proceeding Semnasvoktek*, 1(2), 8.
- Ginting, I. Y. B., Restu, I. W., & Pebriani, D. A. A. (2018). Kualitas Air dan Struktur Komunitas Plankton di Perairan Pantai Lovina Kabupaten Buleleng Provinsi Bali. *Journal of Marine and Aquatic Sciences*, 5(1), 109.
- Handa, S. S., Khanuja, S. P. S., Longo, G. L., & Rakesh, D. D. (2008). Extraction Technologies for Medical and Aromatic Plants. In *United Nations Industrial Development Organization and the International Centre for Science and High Technology*.
- Kareem, M. A., Hussein, A. O., & Hameed, I. H. (2015). Y-Chromosome short tandem repeat, typing technology, locus information and allele frequency in different population: A review. *African Journal of Biotechnology*, 14(27), 2175–2178.
- Kim, J.-S. (2009). GC-MS Analysis of the Volatile Components in Dried Boxthorn (*Lycium chinensis*) Fruit. *Journal of the Korean Society for Applied Biological Chemistry*, 52(5), 516–524.
- Manuputty, A. E. W. (2016). Karang Lunak (Octocorallia : Alcyonacea) di Perairan Biak Timur The Common Soft Corals (Octocorallia : Alcyonacea) in East Biak Waters. *Oseanologi Dan Limnologi Di Indonesia*, 1(2), 47–59.
- Mudianta, I. W. et al. (2018). Distribution of Defensive Metabolites in Nudibranch Molluscs. *Journal of Chemical Ecology*, (9)
- Mudianta, I. W. et al. (2018). New sesquiterpenoid isonitriles from three species of *phyllidid nudibranchs*. *Fitoterapia*, 126(August 2017), 69–73.
- Mudianta, I. W., Martiningsih, N. W., Prasetya, I. N. D., & Nursid, M. (2016). Bioactive terpenoid from the balinese nudibranch *hypselerodis infucata*. *Indonesian Journal of Pharmacy*, 27(2), 104–110.
- Mudianta, I. W., et al. (2019). Amphilectene Diterpene Isonitriles and Formamido Derivatives from the Hainan Nudibranch *Phyllidia Coelestis*. *Marine Drugs*, 17(10), 603.
- Paz, C., Cárcamo, G., Silva, M., Becerra, J., Urrutia, H., & Sossa, K. (2013). Drimendiol, a drimane sesquiterpene with quorum sensing inhibition activity. *Natural Product Communications*, 8(2), 147–148.

- Phan, C. S., Kamada, T., Hatai, K., & Vairappan, C. S. (2018). Paralemnolins V and W, New Nardosinane-Type Sesquiterpenoids from a Bornean Soft Coral, *Lemnalia* sp. *Chemistry of Natural Compounds*, 54(5), 903–906.
- Preethi, J., Harita, B., & Rajesh, T. (2017). Review on Thin Layer Chromatography. *Journal of Formulation Science & Bioavailability*, 1(1), 1–4.
- Putra, M. Y., & Murniasih, T. (2016). Marine soft corals as source of lead compounds for anti-inflammatories. *Journal of Coastal Life Medicine*, 4(1), 73–77.
- Sabel, R., et al. (2019). Anti-inflammatory activity of the sesquiterpene lactone diacetylpiptocarphol in dextran sulfate sodium-induced colitis in mice. *Journal of Ethnopharmacology*, 245(August), 112186.
- Sermakkani, M., & Thangapandian, V. (2012). GC-MS analysis of *Cassia italica* leaf methanol extract. *Asian Journal of Pharmaceutical and Clinical Research*, 5(2), 90–94.
- Silap, G. E., Wewengkang, D., & Rotinsulu, H. (2020). Uji Aktivitas Antimikroba Karang Lunak *Dendronephtya* sp., yang Dikoleksi dari Desa Tumbak Kecamatan Pusomaen, Kabupaten Minahasa Terhadap *Escherichia coli*, *Staphylococcus aureus*, dan *Candida albicans*. *Jurnal Ilmiah Farmasi*, 9(1), 64–72.
- Soebagio, S. B., Soares, J. S., Indraswati, N., & Kurniawan, Y. (2014). Ekstraksi Polisakarida pada Biji Tamarind (*Tamarindus Indica* L). *Jurnal Ilmiah Widya Teknik*, 13(November), 23–32.
- Tani, K., Kamada, T., Phan, C. S., & Vairappan, C. S. (2018). New cembrane-type diterpenoids from Bornean soft coral *Nephthea* sp. with antifungal activity against *Lagenidium thermophilum*. *Natural Product Research*, 6419(May), 1–7.
- Wang, Q., et al. (2020). Clavukoellians G-K, new nardosinane and aristolane sesquiterpenoids with angiogenesis promoting activity from the marine soft coral *Lemnalia* sp. *Marine Drugs*, 18(3), 1–10.
- Wu, Q., et al. (2019). New sesquiterpenoids from the South China Sea soft corals *Clavularia viridis* and *Lemnalia flava*. *Beilstein Journal of Organic Chemistry*, 15(1), 695–702.
- Wu, Q., et al. (2019). Two new cembrane-type diterpenoids from the xisha soft coral *Lemnalia flava*. *Fitoterapia*, 134(March), 481–484.
- Wu, Q., et al. (2018). Terpenoids from marine soft coral of the genus *Lemnalia*: Chemistry and biological activities. *Marine Drugs*, 16(9), 1–15.

- Yani, Y. M., & Montratama, I. (2018). Indonesia Sebagai oros Maritim Dunia: Suatu Tinjauan Geopolitik. *Jurnal Pertahanan & Bela Negara*, 5(2), 25–52.
- Yao, G., Vidor, N. B., Foss, A. P., & Leng, C. C. (2007). Lemnalsides A-D, decalin-type bicyclic diterpene glycosides from the marine soft coral *Lemnalia* sp. *Journal of Natural Products*, 70(6), 901–905.
- Yudhanto, A., Wijaya, A. P., & Sukmono, A. (2016). Analisis Potensi Lokasi Budidaya Rumput Laut *Eucheuma Chottonii* Menggunakan Citra Landsat 8 Di Perairan Laut Demak. *Jurnal Geodesi Undip*, 2(2), 42–52.
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine*, 13(1), 1–26.

