

## DAFTAR REFRENSI

- Abdullah, R., Paransa, D. S., Mantiri, D., Angkow, E., Angmalisang, P., & Mudeng, J. (2018). Distribusi pigmen karotenoid pada kepiting *Grapsus* sp dengan menggunakan metode kromatografi lapis tipis. *Jurnal Pesisir Dan Laut Tropis*, 6(2), 19.
- Abu ElKhair, R., Omran, G., Yasser, M., & Seif ElDin, A. (2020). Qualitative GC-MS analysis and antimicrobial activity of volatiles from *Carthamus lanatus* (L.) growing in Egypt. *Records of Pharmaceutical and Biomedical Sciences*, 4(1), 6–12.
- Achmad, M. J., & Akbar, N. (2008). *Aktivitas biologi dari senyawa terpenoids soft coral genus Sinularia sp M. Janib Achmad dan Nebuchadnezzar Akbar*. 1(2), 214–227.
- Addai, Z. R., Abdullah, A., & Mutalib, S. A. (2013). *Effect of extraction solvents on the phenolic content and antioxidant properties of two papaya cultivars*. *Journal of Medicinal Plants Research*, 7(46), 3354–3359.
- Agresti, P. D. C. M., Franca, A. S., Oliveira, L. S., & Augusti, R. (2008). Discrimination between defective and non-defective Brazilian coffee beans by their volatile profile. *Food Chemistry*, 106(2), 787–796.
- Bucar, F., Wube, A., & Schmid, M. (2013). Natural product isolation – how to get from biological material to pure compounds. *Natural Product Reports*, 30(4), 525–545.
- Cheng, S. Y., Chen, P. W., Chen, H. P., Wang, S. K., & Duh, C. Y. (2011). New cembranolides from the Dongsha Atoll soft coral *Lobophytum durum*. *Marine Drugs*, 9(8), 1307–1318.
- Collins, P. A., & Wege, D. (1979). The Total Synthesis of Sinularene, a Sesquiterpene Hydrocarbon from the Soft Coral *Sinularia mayi*. *Australian Journal of Chemistry*, 32(8), 1819.
- Goleman, daniel; boyatzis, Richard; McKee, A. (2019). *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Hegazy, M. E. F., Su, J. H., Sung, P. J., & Sheu, J. H. (2011). Cembranoids with 3,14-ether linkage and a secocembrane with bistetrahydrofuran from the Dongsha Atoll soft coral *Lobophytum* sp. *Marine Drugs*, 9(7), 1243–1253.
- Hendri, M., & Apri, R. (2018). *Environmental Management and Sustainability Endophyte microbial characteristic of soft corals Lobophytum sp and Sinularia sp collected from Maspari Island waters , South Sumatera*. (October 2017), 10–13.
- Hong, J. Y., Boo, H. J., Kang, J. Il, Kim, M. K., Yoo, E. S., Hyun, J. W., Kang, H. K. (2012). (1S,2S,3E,7E,11E)-3,7,11,15-cembratetraen-17,2-olide, a cembreneolide diterpene from soft coral *Lobophytum* sp., inhibits growth and

induces apoptosis in human colon cancer cells through reactive oxygen species generation. *Biological and Pharmaceutical Bulletin*, 35(7), 1054–1063.

Irayani, N. L. K. A., Fasisaka, I., & Parameswari, A. A. A. I. (2014). *Indonesia Dalam Kerjasama Coral Triangle Initiative on Coral Reefs , Fisheries and Food Security ( Cti-Cff ) Tahun 2006-2014*. 1–15.

Kamada, T., Phan, C., Hamada, T., & Hatai, K. (2018). *Natural Product Communications*. 15–17.

Lamona, A., & Nurman, S. (2018). Studi awal komponen minyak biji kopi arabika (*Coffea arabica L.*) dari kabupaten bener meriah, provinsi aceh menggunakan GC-MS. *Studi Awal Komponen Minyak Biji Kopi Arabika (Coffea Arabica L.)*, 1(1), 62–72.

Li, R. T., Han, Q. Bin, Zhao, A. H., & Sun, H. D. (2003). Micranoic acids A and B: Two new octanortriterpenoids from *Schisandra micrantha*. *Chemical and Pharmaceutical Bulletin*, 51(10), 1174–1176.

Mohiuddin, Y. G., Nathar, V. N., Aziz, W. N., & Gaikwad, N. B. (2018). Investigations on important secondary metabolites form aerial parts of *Artemisia absinthium* L. using GC-MS. *Journal of Pharmaconosy and Phytochemistry*, 7(1), 820–827.

Mudianta, I. W., Carbone, M., Ciavatta, M. L., Manzo, E., Li, X. L., Mollo, E., ... Gavagnin, M. (2019). Amphilectene diterpene isonitriles and formamido derivatives from the hainan nudibranch *phyllidia coelostis*. *Marine Drugs*, 17(11).

Mudianta, I. W., Winters, A. E., White, A. M., Dewi, A. S., Wilson, N. G., Forster, L. C., Cheney, K. L. (2018). Distribution of Defensive Metabolites in Nudibranch Molluscs. *Journal of Chemical Ecology*, 44(4), 384–396.

Ojika, M., Islam, M. K., Shintani, T., Zhang, Y., Okamoto, T., & Sakagami, Y. (2014). Three New Cytotoxic Acylspermidines from the soft coral, *Sinularia* sp. 8451(May).

Oda, T., Wewengkang, D. S., Kapojos, M. M., Mangindaan, R. E.P., Lee. J. S., Namikhosi. M. (2011). Lobohedleolide induces interleukin-8 production in LPS-stimulated humanmonocytic cell line THP-1.

Putra, M. Y., Wibowo, J. T., Murniasih, T., & Rasyid, A. (2016). Evaluation of antibacterial activity from Indonesian marine soft coral *Sinularia* sp. *AIP Conference Proceedings*, 1744(June 2016).

Santosa, D., & Haresmita, P. P. (2015). Antioxidant Activity Determination *Garcinia dulcis (Roxb.) Kurz* , *Blumeamollis (D.Don) Merr.*, *Siegesbeckia orientalis L.*, and *Salvia riparia H. B. K* Which Collected from Taman Nasional Gungung Merapi Using DPPH (2, 2-Diphenyl-1-Pikril-Hidrazil) and Thin L. *Traditional Medicine Journal*, 20(1), 28–36.

- Shivakumar, R., Venkatarangaiah, K., Shastri, S., Nagaraja, R. B., & Sheshagiri, A. (2018). Antibacterial property and molecular docking studies of leaf calli phytochemicals of *Bridelia scandens* Wild. *Pharmacognosy Journal*, 10(6), 1221–1229.
- Tanod, W. A., Aristawati, A. T., Putra, M. Y., & Muliadin. (2018). *Soft Coral (Sinularia sp.) Extracts with Antibacterial Activity Wendy*. 14(1), 108–117.
- Tsuchida, S. (2002). Analisis Kromatografi Lapis Tipis (KLT) dan Aktivitas Antihiperurisemia Ekstrak Rebung *Schizostachyum brachycladum* Kurz (Kurz) pada Mencit Putih Jantan (Thin). *IEEE International Test Conference (TC)*, 3(May), 1223.
- Wang, S. K., & Duh, C. Y. (2012). New cytotoxic cembranolides from the soft coral *Lobophytum michaelae*. *Marine Drugs*, 10(2), 306–318.
- Wanzola, M., Furuta, T., Kohno, Y., Fukumitsu, S., Yasukochi, S., Watari, K., Miyamoto, T. (2010). Four new cembrane diterpenes isolated from an Okinawan soft coral *Lobophytum crassum* with inhibitory effects on nitric oxide production. *Chemical and Pharmaceutical Bulletin*, 58(9), 1203–1209.
- Warditiani, N. ., Susant, N. M. ., Samirana, P. ., Milwati, Widhiastuti, K. A. ., Pinangkan, C., & Wirasuta, I. A. . (2016). *Jurnal farmasi udayana*. V.
- Wismayanti, G., & Sedjati, S. (2019). *Aktivitas Antagonis Bakteri yang Berasosiasi dengan Teritip (Balanus sp.) terhadap Bakteri Escherichia coli dan Bacillus cereus*. 22(1), 49–56.
- Yang, M., Liang, L., Li, H., Tang, W., & Guo, Y. (2019). A new 5 α , 8 α -epidioxysterol with immunosuppressive activity from the South China Sea soft coral *Sinularia sp*. 6419, 5–12.
- Zhang, Q.-W., Lin, L.-G., & Ye, W.-C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine*, 13(1), 1–26.
- Zhao, M., Yin, J., Jiang, W., Ma, M., Lei, X., Xiang, Z., Yan, P. (2013). Cytotoxic and antibacterial cembranoids from a South China Sea soft coral, *Lobophytum* sp. *Marine Drugs*, 11(4), 1162–1172.