

ABSTRAK

Wanita hamil sering mengalami sejumlah ketidaknyamanan selama prosedur ini sebagai akibat dari perubahan hormonal atau fisiologis. Sering buang air kecil adalah salah satu ketidaknyamanan paling umum yang dihadapi wanita hamil pada trimester ketiga kehamilan mereka. Berdasarkan data pendaftaran PMB "PA", sembilan orang (37,5%) melaporkan sering buang air kecil selama proses skrining. Di antara wanita hamil ini, "KA" adalah salah satu kasus buang air kecil yang paling sering dilaporkan dibandingkan dengan wanita hamil lainnya. Akibatnya, wanita "KA" yang mengeluh sering buang air kecil menerima perawatan menyeluruh yang mencoba memantau sejak dini dan memungkinkan profesional medis untuk segera mengatasi masalah apa pun. Penelitian ini bertujuan untuk memberikan perawatan kebidanan yang komprehensif. ketika wanita "KA" melaporkan sering buang air kecil, tujuannya adalah untuk memantau kondisinya lebih awal sehingga profesional medis dapat segera mengatasi masalah apa pun. Tujuan dari proyek ini adalah untuk memberikan pelayanan kebidanan yang komprehensif kepada Perempuan "KA" di PMB "PA" di wilayah kerja Puskesmas Sukasada I Kabupaten Buleleng pada tahun 2024. Pendekatan studi kasus digunakan dalam penelitian deskriptif ini, dan subjek penelitiannya adalah Perempuan "KA" G3P2A0 yang berusia kehamilan antara 38 minggu dan 2 hari sampai dengan 2 minggu masa nifas. Berdasarkan temuan penelitian dari kunjungan awal ibu, yang mengeluhkan sering buang air kecil, KIE diberikan informasi tentang penyebab dan strategi untuk menyelesaikan masalah sering buang air kecil. Ketika mereka kembali, keluhan sering kencing yang dialami sudah berkurang. Ketika vulva telah terbuka 5-6 cm selama tahap kedua persalinan, perut ibu tidak ditutupi dengan handuk, dan bahkan jika bayi dapat bernapas sendiri dan menangis, penyedotan lendir dilakukan dengan delee setelah bayi dilahirkan. Baik ibu maupun anak telah mendapatkan perawatan yang tepat selama periode pascapersalinan, hasil pemeriksaan wanita dan anak berada dalam kisaran normal, dan baik ibu maupun anak tidak memiliki masalah apa pun. temuan keseluruhan pemeriksaan untuk wanita." KA" karena, meskipun ada kesenjangan tertentu dalam perawatan yang diberikan saat membantu persalinan, kehamilan, persalinan, periode pascapersalinan, dan bayi yang baru lahir semuanya berada dalam batas normal.

Kata Kunci :Ketidaknyamanan, Sering Kencing, Asuhan Kebidanan Komprehensif.

ABSTRACT

Pregnant women often experience a number of discomforts during this procedure due to hormonal or physiological changes. Frequent urination is one of the most common discomforts faced by pregnant women in their third trimester. Based on the PMB "PA" registration data, nine individuals (37.5%) reported frequently urinating during the screening process. Among these pregnant women, "KA" is one of the cases of urinary incontinence that is most frequently reported compared to other pregnant women. As a result, the woman "KA," who complained of frequent urination, received comprehensive care that aimed to monitor her condition early on and allowed medical professionals to promptly address any issues. This research aims to provide comprehensive maternity care. When woman "KA" reports frequent urination, the aim is to monitor her condition early so that medical professionals can promptly address any issues. The goal of this project is to provide comprehensive midwifery services to women "KA" at PMB "PA" in the working area of Sukasada I Health Center, Buleleng Regency, in 2024. The case study approach is used in this descriptive research, and the research subjects are women "KA" G3P2A0 who are between 38 weeks and 2 days pregnant up to 2 weeks postpartum. Based on the research findings from the mother's initial visit, who complained of frequent urination, health education was provided with information about the causes and strategies to address the issue of frequent urination. When they returned, the complaint of frequent urination they had experienced had decreased. When the vulva has opened 5-6 cm during the second stage of labor, the mother's abdomen is not covered with a towel, and even if the baby can breathe on their own and cries, suctioning of mucus is performed with a Delee after the baby is born. Both the mother and the child have received appropriate care during the postpartum period, and the examination results for the woman and the child are within normal ranges, with neither the mother nor the child having any issues. The overall findings of the examination for the woman "KA" indicate that, despite certain gaps in the care provided during labor assistance, pregnancy, childbirth, the postpartum period, and the newborn are all within normal limits.

Keywords: Inconvenience, Frequent Urinary , Comprehensive Midwifery Care