

DAFTAR PUSTAKA

- Abidin, S.W., Haniarti and Sari, R.W. (2021). Hubungan Sanitasi Lingkungan Dan Riwayat Penyakit Infeksi Dengan Kejadian Stunting Di Kota Parepare. ARKESMAS (Arsip Kesehatan Masyarakat), 6(1), pp.7–14. doi:<https://doi.org/10.22236/arkesmas.v6i1.6022>.
- Ademas, A., Adane, M., Keleb, A., Berihun, G. and Tesfaw, G. (2021). Water, sanitation, and hygiene as a priority intervention for stunting in under-five children in northwest Ethiopia: a community-based cross-sectional study. Italian Journal of Pediatrics, 47(1). doi:<https://doi.org/10.1186/s13052-021-01128-y>.
- Adriany, F., Hayana, H., Nurhapipa, N., Septiani, W., & Sari, N.P. (2021). Hubungan Sanitasi Lingkungan dan Pengetahuan dengan Kejadian Stunting pada Balita di Wilayah Puskesmas Rambah. Jurnal Kesehatan Global, 4(1), pp.17–25. doi:<https://doi.org/10.33085/jkg.v4i1.4767>.
- Ahmadi, Sulistyorini, L., Azizah, R., & Oktarizal, H. (2020). Association Between Toilet Availability and Handwashing Habits and the Incidence of Stunting in Young Children in Tanjung Pinang City, Indonesia. Malaysian Journal of Medicine and Health Sciences, 16(2), 215-218
- Alam, M.A., Richard, S.A., Fahim, S.M., Mahfuz, M., Nahar, B., Das, S., Shrestha, B., Koshy, B., Mduma, E., Seidman, J.C., Murray-Kolb, L.E., Caulfield, L.E., & Ahmed, T. (2020). Impact of early-onset persistent stunting on cognitive development at 5 years of age: Results from a multi-country cohort study. PLOS ONE, 15(1), p.e0227839. doi:<https://doi.org/10.1371/journal.pone.0227839>.
- Apriani, L. (2018). HUBUNGAN KARAKTERISTIK IBU, PELAKSANAAN KELUARGA SADAR GIZI (KADARZI) DAN PERILAKU HIDUP BERSIH SEHAT (PHBS) DENGAN KEJADIAN STUNTING (Studi kasus pada badut 6 - 23 bulan di Wilayah Kerja Puskesmas Pucang Sawit Kota Surakarta). Jurnal Kesehatan Masyarakat, 6(4), pp.198 - 205. <https://doi.org/10.14710/jkm.v6i4.21396>
- Aprizah, A. (2021). Hubungan karakteristik Ibu dan Perilaku Hidup Bersih Sehat (PHBS)Tatanan Rumah Tangga dengan kejadian Stunting. Jurnal Kesehatan Saemakers PERDANA (JKSP), 4(1), pp.115–123. doi:<https://doi.org/10.32524/jksp.v4i1.70>.
- Ashworth, A., Shrimpton, R. and Jamil, K. (2008). Growth monitoring and promotion: review of evidence of impact. Maternal & Child Nutrition, 4(s1), pp.86–117. doi:<https://doi.org/10.1111/j.1740-8709.2007.00125.x>.
- Astuti, Y., Paek, S.C., Meemon, N. and Marohabutr, T. (2024). Analysis of traditional feeding practices and stunting among children aged 6 to 59 months in Karanganyar District, Central Java Province, Indonesia. BMC Pediatrics, 24(1). doi:<https://doi.org/10.1186/s12887-023-04486-0>.

- Ayelign, A. and Zerfu, T. (2021). Household, dietary and healthcare factors predicting childhood stunting in Ethiopia. *Heliyon*, 7(4), p.e06733. doi:<https://doi.org/10.1016/j.heliyon.2021.e06733>.
- Batool, M., Saleem, J., Zakar, R., Butt, M.S., Iqbal, S., Haider, S. and Fischer, F. (2023). Relationship of stunting with water, sanitation, and hygiene (WASH) practices among children under the age of five: a cross-sectional study in Southern Punjab, Pakistan. *BMC Public Health*, 23(1). doi:<https://doi.org/10.1186/s12889-023-17135-z>.
- Beal, T., Tumilowicz, A., Sutrisna, A., Izwardy, D., & Neufeld, L.M. (2018). A Review of Child Stunting Determinants in Indonesia. *Maternal & Child Nutrition*, [online] 14(4), p.e12617. doi:<https://doi.org/10.1111/mcn.12617>.
- BKKBN. (2021). Panduan Pelaksanaan Pendampingan Keluarga dalam Upaya Percepatan Penurunan Stunting di Tingkat Desa/Kelurahan. Jakarta: Direktorat Bina Penggerakan Lini Lapangan Badan Kependudukan dan Keluarga Berencana Nasional
- Bourke, C.D., Berkley, J.A. and Prendergast, A.J. (2016). Immune Dysfunction as a Cause and Consequence of Malnutrition. *Trends in Immunology*, [online] 37(6), pp.386–398. doi:<https://doi.org/10.1016/j.it.2016.04.003>.
- Braimoh, T.S., Kobayashi, S., Sata, F., Sasaki, S., Goudarzi, H., Yila, T.A., Araki, A., Miyashita, C., Minakami, H., Baba, T., Sengoku, K. and Kishi, R. (2017). Association of prenatal passive smoking and metabolic gene polymorphisms with child growth from birth to 3years of age in the Hokkaido Birth Cohort Study on Environment and Children’s Health. *Science of The Total Environment*, [online] 605-606, pp.995–1002. doi:<https://doi.org/10.1016/j.scitotenv.2017.06.212>.
- Crane, R.J., Jones, K.D.J. and Berkley, J.A. (2015). Environmental enteric dysfunction: an overview. *Food and Nutrition Bulletin*, [online] 36(1 Suppl), pp.S76-87. doi:<https://doi.org/10.1177/15648265150361S113>.
- DepKes RI (2014) 10 Perilaku Hidup Bersih dan Sehat di Rumah Tangga, Departemen Kesehatan RI, 34, pp. 1–48.
- Febriani, A.D.B., Daud, D., Rauf, S., Nawing, H.D., Ganda, I.J., Salekede, S.B., Angriani, H., Maddeppungeng, M., Juliaty, A., Alasiry, E., Artaty, R.D., Lawang, S.A., Ridha, N.R., Laompo, A., Rahimi, R., Aras, J. and Sarmila, B. (2020). Risk Factors and Nutritional Profiles Associated with Stunting in Children. *Pediatric Gastroenterology, Hepatology & Nutrition*, [online] 23(5), pp.457–463. doi:<https://doi.org/10.5223/pghn.2020.23.5.457.Gonete>.
- Gonete, A.T., Kassahun, B., Mekonnen, E.G. and Takele, W.W. (2021). Stunting at birth and associated factors among newborns delivered at the University of Gondar Comprehensive Specialized Referral Hospital. *PLOS ONE*, 16(1), p.e0245528. doi:<https://doi.org/10.1371/journal.pone.0245528>.

- Gale, C.R., O'Callaghan, F.J., Bredow, M. and Martyn, C.N. (2006). The Influence of Head Growth in Fetal Life, Infancy, and Childhood on Intelligence at the Ages of 4 and 8 Years. *PEDIATRICS*, 118(4), pp.1486–1492. doi:<https://doi.org/10.1542/peds.2005-2629>.
- Gari, T., Loha, E., Deressa, W., Solomon, T. and Lindtjørn, B. (2018). Malaria increased the risk of stunting and wasting among young children in Ethiopia: Results of a cohort study. *PLOS ONE*, 13(1), p.e0190983. doi:<https://doi.org/10.1371/journal.pone.0190983>.
- Hadi, H., Fatimatasari, F., Irwanti, W., Kusuma, C., Alfiana, R.D., Asshiddiqi, M.I.N., Nugroho, S., Lewis, E.C. and Gittelsohn, J. (2021). Exclusive Breastfeeding Protects Young Children from Stunting in a Low-Income Population: A Study from Eastern Indonesia. *Nutrients*, [online] 13(12), p.4264. doi:<https://doi.org/10.3390/nu13124264>.
- Hadi, Z., Anwary, A.Z. and Asrinawaty, A. (2022). Kejadian Stunting Balita ditinjau dari Aspek Kunjungan Posyandu dan Perilaku Pemberian ASI Eksklusif. *Jurnal Akademika Baiturrahim Jambi*, 11(1), pp.01–01. doi:<https://doi.org/10.36565/jab.v11i1.389>.
- Handryastuti, S., Pusponegoro, H.D., Nurdadi, S., Chandra, A., Pramita, F.A., Soebadi, A., Widjaja, I.R., & Rafli, A. (2022). Comparison of Cognitive Function in Children with Stunting and Children with Undernutrition with Normal Stature. *Journal of Nutrition and Metabolism*, 2022, pp.1–5. doi:<https://doi.org/10.1155/2022/9775727>.
- Hendraswari, C.A., Purnamaningrum, Y.E., Maryani, T., Widystuti, Y. and Harith, S. (2021). The Determinants of Stunting in 24-59 Month-Old Children in Kulon Progo District 2019. *Kesmas: National Public Health Journal*, 16(2). doi:<https://doi.org/10.21109/kesmas.v16i2.3305>.
- Herawati, Anwar, A. and Setyowati, D.L. (2020). Hubungan Sarana Sanitasi, Perilaku Penghuni, dan Kebiasaan Cuci Tangan Pakai Sabun (CTPS) oleh Ibu dengan Kejadian Pendek (Stunting) pada Batita Usia 6-24 Bulan di Wilayah Kerja Puskesmas Harapan Baru, Samarinda. *Jurnal Kesehatan Lingkungan Indonesia*, 19(1), p.7. doi:<https://doi.org/10.14710/jkli.19.1.7-15>.
- Issara Siramaneerat, Erni Astutik, Farid Agushybana, Pimnapat Bhumkittipich and Wanjai Lamprom (2024). Examining determinants of stunting in Urban and Rural Indonesian: a multilevel analysis using the population-based Indonesian family life survey (IFLS). *BMC public health*, 24(1). doi:<https://doi.org/10.1186/s12889-024-18824-z>.
- Jatnika, R., Agustiani, H., Abidin, F.A., Lubis, F.Y., Kustimah, K., Febriani, L.V. and Syahlaa, S. (2024). Child Development Card (KKA) as a discriminant tool for the growth and development of stunted and normal children in

- Indonesia. Deleted Journal, [online] 13(1). doi:<https://doi.org/10.1177/22799036241231790>.
- Kebede, W.A. and Ayele, B.Y. (2021). Magnitude of Stunting and Associated Factors among Adolescent Students in Legehida District, Northeast Ethiopia. *Journal of Nutrition and Metabolism*, 2021, pp.1–7. doi:<https://doi.org/10.1155/2021/2467883>.
- Kemenkes RI, (2022). Kemenkes RI no HK.01.07/MENKES/1928/2022 Tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Stunting 1–52.
- Kemenkes RI. (2022). Hasil Survei Status Gizi Indonesia (SSGI) 2022. Kemenkes, 1–150.
- Kementerian Kesehatan RI. (2011). Keputusan Menteri Kesehatan Republik Indonesia Nomor: 2269/MENKES/PER/XI/2011 Pedoman pembinaan perilaku hidup bersih dan sehat (PHBS) - Jakarta: Kementerian Kesehatan RI. 2011.
- Kementerian Kesehatan RI. (2011). Pusat Promosi Kesehatan Pedoman Pembinaan dan Pelatihan Perilaku Hidup Bersih dan Sehat (PHBS) di Rumah Tangga Melalui Tim Penggerak PKK.
- Khadem, A., Nadery, M., Noori, S., Ghaffarian-Ensaf, R., Djazayery, A. and Movahedi, A. (2024). The relationship between food habits and physical activity and the IQ of primary school children. *Journal of Health, Population and Nutrition*, 43(1). doi:<https://doi.org/10.1186/s41043-024-00522-6>.
- Khadija, U., Mahmood, S., Ainee, A., Quddoos, M.Y., Ahmad, H., Khadija, A., Zahra, S.M., & Hussain, A. (2022). Nutritional health status: association of stunted and wasted children and their mothers. *BMC Pediatrics*, 22(1). doi:<https://doi.org/10.1186/s12887-022-03309-y>.
- Kim, J.H. and Choi, J.-H. (2013). Pathophysiology and clinical characteristics of hypothalamic obesity in children and adolescents. *Annals of Pediatric Endocrinology & Metabolism*, 18(4), p.161. doi:<https://doi.org/10.6065/apem.2013.18.4.161>.
- Kuewa, Y., Herawati, Sattu, M., Otoluwa, A.S., Lalusu, E.Y. and Dwicahya, B. (2021). Hubungan Sanitasi Lingkungan dengan Kejadian Stunting pada Balita Di Desa Jayabakti Tahun 2021. *Jurnal Kesmas Untika Luwuk : Public Health Journal*, 12(2). doi:<https://doi.org/10.51888/phj.v12i2.73>.
- Kusumajaya, A.A.N., Mubasyiroh, R., Sudikno, S., Nainggolan, O., Nursanyoto, H., Sutiari, N.K., Tresna Adhi, N.K., Suarjana, I.M. and Januraga, P.P. (2023). Sociodemographic and Healthcare Factors Associated with Stunting in Children Aged 6–59 Months in the Urban Area of Bali Province, Indonesia 2018. [online] 15(2), pp.389–389. doi:<https://doi.org/10.3390/nu15020389>.

- Kwami, C.S., Godfrey, S., Gavilan, H., Lakhampaul, M. and Parikh, P. (2019). Water, Sanitation, and Hygiene: Linkages with Stunting in Rural Ethiopia. International Journal of Environmental Research and Public Health, 16(20), p.3793. doi:<https://doi.org/10.3390/ijerph16203793>.
- Laksono, A.D., Wulandari, R.D., Amaliah, N., & Wisnuwardani, R.W. (2022). Stunting among children under two years in Indonesia: Does maternal education matter? PLOS ONE, 17(7), p.e0271509. doi:<https://doi.org/10.1371/journal.pone.0271509>.
- Lukman, T.N.E., Anwar, F., Riyadi, H., Harjomidjojo, H. and Martianto, D., 2021. Birth weight and length associated with stunting among children under-five in Indonesia. J Gizi Pangan, 16(1), pp.99-108.
- Lwanga, S.K., Lemeshow, S. and World Health Organization, 1991. Sample size determination in health studies: a practical manual. World Health Organization.
- Maneerattanasak, S. and Suwanbamrung, C. (2020). Impact of Nutritional Status on the Severity of Dengue Infection Among Pediatric Patients in Southern Thailand. Pediatric Infectious Disease Journal, 39(12), pp.e410–e416. doi:<https://doi.org/10.1097/inf.0000000000002839>.
- Marselina Palinggi, Rau, M.J., Nur Hikma Buchair, Annisa Raudhatul Jannah, None Rahmania and Moh. (2023). Factors Associated with Decreasing Incidence of Stunting in the Working Area of the Palu Health Center. Journal of Health and Nutrition Research, 2(1), pp.27–32. doi:<https://doi.org/10.56303/jhnresearch.v2i1.107>.
- Mila, E.A., Trisnawati, E. and Widystutik, O. (2021). Analisis Determinan Balita Stunting di Wilayah Kerja Puskesmas Sebangki. Media Publikasi Promosi Kesehatan Indonesia (MPPKI), 5(1), pp.95–103. doi:<https://doi.org/10.56338/mppki.v5i1.1999>.
- Mohammed, S.H., Larijani, B. and Esmaillzadeh, A. (2019). Concurrent anemia and stunting in young children: prevalence, dietary and non-dietary associated factors. Nutrition Journal, 18(1). doi:<https://doi.org/10.1186/s12937-019-0436-4>.
- Muchlis, N., Yusuf, R.A., Rusydi, A.R., Mahmud, N.U., Hikmah, N., Qanitha, A. and Ahsan, A. (2023). Cigarette Smoke Exposure and Stunting Among Under-five Children in Rural and Poor Families in Indonesia. Environmental health insights, 17. doi:<https://doi.org/10.1177/11786302231185210>.
- Muliani, M., Tondong, H.I., Lewa, Abd.F., Mutmainnah, M., Maineny, A. and Asrawaty, A. (2023). Determinants of stunting in children aged 24-59 months: a case- control study. International Journal of Public Health Science, 12(3), pp.1287–1287. doi:<https://doi.org/10.11591/ijphs.v12i3.22313>.

- Mustakim, M.R.D., Irwanto, Irawan, R., Irmawati, M., & Setyoboedi, B. (2022). Impact of Stunting on Development of Children between 1–3 Years of Age. *Ethiopian Journal of Health Sciences*, [online] 32(3). doi:<https://doi.org/10.4314/ejhs.v32i3.13>.
- Nadhiroh, S., Djokosujono, K. and Utari, D.M. (2020). The association between secondhand smoke exposure and growth outcomes of children: A systematic literature review. *Tobacco Induced Diseases*, 18(March). doi:<https://doi.org/10.18332/tid/117958>.
- Ngure, F.M., Reid, B.M., Humphrey, J.H., Mbuya, M.N., Pelto, G. and Stoltzfus, R.J. (2014). Water, sanitation, and hygiene (WASH), environmental enteropathy, nutrition, and early child development: making the links. *Annals of the New York Academy of Sciences*, 1308(1), pp.118–128. doi:<https://doi.org/10.1111/nyas.12330>.
- Nisa, D.M.K. and Sukesi, T.W. (2022). Hubungan Antara Kesehatan Lingkungan dengan Kejadian Stunting di Wilayah Puskesmas Kalasan Kabupaten Sleman. *Jurnal Kesehatan Lingkungan Indonesia*, 21(2), pp.219–224. doi:<https://doi.org/10.14710/jkli.21.2.219-224>.
- Noor, M.S., Andrestian, M.D., Dina, R.A., Ferdina, A.R., Dewi, Z., Hariati, N.W., Rachman, P.H., Setiawan, M.I., Yuana, W.T. and Khomsan, A. (2022). Analysis of Socioeconomic, Utilization of Maternal Health Services, and Toddler's Characteristics as Stunting Risk Factors. *Nutrients*, 14(20), pp.4373–4373. doi:<https://doi.org/10.3390/nu14204373>.
- Nurjazuli, N., Budiyono, B., Raharjo, M. and Wahyuningsih, N.E. (2023). Environmental factors related to children diagnosed with stunting 3 years ago in Salatiga City, Central Java, Indonesia. *Toxicologie Analytique Et Clinique*, 35(3), pp.198–205. doi:<https://doi.org/10.1016/j.toxac.2023.01.003>.
- Owino, V., Ahmed, T., Freemark, M., Kelly, P., Loy, A., Manary, M. and Loechl, C. (2016). Environmental Enteric Dysfunction and Growth Failure/Stunting in Global Child Health. *Pediatrics*, [online] 138(6). doi:<https://doi.org/10.1542/peds.2016-0641>.
- Parvin, T., Endres, K., Hasan, M.T., Uddin, I.M., Bhuyian, M.S.I., Zohura, F., Coglianese, N., Biswas, S.K., Alam, M., Faruque, A.S.G., Gittelsohn, J., Perin, J. and George, C.M. (2022). Low Fruit and Vegetable Consumption Associated with Linear Growth Faltering among Children in Urban Bangladesh. *The American Journal of Tropical Medicine and Hygiene*, 106(6), pp.1741–1746. doi:<https://doi.org/10.4269/ajtmh.21-1124>.
- Permatasari, R., Soerachmad, Y. and Hasbi, F. (2021). HUBUNGAN KEBIASAAN CUCI TANGAN PAKAI SABUN PENGOLAHAN MAKANAN DAN AIR MINUM TERHADAP KEJADIAN STUNTING PADA BALITA DI WILAYAH KERJA PUSKESMAS KEBUNSARI

- KABUPATEN POLEWALI MANDAR. Journal Peqguruang: Conference Series, 3(2), p.768. doi:<https://doi.org/10.35329/jp.v3i2.2517>.
- Perumal, N., Bassani, D.G. and Roth, D.E. (2018). Use and Misuse of Stunting as a Measure of Child Health. *The Journal of Nutrition*, 148(3), pp.311–315. doi:<https://doi.org/10.1093/jn/nxx064>.
- Pradono, J., Hapsari, D., Supardi, S. and Budiarto, W., 2018. Buku panduan manajemen penelitian kuantitatif. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan, 53(9).
- Prendergast, A.J., & Humphrey, J.H. (2014). The stunting syndrome in developing countries. *Paediatrics and International Child Health*, 34(4), pp.250–265. doi:<https://doi.org/10.1179/2046905514y.0000000158>.
- Putri, A.N., Dewi, Y.L.R. and Priyatama, A.N. (2023). Factors Associated with Stunting in Adolescentsin Pariaman, Padang, West Sumatera, Indonesia. *Journal of maternal and child health*, 8(4), pp.421–428. doi:<https://doi.org/10.26911/thejmch.2023.08.04.04>.
- Putri, T.A., Salsabilla, D.A. and Saputra, R.K. (2022). The Effect of Low Birth Weight on Stunting in Children Under Five: A Meta Analysis. *Journal of Maternal and Child Health*, 6(4), pp.496–506. doi:<https://doi.org/10.26911/thejmch.2021.06.04.11>.
- Rosha, B.C., Susilowati, A., Amaliah, N., & Permanasari, Y. (2020). Penyebab Langsung dan Tidak Langsung Stunting di Lima Kelurahan di Kecamatan Bogor Tengah, Kota Bogor (Study Kualitatif Kohor Tumbuh Kembang Anak Tahun 2019). *Buletin Penelitian Kesehatan*, 48(3). doi:<https://doi.org/10.22435/bpk.v48i3.3131>.
- Rustam, E., Rahayu, A., Surasno, D.M. and Toduho, N.B. (2023). Analisis Intervensi Sensitif dan Tingkat Pengetahuan Terhadap Kejadian Stunting Pada Balita di Wilayah Kerja Puskesmas Soasio Kota Tidore Kepulauan Tahun 2022. *Iqtisodina*, 5(2). doi:<https://doi.org/10.52046/biosainstek.v5i2.1648>.
- Rytter, M.J.H., Kolte, L., Briend, A., Friis, H. and Christensen, V.B. (2014). The Immune System in Children with Malnutrition—A Systematic Review. *PLoS ONE*, [online] 9(8), p.e105017. doi:<https://doi.org/10.1371/journal.pone.0105017>.
- Sari, D.P., Ekoriano, M., Pujihasvuty, R., Kistiana, S., Nasution, S.L., Ardiana, I., Purwoko, E., Devi, Y.P. and Muthmainnah, M. (2023). Antenatal care utilization on low birth weight children among women with high-risk births. *F1000Research*, [online] 12, p.399. doi:<https://doi.org/10.12688/f1000research.126814.2>.
- Sastroasmoro, S., & Ismael, S. (2014). Dasar – Dasar Metodologi Penelitian Klinis Edisi ke-5. Jakarta: Sagung Seto.

- Shah, S., Kanaan, M., Huque, R., Sheikh, A., Dogar, O., Thomson, H., Parrott, S. and Siddiqi, K. (2019). Secondhand Smoke Exposure in Primary School Children: A Survey in Dhaka, Bangladesh. *Nicotine & Tobacco Research*, 21(4), pp.416–423. doi:<https://doi.org/10.1093/ntr/ntx248>.
- Simarmata, V.P.A. and Patriawati, K.A. (2024). A Descriptive Study on Stunting in Toddlers & Contributing Factors in Cibungur Village, Sumedang District, Indonesia. *Journal of Complementary and Alternative Medical Research*, 25(7), pp.58–72. doi:<https://doi.org/10.9734/jocamr/2024/v25i7547>.
- Sinatrya, A.K. and Muniroh, L. (2019). Hubungan Faktor Water, Sanitation, and Hygiene (WASH) dengan Stunting di Wilayah Kerja Puskesmas Kotakulon, Kabupaten Bondowoso. *Amerta Nutrition*, 3(3), p.164. doi:<https://doi.org/10.20473/amnt.v3i3.2019.164-170>.
- Siswanto, A. W. and Syafei, A. (2024) “The Affect Of Clean And Healthy Living Behavior (PHBS), Economic Level And Parenting Patterns On The Risk Of Stunting Incidence In The Working Area Of UPT Puskesmas Bereng”, *Jurnal EduHealth*, 15(02), pp. 1495–1510. doi: 10.54209/eduhealth.v15i02
- Sjarif, D.R. and Yuliarti, K. (2023). Panduan Praktik Klinis Diagnosidan Tata Laksana Stunting Secara Komprehensif untuk DokterSpesialis Anak Panduan Praktik Klinis Diagnosis dan TataLaksana Stunting Secara Komprehensif untuk Dokter SpesialisAnak.
- Soliman, A., De Sanctis, V., Alaaraj, N., Ahmed, S., Alyafei, F., Hamed, N., & Soliman, N. (2021). Early and Long-term Consequences of Nutritional Stunting: From Childhood to Adulthood. *Acta Bio Medica: Atenei Parmensis*, [online] 92(1). doi:<https://doi.org/10.23750/abm.v92i1.11346>.
- Sriwahyuni, S., Fera, D., Nabela, D. and Darmawan (2021). The Relationship Between Family Characteristic And Phbs With The Risk Of Stunting On Toddler At Alue Bilie Health Center, Darul Makmur, Nagan Raya. *NVEO - NATURAL VOLATILES & ESSENTIAL OILS Journal*, 8(6).
- Sugiyono. (2020). Metode Penelitian Kuantitatif, Kualitatif dan R&D. Bandung: Alfabeta.
- Suratri, M.A.L., Putro, G., Rachmat, B., Nurhayati, Ristrini, Pracoyo, N.E., Yulianto, A., Suryatma, A., Samsudin, M. and Raharni (2023). Risk Factors for Stunting among Children under Five Years in the Province of East Nusa Tenggara (NTT), Indonesia. *International Journal of Environmental Research and Public Health*, 20(2), p.1640. doi:<https://doi.org/10.3390/ijerph20021640>.
- Suryawan, A. (2023). Family-centered Professional Partnership in Child’s Growth and Development Practices.
- Tello, B., Rivadeneira, M.F., Moncayo, A.L., Buitrón, J., Astudillo, F., Estrella, A. and Torres, A.L. (2022). Breastfeeding, feeding practices and stunting in

- indigenous Ecuadorians under 2 years of age. International Breastfeeding Journal, 17(1). doi:<https://doi.org/10.1186/s13006-022-00461-0>.
- Thompson, A.L. (2021). Greater male vulnerability to stunting? Evaluating sex differences in growth, pathways and biocultural mechanisms. Annals of Human Biology, 48(6), pp.466–473. doi:<https://doi.org/10.1080/03014460.2021.1998622>.
- Thurstans, S., Opondo, C., Seal, A., Wells, J., Khara, T., Dolan, C., Briend, A., Myatt, M., Garenne, M., Sear, R. and Kerac, M. (2020). Boys are more likely to be undernourished than girls: a systematic review and meta-analysis of sex differences in undernutrition. BMJ Global Health, 5(12), p.e004030. doi:<https://doi.org/10.1136/bmjgh-2020-004030>.
- Thurstans, S., Opondo, C., Seal, A., Wells, J.C., Khara, T., Dolan, C., Briend, A., Myatt, M., Garenne, M., Mertens, A., Sear, R. and Kerac, M. (2022). Understanding Sex Differences in Childhood Undernutrition: A Narrative Review. Nutrients, 14(5), p.948. doi:<https://doi.org/10.3390/nu14050948>.
- UNICEF (2023). SDG Goal 2: *Zero Hunger*. [online] UNICEF DATA. Available at: <https://data.unicef.org/sdgs/goal-2-zero-hunger/>.
- Vats, H., Walia, G.K., Saxena, R., Sachdeva, M.P. and Gupta, V. (2024). Association of Low Birth Weight with the Risk of Childhood Stunting in Low- and Middle-Income Countries: A Systematic Review and Meta-Analysis. Neonatology, [online] 121(2), pp.244–257. doi:<https://doi.org/10.1159/000532006>.
- Vonaesch, P., Randremanana, R., Gody, J.-C., Collard, J.-M., Giles-Vernick, T., Doria, M., Vigan-Womas, I., Rubbo, P.-A., Etienne, A., Andriatahirintsoa, E.J., Kapel, N., Brown, E., Huus, K.E., Duffy, D., Finlay, B.Brett., Hasan, M., Hunald, F.A., Robinson, A., Manirakiza, A., & Wegener-Parfrey, L. (2018). Identifying the etiology and pathophysiology underlying stunting and environmental enteropathy: study protocol of the AFRIBIOTA project. BMC Pediatrics, 18(1). doi:<https://doi.org/10.1186/s12887-018-1189-5>.
- Wardanu, A.P., Uliyanti, U., & Ariyanti, I. (2022). JUMANTIK (Jurnal Mahasiswa dan Peneliti Kesehatan) Fakultas Ilmu Kesehatan Universitas Muhammadiyah Pontianak, 9(2). doi:<https://doi.org/10.29406/jjum.v9i2>.
- Wicaksono, F., & Harsanti, T. (2020). Determinants of Stunted Children in Indonesia: A Multilevel Analysis at the Individual, Household, and Community Levels. Kesmas: National Public Health Journal, 15(1), p.48. doi:<https://doi.org/10.21109/kesmas.v15i1.2771>.
- Wijaya-Erhardt, M. (2019). Nutritional Status of Indonesian Children in Low-Income Households with Fathers that Smoke. Osong Public Health and Research Perspectives, 10(2), pp.64–71. doi:<https://doi.org/10.24171/j.phrp.2019.10.2.04>.

- World Health Organization (2017). Guideline: protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services. Who.int. [online] doi:<https://doi.org/9789241550086>.
- World Health Organization (2021). Length/height-for-age. [online] www.who.int. Available at: <https://www.who.int/tools/child-growth-standards/standards/length-height-for-age>.
- World Health Organization, 2006. WHO Child Growth Standards.
- Wulandari, R.D., Laksono, A.D., Kusrini, I., & Tahangnacca, M. (2022). The Targets for Stunting Prevention Policies in Papua, Indonesia: What Mothers' Characteristics Matter? Nutrients, 14(3), p.549. doi:<https://doi.org/10.3390/nu14030549>.
- Yani, D.I., Rahayuwati, L., Sari, C.W.M., Komariah, M., & Fauziah, S.R. (2023). Family Household Characteristics and Stunting: An Update Scoping Review. Nutrients, 15(1), p.233. doi:<https://doi.org/10.3390/nu15010233>.
- Yanti, E. S. and Yunus, E. M. . (2024) “Low Birth Weight and Inappropriate Feeding Variation Caused Nutritional Disorders Based on The Composite Index of Anthropometric Failure (CIAF)”, Media Gizi Indonesia, 19(3), pp. 311–321. doi: 10.20473/mgi.v19i3.311-321.
- Yuwanti, & Festi. (2021). Faktor - Faktor Yang Mempengaruhi Stunting Pada Balita Di Kabupaten Grobogan. Jurnal Keperawatan dan Kesehatan masyarakat Cendekia Utama Volume 10 Nomor 1.
- Zenbaba, D., Sahiledengle, B., Dibaba, D. and Bonsa, M. (2021). Utilization of Health Facility-Based Delivery Service Among Mothers in Gindhir District, Southeast Ethiopia: A Community-Based Cross-Sectional Study. INQUIRY: The Journal of Health Care Organization, Provision, and Financing, 58, p.004695802110560. doi:<https://doi.org/10.1177/00469580211056061>.