

## DAFTAR PUSTAKA

- Amri, F. S., Fihrah, R. S., Jabbar, I. A., Alqahtani, R., Alnujaymi, B., Alsheri, R. M., *et al.* (2023). Accuracy of Neutrophil-to-Lymphocyte Ratio in Predicting the Severity of Acute Appendicitis: A Single-Center Retrospective Study. *Cureus*, *15*(9), e45923. doi:10.7759/cureus.45923.
- Al-Tarakji, M., Zarour, A., Singh, R., Ghali, M. S. (2022). The Role of Alvarado Score in Predicting Acute Appendicitis and Its Severity in Correlation to Histopathology: A Retrospective Study in a Qatar Population. *Cureus*, *14*(7), e26902. doi:10.7759/cureus.26902.
- Sunbul, E. A., Sunbul, M., Yanartas, O., Cengiz, F., Bozbay, M., Sari, I., *et al.* (2016). Increased Neutrophil/Lymphocyte Ratio in Patients with Depression is Correlated with the Severity of Depression and Cardiovascular Risk Factors. *Psychiatry investigation*, *13*(1), 121–126. doi:10.4306/pi.2016.13.1.121
- Balogun, O. S., Osinowo, A., Afolayan, M., Olajide, T., Lawal, A., Adesanya, A. (2019). Acute perforated appendicitis in adults: Management and complications in Lagos, Nigeria. *Annals of African Medicine*, *18*(1), 36–41. doi:10.4103/aam.aam\_11\_18.
- Bom, W. J., Scheijmans, J. C. G., Salminen, P., Boermeester, M. A. (2021). Diagnosis of Uncomplicated and Complicated Appendicitis in Adults. *Scandinavian Journal of Surgery: SJS*, *110*(2), 170–179. doi:10.1177/14574969211008330.
- Buonacera, A., Stancanelli, B., Colaci, M., Malatino, L. (2022). Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases. *International Journal of Molecular Sciences*, *23*(7), 3636. doi:10.3390/ijms23073636.
- Bălănescu, L., Băetu, A. E., Cardoneanu, A. M., Moga, A. A., & Bălănescu, R. N. (2022). Predictors of Complicated Appendicitis with Evolution to Appendicular Peritonitis in Pediatric Patients. *Medicina (Kaunas, Lithuania)*, *59*:1. doi: 10.3390/medicina59010021.
- Cho, S. U., & Oh, S. K. (2023). Accuracy of ultrasound for the diagnosis of acute appendicitis in the emergency department: A systematic review. *Medicine*, *102*(13), e33397. doi:10.1097/MD.00000000000033397.
- Chuluun, E., Ankhbayar, B., Ganzorig, G., Luuzan, G., Dambadarjaa, D., Dunderdorj, Z., & Chimedtseye, P. (2020). Usefulness of the Pediatric Appendicitis Score and Neutrophil to Lymphocyte Ratio for Assessing the

- Complicated Appendicitis in Children. *Journal of Clinical Diagnostics*. 10:4. doi:10.4236/ojcd.2020.104008.
- Coccolini, F., Roberts, D., Ansaloni, L., Ivatury, R., Gamberini, E., Kluger, Y., *et al.* (2018). The open abdomen in trauma and non-trauma patients: WSES guidelines. *World journal of emergency surgery*. 13:7. doi: 10.1186/s13017-018-0167-4
- Depkes. (2018). Kemenkes No. 128/ 2016-2017. Tentang Kebijakan Dasar Pusat Kesehatan Masyarakat. Jakarta: Kementrian Kesehatan RI.
- Doleman, B., Fonnes, S., Lund, J. N., Boyd-Carson, H., Javanmard-Emamghissi, H., Moug, S., Hollyman, M., Tierney, G., Tou, S., & Williams, J. P. (2024). Appendectomy versus antibiotic treatment for acute appendicitis. *The Cochrane database of systematic reviews*, 4:4. doi:10.1002/14651858.CD015038.pub2.
- Forget P, Khalifa C, Defour JP, Latinne D, Van Pel MC, De Kock M. (2017). What is the normal value of the neutrophil-to-lymphocyte ratio?. *BMC Res Notes*. 3;10(1):12. doi: 10.1186/s13104-016-2335-5.
- Dixon, F., & Singh, A. (2020). Acute appendicitis. *Surgery (Oxford)*, 38(6), 310–317. doi:10.1016/j.mpsur.2020.03.015.
- D'Souza, N., Hicks, G., Beable, R., Higginson, A., Rud, B. (2021). Magnetic resonance imaging (MRI) for diagnosis of acute appendicitis. *The Cochrane Database of Systematic Reviews*, 12(12), CD012028. doi:10.1002/14651858.CD012028.pub2.
- Forget, P., Khalifa, C., Defour, JP., Latinne, D., Pel, M. V., Kock, M. D. (2017). What is the normal value of the neutrophil-to-lymphocyte ratio?. *BMC Res Notes* 10, 12. doi:10.1186/s13104-016-2335-5
- Gadiparthi, R., & Waseem, M. (2024). Pediatric Appendicitis. In: *StatPearls*. Retrieved from <https://www.ncbi.nlm.nih.gov/books/NBK441864/>.
- Guan L, Liu Z, Pan G, Zhang B, Wu Y, Gan T, Ouyang G. (2023). The global, regional, and national burden of appendicitis in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. *BMC Gastroenterol*. 23:44. doi: 10.1186/s12876-023-02678-7.
- Guro, G., Ciftci, I. H., *et al.* (2015). Are There Standardized Cutoff Values for Neutrophil-Lymphocyte Ratios in Bacteremia or Sepsis? *Journal of Microbiology and Biotechnology*, 25, 521–525. doi:10.4014/jmb.1408.08060.

- Haddad, R. F., de Azevedo, B. C., de Mattos, L. A., & Podgaec, S. (2024). Nodular image in the appendix observed on ultrasound: endometriosis or neuroendocrine neoplasia?. *Revista brasileira de ginecologia e obstetricia : revista da Federacao Brasileira das Sociedades de Ginecologia e Obstetricia*, 46. doi: 10.61622/rbgo/2024AO01.
- Hajibandeh, S., Hajibandeh, S., Terizi, H. A., Atasoy, A. R., Ozbek, A., Koroglu, M. (2020). Neutrophil-to-lymphocyte ratio predicts acute appendicitis and distinguishes between complicated and uncomplicated appendicitis: A systematic review and meta-analysis. *American Journal of Surgery*, 219(1). doi:10.1016/j.amjsurg.2019.04.018.
- Happyanto, M. R., Adhika, O. A., & Pranoto, D. (2022). An Overview of Patients of Appendicitis and Surgical Site Infection Postappendectomy at Bethesda Hospital Yogyakarta Period 2019-2020. *Journal of Medicine and Health*, 4, 154-164. doi:10.28932/jmh.v4i2.4140.
- Harada, T., Harada, Y., Hiroshige, J., & Shimizu, T. (2022). Factors associated with delayed diagnosis of appendicitis in adults: A single-center, retrospective, observational study. *PloS one*. 17:10. doi: 10.1371/journal.pone.0276454.
- Hardiani, A., Auliya, N. H., Andriani, H., Ustiawaty, J., Utami, E. F., Istiqomah, R. R., *et al.* (2020). *Buku Metode Penelitian Kualitatif & Kuantitatif*. Yogyakarta: CV. Pustaka Ilmu.
- Hartawan, I. G. N. B. R. M., Ekawati, N. P., Saputra, H., Dewi, I. G. A. S. (2020). Characteristics of Appendicitis Cases at Sanglah Central General Hospital Denpasar Bali in 2018. *Journal of Medical Research and Health*, 9, 60-67.
- Hodge, B. D., Kashyap, S., & Khorasani-Zadeh, A. (2023). Anatomy, Abdomen and Pelvis: Appendix. In: *StatPearls*. Retrieved from <https://www.ncbi.nlm.nih.gov/books/NBK441864/>.
- Kahramanca, S., Ozgehan, G., Seker, D., Gokce, E. I., Seker, G., Tunc, G., *et al.* (2014). Neutrophil-to-lymphocyte ratio as a predictor of acute appendicitis. *Ulusal travma ve acil cerrahi dergisi Turkish journal of trauma & emergency surgery : TJTES*, 20(1), pp. 19–22. doi: 10.5505/tjtes.2014.20688.
- Khan, S. A., Ashraf, R., Hassaan, N., Naseer, M., Azad, M. H., & Javed, H. (2023). The Role of Neutrophil-to-Lymphocyte Ratio in the Diagnosis of Acute Appendicitis. *Cureus*, 15:12. doi:10.7759/cureus.51164.
- Kumar, P. & Wark, K. (2020). Extra-pulmonary tuberculosis mimicking appendicitis. *ANZ Journal of Surgery*. 90:10. doi:10.1111/ans.16080.



- Kheru, A., Sudiadnyani, N. P., & Lestari, P. (2022). Differences in the Number of Leukocytes in Patients with Acute Appendicitis and Perforation. *Journal Ilmiah Kesehatan Sandi Husada*, 11(1). doi:10.35816/jiskh.v11i1.729.
- Limar, A., Sanyal, D., Singh, C. G., Singh, K. L., Phom, M. A., & Jana, S. (2023). Role of Neutrophil to Lymphocyte Ratio to Predict Acute Appendicitis and to Distinguish between Complicated and Uncomplicated Appendicitis: A Cross-Sectional Study. *Internasional Journal of Pharmaceutical and Clinical Research*. 15:4.
- Lotfollahzadeh, S., Lopez, R. A., & Deppen, J. G. (2024). Appendicitis (Nursing). In: *StatPearls*. Retrieved from <https://www.ncbi.nlm.nih.gov/books/NBK441864/>.
- Marte, J. L., Toney, N. J., Cordes, L., Schlom, J., Donahue, R. N., Gulley, J. L. (2020). Early changes in immune cell subsets with corticosteroids in patients with solid tumors: implications for COVID-19 management. *Journal for ImmunoTherapy of Cancer*. 8:e001019. doi:10.1136/jitc-2020-001019
- Matthew J. Snyder, Marjorie Guthrie, & Staphem Cagle. (2018). Acute Appendicitis: Efficient Diagnosis and Management. *American Family Physician*, 98(1):25–33.
- Mirantika, N., Danial, & Suprpto, B. (2021). Hubungan antara Usia, Lama Keluhan Nyeri Abdomen, Nilai Leukosit, dan Rasio Neutrofil Limfosit dengan Kejadian Apendisitis Akut Perforasi di RSUD Abdul Wahab Sjahranie Samarinda. *Jurnal Sains dan Kesehatan*, 3(4), doi:10.25026/jsk.v3i4.467.
- Minneci, P. C., Hade, E. M. & Lindsay. (2022). Demographic and Clinical Characteristics Associated With the Failure of Nonoperative Management of Uncomplicated Appendicitis in Children. *JAMA Netw Open*. 5:5. doi: 10.1001/jamanetworkopen.2022.9712.
- Moris, D., Paulson, E. K., & Pappas, T. N. (2021). Diagnosis and Management of Acute Appendicitis in Adults: A Review. *JAMA*, 326(22), 2299–2311. <https://doi.org/10.1001/jama.2021.20502>.
- Nepumuceno, H. & Pearson, E. G. (2021). Nonoperative management of appendicitis in children. *Translational Gastroenterology and Hepatology*. 6:1. doi:10.21037/tgh-20-191
- Noori, I. F., Jabbar, A. S., & Noori, A. F. (2023). Clinical scores (Alvarado and AIR scores) versus imaging (ultrasound and CT scan) in the diagnosis of equivocal cases of acute appendicitis: a randomized controlled study.

*Annals of Medicine Surgery (Lond)*, 85(4),  
doi:10.1097/MS9.0000000000000270.

Nursalam. (2017). *Metodologi Penelitian dan Ilmu Keperawatan Edisi 3*. Jakarta: Salemba Medika.

Peeters, T., Houben, B., Cools, P., Thys, Y., D'Onofrio, V., Martens, S., *et al.* (2023). An observational study on lifestyle and environmental risk factors in patients with acute appendicitis.

Pellegrino, R., Paganelli, R., Di Iorio, A., Bandinelli, S., Moretti, A., Lolascon, G., *et al.* (2023). Temporal trends, sex differences, and age-related disease influence in Neutrophil, Lymphocyte count and Neutrophil to Lymphocyte-ratio: results from InCHIANTI follow-up study. *Immun Ageing* 20, 46. doi:10.1186/s12979-023-00370-8

Rajalingam, V. R., Mustafa, A., Ayeni, A., Mahmood, F., Shammout, S., Singhal, S., *et al.* (2022). The Role of Neutrophil-Lymphocyte-Ratio and Platelet-Lymphocyte-Ratio as a Biomarker for Distinguishing Between Complicated and Uncomplicated Appendicitis. *Cureus*, 14(1). doi:10.7759/cureus.21446.

Rendy, S., Firmansyah, Y., Dewi, A. K. (2021). Clinical Ability of Neutrophil-Lymphocyte Rasio in Pregnancy as a Predictor of Preeclampsia. *J South Asian Feder Obst Gynae*, 13(3). doi:10.5005/jp-journals-10006-1892

Roldgaard, M., Benfield, T. & Tingsgård, S. (2024). Blood neutrophil to lymphocyte ratio is associated with 90-day mortality and 60-day readmission in Gram negative bacteremia: a multi-center cohort study. *BMC Infect Dis*, 24. doi:10.1186/s12879-024-09127-0

Saputra, A. N., Ibrahim, S. M. & Ardianto, F. W. (2022). Prevalence of Appendicitis at Surgery Inpatient Department of a Secondary Care Hospital: A Descriptive Study. *Internasional Journal of Medical Science and Clinical Research Studies*. 2:10. doi:10.47191/ijmscrs/v2-i10-07.

Sasso, M. R. D., Hanna, E., & Moore, D. L. 2018. Leukocytic and neutrophilic counts in acute appendicitis. *Elsevier*. 120:5. doi:10.1016/S0002-9610(70)80168-4.

Saverio, S., Podda, M., De Simone, B. (2020). Diagnosis and treatment of acute appendicitis: 2020 update of the WSES Jerusalem guidelines. *World Journal of Emergency Surgery*, 15, 27. doi:10.1186/s13017-020-00306-3.

Sipra, M. A., Kothari, M., Almakki, A. A., Diakatou, E., Ahmed, D., Ansari, G. A., *et al.* (2021). The predictive value of neutrophil-to-lymphocyte ratio to

diagnose acute appendicitis and grade its severity. *Journal of Pediatric and Adolncent Surgery*. 2:1. doi:10.46831/jpas.v2i1.131.

Shou Hu, H., Wang, Z., Jian, L. Y., Zhao, L. M., Liu, X. D. (2023). Optimizing inhaled corticosteroid use in patients with chronic obstructive pulmonary disease: assessing blood eosinophils, neutrophil-to-lymphocyte ratio, and mortality outcomes in US adults. *Frontiers in Immunology*, 14. doi:10.3389/fimmu.2023.1230766.

Stackievicz R, Milner R, Werner M, Arnon S, Steiner Z. (2023). Follow-up ultrasonographic findings among children treated conservatively for uncomplicated acute appendicitis. *Pediatr Radiol*. 53(2):223-234. doi: 10.1007/s00247-022-05497-2.

Talabi, A.O., Adedeji, T.A., Sowande, O.A., & Adejuyigbe, O. (2021) Predictive values of Alvarado score, serum C-reactive protein, and white blood cell count in the diagnosis of acute appendicitis: a prospective study. *Ann Pediatr Surg*. 17:8 doi:10.1186/s43159-021-00074-y.

Wijaya, W., Eranto, M and Alfarisi, R. (2020). Perbandingan Jumlah Leukosit Darah Pada Pasien Apendisitis Akut Dengan Apendisitis Perforasi. *Jurnal Kesehatan Makassar*. doi:10.35816/jiskh.v10i2.288.

Zhang, X., Wei, R., Wang, X., Zhang, W., Mengxuan., Tian Ni., *et al.* (2024) The neutrophil-to-lymphocyte ratio is associated with all-cause and cardiovascular mortality among individuals with hypertension. *Cardiovasc Diabetol*, 23:117 . doi:10.1186/s12933-024-02191-5

