

## DAFTAR PUSTAKA

- Alzboon, G., & Vural, G. (2021). The experience of healthy pregnancy in high parity women: A phenomenological study in north jordan. *Medicina (Lithuania)*, 57(8). <https://doi.org/10.3390/medicina57080853>
- Anil, K. C., Basel, P. L., & Singh, S. (2020). Low birth weight and its associated risk factors: Health facility-based case-control study. *PLoS ONE*, 15(6 June). <https://doi.org/10.1371/journal.pone.0234907>
- Arya, S., Mulla, Z. D., & Plavsic, S. K. (2018). Outcomes of Women Delivering at Very Advanced Maternal Age. *Journal of Women's Health*, 27(11), 1378–1384. <https://doi.org/10.1089/jwh.2018.7027>
- Bellodas Sanchez, J., & Kadrofske, M. (2019). Necrotizing enterocolitis. In *Neurogastroenterology and Motility* (Vol. 31, Issue 3). Blackwell Publishing Ltd. <https://doi.org/10.1111/nmo.13569>
- Bisson, C., Dautel, S., Patel, E., Suresh, S., Dauer, P., & Rana, S. (2023). Preeclampsia pathophysiology and adverse outcomes during pregnancy and postpartum. In *Frontiers in Medicine* (Vol. 10). Frontiers Media SA. <https://doi.org/10.3389/fmed.2023.1144170>
- Blencowe, H., Krasevec, J., de Onis, M., Black, R. E., An, X., Stevens, G. A., Borghi, E., Hayashi, C., Estevez, D., Cegolon, L., Shiekh, S., Ponce Hardy, V., Lawn, J. E., & Cousens, S. (2019). National, regional, and worldwide estimates of low birthweight in 2015, with trends from 2000: a systematic analysis. *The Lancet Global Health*, 7(7), e849–e860. [https://doi.org/10.1016/S2214-109X\(18\)30565-5](https://doi.org/10.1016/S2214-109X(18)30565-5)
- Burton, G. J., Redman, C. W., Roberts, J. M., & Moffett, A. (2019). Pre-eclampsia: pathophysiology and clinical implications. In *The BMJ* (Vol. 366). BMJ Publishing Group. <https://doi.org/10.1136/bmj.l2381>
- Cavazos-Rehg, P. A., Krauss, M. J., Spitznagel, E. L., Bommarito, K., Madden, T., Olsen, M. A., Subramaniam, H., Peipert, J. F., & Bierut, L. J. (2015). Maternal Age and Risk of Labor and Delivery Complications. *Maternal and Child Health Journal*, 19(6), 1202–1211. <https://doi.org/10.1007/s10995-014-1624-7>
- Chang, K. J., Seow, K. M., & Chen, K. H. (2023). Preeclampsia: Recent Advances in Predicting, Preventing, and Managing the Maternal and Fetal Life-Threatening Condition. In *International Journal of Environmental Research and Public Health* (Vol. 20, Issue 4). MDPI. <https://doi.org/10.3390/ijerph20042994>

- Cutland, C. L., Lackritz, E. M., Mallett-Moore, T., Bardají, A., Chandrasekaran, R., Lahariya, C., Nisar, M. I., Tapia, M. D., Pathirana, J., Kochhar, S., & Muñoz, F. M. (2017). Low birth weight: Case definition & guidelines for data collection, analysis, and presentation of maternal immunization safety data. In *Vaccine* (Vol. 35, Issue 48, pp. 6492–6500). Elsevier Ltd. <https://doi.org/10.1016/j.vaccine.2017.01.049>
- Dahlan, M. S. (2010). *Dahlan, M. S. (2010). Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan.* Jakarta: Salemba Medika, 29. <http://www.penerbitsalemba.com>
- Desta, M., Tadese, M., Kassie, B., & Gedefaw, M. (2019). Determinants and adverse perinatal outcomes of low birth weight newborns delivered in Hawassa University Comprehensive Specialized Hospital, Ethiopia: A cohort study. *BMC Research Notes*, 12(1). <https://doi.org/10.1186/s13104-019-4155-x>
- Devaguru, A., Gada, S., Potpalle, D., Dinesh Eshwar, M., & Purwar, D. (2023). The Prevalence of Low Birth Weight Among Newborn Babies and Its Associated Maternal Risk Factors: A Hospital-Based Cross-Sectional Study. *Cureus*. <https://doi.org/10.7759/cureus.38587>
- Dinkes Bali. (2022). Profil Kesehatan Provinsi Bali. [www.diskes.baliprov.go.id](http://www.diskes.baliprov.go.id).
- Dimitriadis, E., Rolnik, D. L., Zhou, W., Estrada-Gutierrez, G., Koga, K., Francisco, R. P. V., Whitehead, C., Hyett, J., da Silva Costa, F., Nicolaides, K., & Menkhorst, E. (2023). Pre-eclampsia. *Nature Reviews Disease Primers*, 9(1). <https://doi.org/10.1038/s41572-023-00417-6>
- Espinoza, J., Vidaeff, A., Pettker, C. M., & Simhan, H. (2020). *ACOG PRACTICE BULLETIN Clinical Management Guidelines for Obstetrician-Gynecologists*.
- Faadhillah, A., Helda (2020). Hubungan Preeklampsia dengan Kejadian BBLR di RSUD Tanggerang Tahun 2018. *Jurnal Epidemiologi Kesehatan Indonesia*.
- Ferawati, E., Kuswandi, K., & Karmila, N. (2023). Impact of Severe Preeclampsia on the Incidence of Low-Birth-Weight Babies. *Majalah Kedokteran Bandung*, 55(4), 227–231. <https://doi.org/10.15395/mkb.v55n4.3277>
- Figueredo, L., McClure, E. M., Swanson, J., Nathan, R., Garces, A. L., Moore, J. L., Krebs, N. F., Hambidge, K. M., Bauserman, M., Lokangaka, A., Tshefu, A., Mirza, W., Saleem, S., Naqvi, F., Carlo, W. A., Chomba, E., Liechty, E. A., Esamai, F., Swanson, D., ... Goldenberg, R. L. (2020). Oligohydramnios: a prospective study of fetal, neonatal and maternal outcomes in low-middle income countries. *Reproductive Health*, 17(1). <https://doi.org/10.1186/s12978-020-0854-y>

- Fox, R., Kitt, J., Leeson, P., Aye, C. Y. L., & Lewandowski, A. J. (2019). Preeclampsia: Risk factors, diagnosis, management, and the cardiovascular impact on the offspring. In *Journal of Clinical Medicine* (Vol. 8, Issue 10). MDPI. <https://doi.org/10.3390/jcm8101625>
- Getaneh, T., Negesse, A., Dessie, G., & Desta, M. (2020). The impact of pregnancy induced hypertension on low birth weight in Ethiopia: systematic review and meta-analysis. *Italian Journal of Pediatrics*, 46(1). <https://doi.org/10.1186/s13052-020-00926-0>
- Huang, C., Jiang, Q., Su, W., Lv, F., Zeng, J., Huang, P., Liu, W., Lin, M., Li, X., Shi, X., & Zheng, X. (2023). Age-specific effects on adverse pregnancy outcomes vary by maternal characteristics: a population-based retrospective study in Xiamen, China. *BMC Public Health*, 23(1). <https://doi.org/10.1186/s12889-023-15235-4>
- Hwang, J. H., Lee, E. H., & Kim, E. A. R. (2015). Retinopathy of prematurity among very-low-birth-weight infants in Korea: Incidence, treatment, and risk factors. *Journal of Korean Medical Science*, 30, S88–S94. <https://doi.org/10.3346/jkms.2015.30.S1.S88>
- Irmawartini. (2017). *Irmawartini, N. (2017). Bahan Ajar Kesehatan Lingkungan: Metodologi Penelitian.* Jakarta: Kementerian Kesehatan Republik Indonesia.
- Ismawati, P. , & A. C. (2010). *BBLR: Berat Badan Lahir Rendah.* Yogyakarta: Nuha Medika.
- Kemenkes RI. (2018). Pedoman Nasional Pelayanan Kedokteran Tata Laksana Tindakan Resusitasi, Stabilisasi, dan Transpor Bayi Berat Badan Lahir Rendah.
- Kemenkes RI. (2022). Pelayanan Antenatal Care (ANC) pada Masa Pandemi Covid-19.
- Kemenkes RI. (2023). Profil Kesehatan Indonesia 2022. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Komang Lindayani, I., & Dosen Jurusan Kebidanan, Mk. (2018). *SKRINING PRE EKLAMPSIA.*
- Lin, L., Lu, C., Chen, W., Li, C., & Guo, V. Y. (2021). Parity and the risks of adverse birth outcomes: a retrospective study among Chinese. *BMC Pregnancy and Childbirth*, 21(1). <https://doi.org/10.1186/s12884-021-03718-4>
- Liu, Y., Li, N., An, H., Li, Z., Zhang, L., Li, H., Zhang, Y., & Ye, R. (2021). Impact of gestational hypertension and preeclampsia on low birthweight and small-for-gestational-age infants in China: A large prospective cohort study.

*Journal of Clinical Hypertension*, 23(4), 835–842.  
<https://doi.org/10.1111/jch.14176>

Made, I., Putra Wiguna, A., Putu, N., Witari, D., Gede, A. A., Budayasa, R., Kedokteran, M. F., Kesehatan, I., Warmadewa, U., Anatomi -Histologi, B., Kedokteran, F., Ksm, B., Dan, O., Rsud, G., & Gianyar, S. (2023). Hubungan antara Preeklampsia dengan Kejadian Bayi Berat Lahir Rendah (BBLR) di Rumah Sakit Umum Daerah Sanjiwani Gianyar. *Aesculapius Medical Journal* /, 3(2).

Marete, I., Ekhaguere, O., Bann, C. M., Bucher, S. L., Nyongesa, P., Patel, A. B., Hibberd, P. L., Saleem, S., Goldenberg, R. L., Goudar, S. S., Derman, R. J., Garces, A. L., Krebs, N. F., Chomba, E., Carlo, W. A., Lokangaka, A., Bauserman, M., Koso-Thomas, M., Moore, J. L., ... Esamai, F. (2020). Regional trends in birth weight in low- and middle-income countries 2013–2018. *Reproductive Health*, 17. <https://doi.org/10.1186/s12978-020-01026-2>

Nakimuli, A., Starling, J. E., Nakubulwa, S., Namagembe, I., Sekikubo, M., Nakabembe, E., Scott, J. G., Moffett, A., & Aiken, C. E. (2020). Relative impact of pre-eclampsia on birth weight in a low resource setting: A prospective cohort study. *Pregnancy Hypertension*, 21, 1–6. <https://doi.org/10.1016/j.preghy.2020.04.002>

Nur. (2018). Nur, A. F. (2018). Risiko paparan asap rokok, ketuban pecah dini dan plasenta ringan terhadap bblr di rsu anutapura palu. *Healthy Tadulako Journal (Jurnal Kesehatan Tadulako)*, 4(3), 73-78.

Obstetri, P., Indonesia, G., Kedokteran, H., & Maternal, F. (2016). *Pedoman Nasional Pelayanan Kedokteran DIAGNOSIS DANTATA LAKSANA PRE-EKLAMPSIA*.

Osungbade, K. O., & Ige, O. K. (2011). Public health perspectives of preeclampsia in developing countries: implication for health system strengthening. In *Journal of pregnancy* (Vol. 2011, p. 481095). <https://doi.org/10.1155/2011/481095>

Poon, L. C., Shennan, A., Hyett, J. A., Kapur, A., Hadar, E., Divakar, H., McAuliffe, F., da Silva Costa, F., von Dadelszen, P., McIntyre, H. D., Kihara, A. B., Di Renzo, G. C., Romero, R., D'Alton, M., Berghella, V., Nicolaides, K. H., & Hod, M. (2019). The International Federation of Gynecology and Obstetrics (FIGO) initiative on pre-eclampsia: A pragmatic guide for first-trimester screening and prevention. *International Journal of Gynecology and Obstetrics*, 145(S1), 1–33. <https://doi.org/10.1002/ijgo.12802>

Purborini, S. F. A., & Rumaropen, N. S. (2023). Hubungan Usia, Paritas, dan Tingkat Pendidikan dengan Kehamilan Tidak Diinginkan Pada Pasangan Usia Subur di Surabaya. *Media Gizi Kesmas*, 12(1), 207–211. <https://doi.org/10.20473/mgk.v12i1.2023.207-211>

- Purwanto, A. D., & Wahyuni, C. U. (2016). Hubungan antara umur kehamilan, kehamilan ganda, hipertensi dan anemia dengan kejadian bayi berat lahir rendah (BBLR). *Jurnal Berkala Epidemiologi*, 4(3), 349-359.
- Putri, A. W., Pratitis, A., Luthfiya, L., Wahyuni, S., & Tarmali, A. (2019). Faktor Ibu terhadap Kejadian Bayi Berat Lahir Rendah. *HIGEIA (Journal of Public Health Research and Development)*, 3(1), 55-62.
- Putri Ariyan, F. A., Sukowati, E. G., & Fatmawati, W. (2022). Preeclampsia correlates with maternal and perinatal outcomes in Regional Public Hospital, Madiun, Indonesia. *Majalah Obstetri & Ginekologi*, 30(1), 24–31. <https://doi.org/10.20473/mog.v30i12022.24-31>
- Rahfiludin, M. Z., & Dharmawan, Y. (2018). Risk factors associated with low birth weight. *Kesmas*, 13(2), 75–80. <https://doi.org/10.21109/kesmas.v13i2.1719>
- Rana, S., Lemoine, E., Granger, J., & Karumanchi, S. A. (2019). Preeclampsia: Pathophysiology, Challenges, and Perspectives. *Circulation Research*, 124(7), 1094–1112. <https://doi.org/10.1161/CIRCRESAHA.118.313276>
- Retno, W., Wittiarika, I. D., & Akbar, M. A. (2021). THE RELATIONSHIP BETWEEN THE ONSET OF SEVERE PREECLAMPSIA AND PERINATAL COMPLICATIONS AT RUMKITAL Dr. RAMELAN IN SURABAYA. *Indonesian Midwifery and Health Sciences Journal*, 5(2), 139–151. <https://doi.org/10.20473/imhsj.v5i2.2021.139-151>
- Rufaindah, E. (2022). Tatalaksana Bayi Baru Lahir. Bandung: CV Media Sains Indonesia
- SA, K. (2023). Preeclampsia. In: *StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-*. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK570611/>
- Setyarini, D. I., Keb, M., Setyarini, D. I., Keb, M., Suprapti, S. S. T., & Suprapti, S. S. T. (2016). Asuhan Kebidanan Kegawatdaruratan Maternal Neonatal.
- Sirenden, H., Sunarno, I., Arsyad, M. A., & Idris, I. (2020). Birth weight, Apgar score, and fetal complications in mothers with severe preeclampsia. *Enfermeria Clinica*, 30, 533–536. <https://doi.org/10.1016/j.enfcli.2019.07.154>
- Titisari, I., Antono, S. D., & Chumaida, I. (2019). THE RELATIONSHIP PREECLAMPSIA AND THE INCIDENCE OF LOW BIRTH WEIGHT BABIES IN RSUD GAMBIRAN, KEDIRI CITY. *JURNAL KEBIDANAN KESTRA (JKK)*, 2(1), 61–67. <https://doi.org/10.35451/jkk.v2i1.247>

UNICEF. (2023, July). *Low birthweight.* <https://data.unicef.org/topic/nutrition/low-birthweight/#notes>

Wahyuni, D., & Puspitasari, E. (2021). THE RELATIONSHIP BETWEEN PREECLAMPSIA AND LOW BIRTH WEIGHT (LBW) IN WONOSARI, GUNUNGKIDUL REGIONAL HOSPITAL. *Epidemiology and Society Health Review (ESHR)*, 3(1), 1. <https://doi.org/10.26555/eshr.v3i1.2987>

WILLIAMS OBSTETRICS-22nd Ed. (2005) FRONT MATTER Notice. (1976).

Wójtowicz, A., Zembala-Szczerba, M., Babczyk, D., Kołodziejczyk-Pietruszka, M., Lewaczyńska, O., & Huras, H. (2019). Early-and Late-Onset Preeclampsia: A Comprehensive Cohort Study of Laboratory and Clinical Findings according to the New ISHHP Criteria. *International Journal of Hypertension*, 2019. <https://doi.org/10.1155/2019/4108271>

World Health Organization. (2015). Global Nutrition Targets 2025: Low birth weight policy brief. 2014. Global Nutrition Targets, 2025.

Zuvarcan, D. A., Putra, D. A., & Martuti, S. (2024). Correlation between Preeclampsia and Infant Low Birth Weight at Dr. Moewardi Hospital, Surakarta, Central Java, Indonesia. *Journal of Maternal and Child Health*, 9(1), 28–37. <https://doi.org/10.26911/thejmch.2024.09.01.03>

