

DAFTAR PUSTAKA

- Acharya, N., & Paneru, C. P. (2021). Prevalence and Etiology of Neonatal Jaundice in a Tertiary Care Hospital. *Journal of Nepalganj Medical College*. <https://doi.org/10.3126/jngmc.v18i2.38891>
- Afian, D. H., Anam, M. S., Himawan, A. B., & Radityo Suswihardhyono, A. N. (2021). Faktor Yang Berhubungan Dengan Kenaikan Berat Badan Bayi Berat Lahir Rendah. *Sari Pediatri*. <https://doi.org/10.14238/sp23.2.2021.75-81>
- Aggarwal, R., & Goel, A. (2015). Hepatitis A. *Current Opinion in Infectious Diseases*, 28(5), 488–496. <https://doi.org/10.1097/QCO.0000000000000188>
- Agung Suwardewa, T. G., Gede Wiradnyana, A. A., Jaya, M. S., Bayu Mahendra, I. N., Mulyana, R. S., & Anggriawan, A. (2022). Rasio Platelet-Limfosit Serum Ibu Pada Kehamilan Preterm Dan Kehamilan Preterm Dengan Ketuban Pecah Dini (KPD): Suatu Studi Potong-Lintang. *Intisari Sains Medis*. <https://doi.org/10.15562/ism.v13i2.1370>
- Agustina, F. R. (2023). Hubungan Usia Ibu Hamil Dengan Kejadian Berat Badan Lahir Rendah Di Kecamatan Babakan Madang, Kabupaten Bogor. *Mgii*. <https://doi.org/10.62358/mgii.v1i2.17>
- Akbar, R. R. (2023). Hubungan Kadar Hemoglobin Ibu Hamil Trimester III Dengan Berat Lahir Bayi Di RSUP. DR M Djamil Padang. *Scientific Journal*. <https://doi.org/10.56260/sciena.v2i5.102>
- Al Nasser, Y., Jamal, Z., & Albugeaey, M. (2024). *Carotenemia*.
- Alam, K., Crowe, A., Wang, X., Zhang, P., Ding, K., Li, L., & Yue, W. (2018). Regulation of Organic Anion Transporting Polypeptides (OATP) 1B1- and OATP1B3-Mediated Transport: An Updated Review in the Context of OATP-Mediated Drug-Drug Interactions. *International Journal of Molecular Sciences*, 19(3), 855. <https://doi.org/10.3390/ijms19030855>
- Ali, B. A. (2024). *Predictors of Neonatal Hyperbilirubinemia's Outcome and Their Relationships to the Etiology*. <https://doi.org/10.21203/rs.3.rs-3697703/v1>
- Amaliya, S. (2020). Karakteristik Ibu Dan Bayi Dengan Sepsis Neonatorum Di Ruang Perinatologi Rumah Sakit Pendidikan Jawa Timur: Penelitian Awal. *Dunia Keperawatan Jurnal Keperawatan Dan Kesehatan*. <https://doi.org/10.20527/dk.v8i3.8663>
- Aminah, S., & Yunitasari, E. (2022). Faktor-Faktor Yang Berhubungan Dengan Asfiksia Neonatorum Pada Bayi Baru Lahir Di RSUD Kabupaten Pringsewu. *Journal of Current Health Sciences*. <https://doi.org/10.47679/jchs.202239>
- Andani, A., van Damme, P., Bunge, E. M., Salgado, F., van Hoorn, R. C., & Hoet, B. (2022). One or two doses of hepatitis A vaccine in universal vaccination

- programs in children in 2020: A systematic review. *Vaccine*, 40(2), 196–205. <https://doi.org/10.1016/j.vaccine.2021.01.038>
- Aprianto, I. (2022). Karakteristik Faktor Resiko Kejadian Abortus Di RSIA Sitti Khadijah 1 Makassar. *Fakumi Medical Journal Jurnal Mahasiswa Kedokteran*. <https://doi.org/10.33096/fmj.v2i7.97>
- Armatheina, P. F. (2023). Hubungan Bayi Berat Lahir Rendah Dengan Kejadian Hiperbilirubinemia Di Rumah Sakit Umum Daerah Wangaya Kota Denpasar. *Sari Pediatri*. <https://doi.org/10.14238/sp25.1.2023.15-9>
- Auliasari, N. A., Etika, R., Krisnana, I., & Lestari, P. (2019). Faktor Risiko Kejadian Ikterus Neonatorum. *Pediomaternal Nursing Journal*. <https://doi.org/10.20473/pmnj.v5i2.13457>
- Ayukarningsih, Y., Wahyudin, Pratiwi, S. T., & Lailani, N. (2021). *The Overview of Low Birth Weight Infants With Incidence of Neonatal Jaundice in Perinatology Ward at Dustira Hospital*. <https://doi.org/10.2991/ahsr.k.210723.009>
- Beal, J. A. (2023). American Academy of Pediatrics' Updated Clinical Guidelines for Managing Neonatal Hyperbilirubinemia. *MCN: The American Journal of Maternal/Child Nursing*, 48(1), 49–49. <https://doi.org/10.1097/NMC.00000000000000874>
- Boskabadi, H., Rakhshanzadeh, F., & Zakerihamidi, M. (2020). Evaluation of Maternal Risk Factors in Neonatal Hyperbilirubinemia. *Archives of Iranian Medicine*, 23(2), 128–140.
- Dinas Kesehatan Provinsi Bali. (2022). *Profil Kesehatan Provinsi Bali Tahun 2022*.
- Elvira A.P, V., Sofyana, H., Cahyaningsih, H., & Ramdaniati, S. (2020). Gambaran Hubungan Usia Gestasi Dengan Kejadian Ikterus Pada Neonatus. *Jurnal Kesehatan Siliwangi*, 1(1).
- Fatriani, R. (2020). Faktor Risiko Yang Berhubungan Dengan Kejadian Ikterus Neonatorum Pada Bayi Baru Lahir. *Jurnal Kesehatan Panca Bhakti Lampung*. <https://doi.org/10.47218/jkpbl.v8i1.78>
- Frelestanty, E., & Masan, L. (2020). Analisis Hubungan BBLR (Berat Bayi Lahir Rendah) Dan Asfiksia Dengan Ikterus Neonatorum. *Jurnal Dunia Kesmas*. <https://doi.org/10.33024/jdk.v9i3.3029>
- Giamarellos-Bourboulis, E. J., Aschenbrenner, A. C., Bauer, M., Bock, C., Calandra, T., Gat-Viks, I., Kyriazopoulou, E., Lupse, M., Monneret, G., Pickkers, P., Schultze, J. L., van der Poll, T., van de Veerdonk, F. L., Vlaar, A. P. J., Weis, S., Wiersinga, W. J., & Netea, M. G. (2024). The pathophysiology of sepsis and precision-medicine-based immunotherapy. *Nature Immunology*, 25(1), 19–28. <https://doi.org/10.1038/s41590-023-01660-5>
- Hansen, T. W. R., Maisels, M. J., Ebbesen, F., Vreman, H. J., Stevenson, D. K., Wong, R. J., & Bhutani, V. K. (2020). Sixty years of phototherapy for

- neonatal jaundice – from serendipitous observation to standardized treatment and rescue for millions. *Journal of Perinatology*, 40(2), 180–193.
<https://doi.org/10.1038/s41372-019-0439-1>
- Hart, R., Senapathi, S. H., Satchell, E. K., Mandal, S., McAndrew, M., Scharf, M., Cagir, B., & Miner, J. (2022). The Role of Cholecystectomy in Hyperkinetic Gallbladder: A Retrospective Cohort Study in a Rural Hospital. *Cureus*.
<https://doi.org/10.7759/cureus.29778>
- Heringguhir, S. A. (2022). Hubungan Usia Gestasi Dan Berat Lahir Neonatus Dengan Kejadian Ikterus Neonatorum Di Rsud DR.M.HAULUSSY Ambon Tahun 2018-2020. *Pameri Pattimura Medical Review*.
<https://doi.org/10.30598/pamerivol4issue2page53-63>
- Hikma Saleh, S. N., Asmiati, A., & Akbar, H. (2021). The Relationship Between Hypertension During Pregnancy and the Incidence of Neonatory Asphyxia in Kotamobagu Regional Hospital. *Pancasakti Journal of Public Health Science and Research*. <https://doi.org/10.47650/pjphsr.v1i1.211>
- Izzati, N., Maani, H., & Husni, H. (2018). Gambaran Hematologic Scoring System Pada Tersangka Sepsis Neonatorum. *Jurnal Kesehatan Andalas*.
<https://doi.org/10.25077/jka.v7i0.850>
- Janghel, V., Patel, P., & Chandel, S. S. (2019). Plants used for the treatment of icterus (jaundice) in Central India: A review. *Annals of Hepatology*, 18(5), 658–672. <https://doi.org/10.1016/j.aohep.2019.05.003>
- Joseph, A., & Samant, H. (2023). Jaundice. *StatPearls Publishing*.
- Joseph, A., & Samant, H. (2024). Jaundice. *Treasure Island (FL): StatPearls Publishing*. <https://www.ncbi.nlm.nih.gov/books/NBK544252/>
- Julianti, U. F. (2023). Hubungan Masa Gestasi Dengan Kejadian Ikterus Neonatorum. *Jurnal Surya Medika*. <https://doi.org/10.33084/jsm.v9i1.5134>
- Karlensi, P. (2023). Faktor-Faktor Yang Berhubungan Dengan Kejadian Abortus. *J Jurnal Kebidanan Jurnal Ilmu Kesehatan Budi Mulia*.
<https://doi.org/10.35325/kebidanan.v13i1.358>
- Kasper, D. L. (2020). “Chapter 44: Jaundice and Evaluation of Liver Function.” *Harrison’s Manual of Medicine* (20th ed).
- Kaur, G., Chhabra, G. S., & Thapar, K. (2020). Comparison of Determinants of Morbidities of Late Preterms and Terms. *International Journal of Contemporary Pediatrics*. <https://doi.org/10.18203/2349-3291.ijcp20201136>
- Kementerian Kesehatan Republik Indonesia. (2022). *Profil Kesehatan Indonesia 2022*.
- King, D., & Armstrong, M. (2019). Overview of Gilbert’s syndrome. *Drug and Therapeutics Bulletin*, 57(2), 27–31. <https://doi.org/10.1136/dtb.2018.000028>
- Kurkis, G. (2021). *Neonatal Jaundice*.
- Kusumahati, E., & Wilandika, A. (2020). Family Centered Care (FCC) Pada Kelahiran Prematur Di Ruang Perawatan Bayi RSUD Kota Bandung. *Intervensi Komunitas*. <https://doi.org/10.32546/ik.v1i2.646>

- Lee, S. Y., & Pearce, E. N. (2023). Hyperthyroidism. *JAMA*, 330(15), 1472. <https://doi.org/10.1001/jama.2023.19052>
- Leung, T., Outlaw, F., MacDonald, L., & Meek, J. (2019). Jaundice Eye Color Index (JECI): quantifying the yellowness of the sclera in jaundiced neonates with digital photography. *Biomed Opt Express*.
- Linder, K. A., & Malani, P. N. (2017). Hepatitis A. *JAMA*, 318(23), 2393. <https://doi.org/10.1001/jama.2017.17244>
- Lorencia, Ch. Manoppo, J. I., & Umboh, V. (2019). Gambaran Fungsi Hati Pada Sepsis Neonatorum Di RSUP Prof. Dr. R. D. Kandou Manado. *E-Clinic*. <https://doi.org/10.35790/ecl.v8i1.27188>
- Lwanga, S. K., Lemeshow, S., & World Health Organization. (1991). Sample size determination in health studies: a practical manual. *World Health Organization*.
- Maryumi, E. (2017). *Hubungan Bayi Berat Lahir Rendah (BBLR) dengan Perkembangan Anak Usia Toddler (1-3 Tahun) di Puskesmas Dlingo II Kabupaten Bantul Yogyakarta*.
- Mei Tyas, A. P., Nurvianti, S. A., Mardhika, A., Medawati, R., Lutfiandini, C. T., & Eka Lestari, W. A. (2021). Nursing Care of Neonatal Jaundice in Hyperbilirubinemia Babies: A Case Report. *Journal of Vocational Nursing*. <https://doi.org/10.20473/jovin.v2i2.30527>
- Menteri Kesehatan Republik Indonesia. (2014). *Peraturan Menteri Kesehatan Republik Indonesia*.
- Miguna, S. (2023). Pengaruh Efektivitas Fototerapi Terhadap Penurunan Kadar Bilirubin Total Pada Bayi Di Rumah Sakit Santa Elisabeth Lubuk Baja Pada Tahun 2021 - 2022. *Zona Kedokteran Program Studi Pendidikan Dokter Universitas Batam*. <https://doi.org/10.37776/zked.v13i1.1152>
- Mitra, S., & Rennie, J. (2017). Neonatal jaundice: aetiology, diagnosis and treatment. *Br J Hosp Med (Lond)*, 78(12).
- Mohapatra, V., Saraogi, S., & Misra, S. (2022). Demographic Profile, Etiology, and Perinatal Outcome Associated With Preterm Birth in a Tertiary Hospital of Eastern India: A Retrospective Study. *Cureus*. <https://doi.org/10.7759/cureus.26066>
- Mojtahedi, S. Y., Izadi, A., Seirafi, G., Khedmat, L., & Tavakolizadeh, R. (2018). Risk Factors Associated with Neonatal Jaundice: A Cross-Sectional Study from Iran. *Open Access Macedonian Journal of Medical Sciences*, 6(8), 1387–1393. <https://doi.org/10.3889/oamjms.2018.319>
- Neonatal Hyperbilirubinemia Clinical Pathway*. (2020). Johns Hopkins All Children's Hospital.
- Ngantung, S. E., Umboh, A., & I. C, M. J. (2022). Risk Factors Related to Hypertension in Children. *E-Clinic*. <https://doi.org/10.35790/ecl.v10i2.37708>
- Nur, A. (2023). Usia Kehamilan Dan Ikterus Neonatorum. *JKM*. <https://doi.org/10.58554/jkm.v7i1.55>

- Nur Istiqomah, A. I. (2021). Pengaruh Paparan Asap Rokok Pada Ibu Hamil Terhadap Kejadian BBLR. *Jurnal Bidan Pintar*.
<https://doi.org/10.30737/jubitar.v2i2.1690>
- Oktaviani, E., Soewito, B., & Amelda, T. U. (2022). Penerapan Metode Swaddling Untuk Meminimalkan Nyeri Pada Neonatus Dengan Asfiksia Selama Pemasangan Infus. *JKM Jurnal Keperawatan Merdeka*.
<https://doi.org/10.36086/jkm.v2i1.1217>
- Olatubi, M. I., Ibitoye, O. F., Sadibo, O., Bolarinwa, O. S., & Adamolekun, M. (2019). Prevalence of Neonatal Jaundice at a Tertiary Health Institution in Ondo State, Nigeria. *Journal of Pre-Clinical and Clinical Research*.
<https://doi.org/10.26444/jpccr/11173>
- Onofrio, F. Q., & Hirschfield, G. M. (2020). The Pathophysiology of Cholestasis and Its Relevance to Clinical Practice. *Clinical Liver Disease*, 15(3), 110–114. <https://doi.org/10.1002/cld.894>
- Parker, R., Kim, S. J., Im, G. Y., Nahas, J., Dhesi, B., Vergis, N., Sinha, A., Ghezzi, A., Rink, M. R., McCune, A., Aithal, G. P., Newsome, P. N., Weston, C. J., Holt, A., & Gao, B. (2019). Obesity in acute alcoholic hepatitis increases morbidity and mortality. *EBioMedicine*, 45, 511–518. <https://doi.org/10.1016/j.ebiom.2019.03.046>
- Puspita, N. (2018). The Effect of Low Birthweight on the Incidence of Neonatal Jaundice in Sidoarjo. *Jurnal Berkala Epidemiologi*, 6(2), 174.
<https://doi.org/10.20473/jbe.V6I22018.174-181>
- Ranjan Sahoo, D. M., Arigela, D. V., Pramitha, D. L., Sudarsini, D. P., & Umamaheswar Rao, D. K. (2016). Study of Neonatal Jaundice in a Tertiary Care Centre of South India. *Pediatric Review International Journal of Pediatric Research*. <https://doi.org/10.17511/ijpr.2016.i08.07>
- Ratnasari, F., & Handayani, T. (2023). Hubungan Usia Kehamilan Terhadap Kejadian Ikterusneonatorum. | *Jurnal Afiat : Kesehatan Dan Anak*, 9(1).
<https://doi.org/10.34005/afiat.v9i01.2151>
- Rikhanis, H. (2023). Gambaran Umur Ibu Dan Jumlah Paritas Pada Kasus Abortus Di Rskia Ummi Khasanah Bantul Tahun 2022. *Cerdika Jurnal Ilmiah Indonesia*. <https://doi.org/10.59141/cerdika.v3i11.707>
- Rosadi, E., Fithiyani, F., & Hidayat, M. (2019). Faktor-Faktor Yang Berhubungan Dengan Kejadian Abortus Di RSUD Raden Mattaher Provinsi Jambi. *Jurnal Akademika Baiturrahim Jambi*. <https://doi.org/10.36565/jabj.v8i2.15>
- Rozilina, A. M. (2023). Hubungan Asfiksia Dengan Kejadian Ikterus Neonatorum Di RSUD Provinsi NTB. *Jurnal Kedokteran*.
<https://doi.org/10.36679/kedokteran.v8i2.36>
- Salaamah, L., Jamhariyah, J., Umami, R., & Kiswati, K. (2022). No Title. *Malang Journal of Midwifery (Major)*. <https://doi.org/10.31290/major.v4i1.2973>
- Samadi Kochaksaraei, G., Shaheen, A. A., Seow, C. H., Barkema, H. W., & Coffin, C. S. (2022). Tenofovir disoproxil fumarate therapy to prevent

- hepatitis B virus vertical transmission—A review of maternal and infant outcomes. *Liver International*, 42(8), 1712–1730.
<https://doi.org/10.1111/liv.15249>
- Sambati, V., Laudisio, S., Motta, M., & Esposito, S. (2024). Therapeutic Options for Crigler–Najjar Syndrome: A Scoping Review. *International Journal of Molecular Sciences*, 25(20), 11006. <https://doi.org/10.3390/ijms252011006>
- Sari, F. R. (2023). Hubungan Usia Kehamilan Terhadap Kejadian Ikterus Neonatorum. *Afiat*. <https://doi.org/10.34005/afiat.v9i1.2676>
- Sari, N., Maryam, A., Kurniatin, L. F., & Astuti, W. D. (2022). Prediktor Berat Badan Lahir Bayi Di Wilayah Kerja Puskesmas Gang Sehat. *Jurnal Kebidanan Khatulistiwa*. <https://doi.org/10.30602/jkk.v8i2.984>
- Sarifuddin, M. J., Asriani, A., Fauziah, H., & Gama, A. W. (2023). Hubungan Hipertensi Pada Ibu Hamil Dengan Kejadian Asfiksia Neonatorum Di RSUD Salewangan Kabupaten Maros Tahun 2018-2019. *Jurnal Integrasi Kesehatan & Sains*. <https://doi.org/10.29313/jiks.v5i1.10653>
- SDGs. (2022). *GOAL 3 - SDGs Indonesia*. <https://sdgs.bappenas.go.id/17-goals/goal-3/>
- Shapiro, S., Le Pichon, J. B., Riordan, S. M., & Watchkoe, J. (2017). The Neurological Sequelae of Neonatal Hyperbilirubinemia: Definitions, Diagnosis and Treatment of the Kernicterus Spectrum Disorders (KSDs). *Current Pediatric Reviews*, 13. <https://doi.org/10.2174/1573396313666170815100214>
- Sharma, M., Khiangte, L., Beti, P., Kambiakdik, T., & Singh, Ch. S. (2022). Pathological Jaundice in Late Preterm Neonates Admitted in a Tertiary Hospital, Imphal: A Prospective COHORT Study. *International Journal of Contemporary Pediatrics*. <https://doi.org/10.18203/2349-3291.ijcp20223062>
- Shin, S.-J., Park, H., Sung, Y.-N., Yoo, C., Hwang, D. W., Park, J., Kim, K., Lee, S. S., Ryoo, B.-Y., Seo, D.-W., Kim, S. C., & Hong, S.-M. (2018). Prognosis of Pancreatic Cancer Patients with Synchronous or Metachronous Malignancies from Other Organs Is Better than Those with Pancreatic Cancer Only. *Cancer Research and Treatment*, 50(4), 1175–1185. <https://doi.org/10.4143/crt.2017.494>
- Siregar, S., Amelina, N., & Netri, Y. (2021). Hubungan Kadar Hemoglobin Dengan Kejadian Abortus. *Jambura Journal of Health Sciences and Research*. <https://doi.org/10.35971/jjhsr.v3i1.8334>
- Siswari, B. D. (2023). Hubungan Kelahiran Prematur Dengan Kejadian Ikterus Neonatorum Pada Bayi Baru Lahir Di RSUD. *Journal of Pharmaceutical and Health Research*. <https://doi.org/10.47065/jpharma.v4i2.3667>
- Society for Maternal-Fetal Medicine (SMFM), Mari, G., Norton, M. E., Stone, J., Berghella, V., Sciscione, A. C., Tate, D., & Schenone, M. H. (2015). Society for Maternal-Fetal Medicine (SMFM) Clinical Guideline #8: The fetus at risk

- for anemia—diagnosis and management. *American Journal of Obstetrics and Gynecology*, 212(6), 697–710. <https://doi.org/10.1016/j.ajog.2015.01.059>
- Sofia, N. (2023). A Effect of Pregnancy Spacing and Gravida on the Incidence of Miscarriage. *JKB*. <https://doi.org/10.31964/jkb.v7i01.112>
- Stokol, T. (2021). Bilirubin in a hemolytic anemia. *Eclinpath*.
- Sugiyono. (2020). *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Alfabeta.
- Suhartini, L. (2023). Karakteristik Faktor Kejadian Abortus. *Jurnal JKFT*. <https://doi.org/10.31000/jkft.v8i1.8309>
- Sulistyorini, S. (2018). *Hubungan Berat Badan Lahir Bayi Dan Usia Gestasi Dengan Kejadian Ikterus Neonatorum Di Rs. Muhammadiyah Palembang*.
- Suwarna, N. O., Yuniati, T., Cahyadi, A. I., Achmad, T. H., & Agustian, D. (2022). Faktor Risiko Kejadian Sepsis Neonatorum Awitan Dini Di Rumah Sakit Umum Pusat Dr. Hasan Sadikin Bandung. *Sari Pediatri*. <https://doi.org/10.14238/sp24.2.2022.99-105>
- Tessema, M. (2024). Magnitude and Its Associated Factors of Neonatal Jaundice Among Neonates Admitted to the Neonatal Intensive Care Unit of Dessie Town Public Hospitals, Amhara Region, Ethiopia, 2020: A Multicenter Cross-Sectional Study. *Frontiers in Pediatrics*. <https://doi.org/10.3389/fped.2024.1288604>
- The World Bank. (2024). *Mortality rate, neonatal (per 1,000 live births)*. <https://data.worldbank.org/indicator/SI.DYN.NMRT>
- Thielemans, L., Trip-Hoving, M., Landier, J., Turner, C., Prins, T. J., Wouda, E. M. N., Hanboonkunupakarn, B., Po, C., Beau, C., Mu, M., Hannay, T., Nosten, F., Van Overmeire, B., McGready, R., & Carrara, V. I. (2018). Indirect neonatal hyperbilirubinemia in hospitalized neonates on the Thai-Myanmar border: a review of neonatal medical record. *BMC Pediatrics*, 18(1), 190. <https://doi.org/10.1186/s12887-018-1165-0>
- Ullah, S., Rahman, K., & Hidayati, M. (2016). Hyperbilirubinemia in Neonates: Types, Causes, Clinical Examinations, Preventive Measures and Treatments: A Narrative Review Article. *Iranian Journal of Public Health*, 45(5), 558–568.
- Wawrzkowicz, J., Korga, M., Pawlik, P., Zaroda, P., Dąda, P., Niewinna, P., Żuchowski, M., Mańdziuk, D., Kołodziej, K., & Kołodziej, W. (2024). Crigler-Najjar Syndrome - current state of knowledge, overview of etiology, symptoms, diagnosis and treatment methods. *Quality in Sport*, 15, 51825. <https://doi.org/10.12775/QS.2024.15.51825>
- WHO. (2023a). *Preterm birth*. An estimated 13.4 million babies were born preterm in 2020 (before 37 completed weeks of gestation) (1). Preterm birth complications are the leading cause of death among children under 5 years of age, responsible for approximately 900 000 deaths in 2019 (2). Three-quarters of these deaths could be prevented with current, cost-effective

- interventions. Across countries, the rate of preterm birth ranges from 4–16% of babies born in 2020.
- WHO. (2023b, May 10). Preterm birth. *World Health Organization*.
<https://www.who.int/news-room/fact-sheets/detail/preterm-birth>
- WHO. (2024a). Newborn mortality. *World Health Organization*.
<https://www.who.int/news-room/fact-sheets/detail/newborn-mortality>
- WHO. (2024b, April). SDG Target 3.2: End preventable deaths of newborns and children under 5 years of age. *World Health Organization*.
https://www.who.int/data/gho/data/themes/topics/sdg-target-3_2-newborn-and-child-mortality
- Widadi, S. Y., Puspita, T., Alfiansyah, R., Rilla, E. V., Wahyudin, W., & Nurazizah, S. (2023). Hubungan Berat Badan Lahir Rendah Dengan Kejadian Hiperbilirubin Di Ruang Perinatologi RSUD Dr. Slamet Garut. *Syntax Literate Jurnal Ilmiah Indonesia*. <https://doi.org/10.36418/syntax-literate.v8i2.11458>
- Widianti, E. (2023). Anemia Pada Ibu Hamil Sebagai Faktor Risiko Kejadian BBLR. *Indonesian Journal of Professional Nursing*.
<https://doi.org/10.30587/ijpn.v4i1.5617>
- Wulandari, R. F. (2023). Hubungan Kehamilan Post Date Dengan Kejadian Asfiksia Pada Bayi Baru Lahir. *Jurnal Ilmiah Pamenang*.
<https://doi.org/10.53599/jip.v5i2.110>
- Xiang, Z., Li, J., Lu, D., Wei, X., & Xu, X. (2022). Advances in multi-omics research on viral hepatitis. *Frontiers in Microbiology*, 13.
<https://doi.org/10.3389/fmicb.2022.987324>
- Xiong, F. L., Cheng, B., & Shi, N. L. (2019). Risk factors for neonatal hyperbilirubinemia and related preventive measures. *Journal of Southwest Medical University*.
- Yang, Y., Lin, C.-P., Lin, F., Chen, Z.-K., Liao, Y.-W., Huang, Y., BangZhong, X., Huang, S.-H., Yang, X., Chen, Y., Cao, Y., & Yang, L. (2023). Etiology Analysis and G6PD Deficiency for Term Infants With Jaundice in Yangjiang of Western Guangdong. *Frontiers in Pediatrics*.
<https://doi.org/10.3389/fped.2023.1201940>
- Yao, Q., Jiang, X., Zhai, Y.-Y., Luo, L.-Z., Xu, H.-L., Xiao, J., Kou, L., & Zhao, Y.-Z. (2020). Protective effects and mechanisms of bilirubin nanomedicine against acute pancreatitis. *Journal of Controlled Release*, 322, 312–325.
<https://doi.org/10.1016/j.jconrel.2020.03.034>
- Younossi, Z. M., Stepanova, M., Younossi, I., Papatheodoridis, G., Janssen, H. L. A., Agarwal, K., Nguyen, M. H., Gane, E., Tsai, N., & Nader, F. (2019). Patient-reported outcomes in patients chronic viral hepatitis without cirrhosis: The impact of hepatitis B and C viral replication. *Liver International*, 39(10), 1837–1844. <https://doi.org/10.1111/liv.14171>

- Yuliarti, Y., Kurniati, N., & Kurniawati, H. F. (2021). Faktor-Faktor Yang Mempengaruhi Ibu Dalam Perawatan Bayi Berat Badan Lahir Rendah: Scoping Review. *Jurnal Riset Kebidanan Indonesia*.
<https://doi.org/10.32536/jrki.v5i1.165>
- Yuliati, A., Soejoenoes, A., Suwondo, A., Anies, A., & Kartasurya, M. I. (2018). Beberapa Faktor Kejadian Perdarahan Postpartum Ibu Bersalin Yang Dirawat Di Rumah Sakit. *Jurnal Epidemiologi Kesehatan Komunitas*.
<https://doi.org/10.14710/jekk.v3i1.3101>
- Yuliawati, D., & Astutik, R. Y. (2018). Hubungan Faktor Perinatal Dan Neonatal Terhadap Kejadian Ikterus Neonatorum. *Jurnal Ners Dan Kebidanan (Journal of Ners and Midwifery)*. <https://doi.org/10.26699/jnk.v5i2.art.p083-089>

