

DAFTAR PUSTAKA

- Abera, Z., Ejara, D., & Gebremedhin, S. (2019). Nutritional and non-nutritional factors associated with low birth weight in Sawula Town, Gamo Gofa Zone, Southern Ethiopia. *BMC Research Notes*, *12*(1), 1–7. <https://doi.org/10.1186/s13104-019-4529-0>
- Anil, K. C., Basel, P. L., & Singh, S. (2020). Low birth weight and its associated risk factors: Health facility-based case-control study. *PLoS ONE*, *15*(6 June), 1–10. <https://doi.org/10.1371/journal.pone.0234907>
- Aras, R. Y. (2014). Is maternal age risk factor for low birth weight? *Archives of Medicine and Health Sciences*, *1*(1), 33–37. <https://doi.org/10.4103/2321-4848.113558>
- Asmare, G., Berhan, N., Berhanu, M., & Alebel, A. (2018). Determinants of low birth weight among neonates born in Amhara Regional State Referral Hospitals of Ethiopia: Unmatched case control study. *BMC Research Notes*, *11*(1), 1–7. <https://doi.org/10.1186/s13104-018-3568-2>
- Belfort, G. P., Santos, M. M. A. de S., Pessoa, L. da S., Dias, J. R., Heidelmann, S. P., & Saunders, C. (2018). Determinants of low birth weight in the children of adolescent mothers: A hierarchical analysis. *Ciencia e Saude Coletiva*, *23*(8), 2609–2620. <https://doi.org/10.1590/1413-81232018238.13972016>
- Belliemi, C. (2016). The Best Age for Pregnancy and Undue Pressures. *Journal of Family & Reproductive Health*, *10*(3), 104–107. <http://www.ncbi.nlm.nih.gov/pubmed/28101110> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5241353>
- BPS. Jumlah Bayi Lahir, Bayi Berat Badan Lahir Rendah (BBLR), dan Bergizi Kurang Menurut Kabupaten/Kota di Bali (Jiwa), 2021-2023. [cited 2024 March 10]. Tersedia dari <https://bali.bps.go.id/indicator/30/390/1/jumlah-bayi-lahir-bayi-berat-badan-lahir-rendah-bblr-dan-bergizi-kurang-menurut-kabupaten-kota-di-bali.html>
- BPS. Proporsi Perempuan Umur 20-24 Tahun Yang Berstatus Kawin Atau Berstatus Hidup Bersama Sebelum Umur 18 Tahun Menurut Provinsi (Persen), 2021-2023. [cited 2024 March 10]. Tersedia dari <https://www.bps.go.id/id/statistics-table/2/MTM2MCM/proporsi-perempuan-umur-20-24-tahun-yang-berstatus-kawin-atau-berstatus-hidup-bersama-sebelum-umur-18-tahun-menurut-provinsi.html>
- Brämer, G. R. (1988). International statistical classification of diseases and related health problems. Tenth revision. *World Health Statistics Quarterly. Rapport Trimestriel de Statistiques Sanitaires Mondiales*, *41*(1), 32–36.
- Cavazos-rehg, P. A., Krauss, M. J., Spitznagel, E. L., Bommarito, K., Madden, T.,

- Olsen, M. A., Peipert, J. F., & Bierut, L. J. (2016). HHS Public Access. *Maternal and Child Health Journal*, *19*(6), 1202–1211. <https://doi.org/10.1007/s10995-014-1624-7>. Maternal
- Cunningham, F. Gary; Leveno, Kenneth J.; Bloom, Steven L.; Hauth, John C.; Gilstrap, III, Larry C.; Wenstrom, K. D. (2022). *Williams Obstetrics 26th edition* (26 th edit). McGraw-Hill Education.
- Cutland, C. L., Lackritz, E. M., Mallett-Moore, T., Bardají, A., Chandrasekaran, R., Lahariya, C., Nisar, M. I., Tapia, M. D., Pathirana, J., Kochhar, S., & Muñoz, F. M. (2017). Low birth weight: Case definition & guidelines for data collection, analysis, and presentation of maternal immunization safety data. *Vaccine*, *35*(48), 6492–6500. <https://doi.org/10.1016/j.vaccine.2017.01.049>
- de la Calle, M., Bartha, J. L., Lopez, C. M., Turiel, M., Martinez, N., Arribas, S. M., & Ramiro-Cortijo, D. (2021). Younger age in adolescent pregnancies is associated with higher risk of adverse outcomes. *International Journal of Environmental Research and Public Health*, *18*(16). <https://doi.org/10.3390/ijerph18168514>
- Dello Iacono, C., Requena, M., & Stanek, M. (2024). Social inequalities, advanced maternal age, and birth weight. Evidence from a population-based study in Spain. *Gaceta Sanitaria*, *38*, 102386. <https://doi.org/10.1016/j.gaceta.2024.102386>
- Derwig, I. E., Akolekar, R., Zelaya, F. O., Gowland, P. A., Barker, G. J., & Nicolaides, K. H. (2011). Association of placental volume measured by MRI and birth weight percentile. *Journal of Magnetic Resonance Imaging*, *34*(5), 1125–1130. <https://doi.org/10.1002/jmri.22794>
- Devaguru, A., Gada, S., Potpalle, D., Dinesh Eshwar, M., & Purwar, D. (2023). The Prevalence of Low Birth Weight Among Newborn Babies and Its Associated Maternal Risk Factors: A Hospital-Based Cross-Sectional Study. *Cureus*, *15*(5). <https://doi.org/10.7759/cureus.38587>
- Diabelková, J., Rimárová, K., Dorko, E., Urdzík, P., Houžvičková, A., & Argalášová, Ľ. (2023). Adolescent Pregnancy Outcomes and Risk Factors. *International Journal of Environmental Research and Public Health*, *20*(5), 0–9. <https://doi.org/10.3390/ijerph20054113>
- Goisis, A., Remes, H., Barclay, K., Martikainen, P., & Myrskylä, M. (2017). Advanced Maternal Age and the Risk of Low Birth Weight and Preterm Delivery: A Within-Family Analysis Using Finnish Population Registers. *American Journal of Epidemiology*, *186*(11), 1219–1226. <https://doi.org/10.1093/aje/kwx177>
- Guedes-Martins, L., Gaio, R., Saraiva, J., Cerdeira, S., Matos, L., Silva, E., Macedo, F., & Almeida, H. (2015). Reference Ranges for uterine artery pulsatility index during the menstrual cycle: A cross-sectional study. *PLoS ONE*, *10*(3), 1–18.

<https://doi.org/10.1371/journal.pone.0119103>

- Hailu, L. D., & Kebede, D. L. (2018). Determinants of low birth weight among deliveries at a Referral Hospital in Northern Ethiopia. *BioMed Research International*, 2018. <https://doi.org/10.1155/2018/8169615>
- Kaur, S., Ng, C. M., Badon, S. E., Jalil, R. A., Maykanathan, D., Yim, H. S., & Jan Mohamed, H. J. (2019). Risk factors for low birth weight among rural and urban Malaysian women. *BMC Public Health*, 19(Suppl 4), 1–10. <https://doi.org/10.1186/s12889-019-6864-4>
- KEMENKES RI. (2021). Profil Kesehatan Indonesia Tahun 2020. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Khandre, V., Potdar, J., & Keerti, A. (2022). Preterm Birth: An Overview. *Cureus*, 14(12), 10–15. <https://doi.org/10.7759/cureus.33006>
- Lake, E. A., & Olana Fite, R. (2019). Low Birth Weight and Its Associated Factors among Newborns Delivered at Wolaita Sodo University Teaching and Referral Hospital, Southern Ethiopia, 2018. *International Journal of Pediatrics (United Kingdom)*, 2019. <https://doi.org/10.1155/2019/4628301>
- Lestari, J. F., Etika, R., & Lestari, P. (2021). Maternal Risk Factors of Low Birth Weight (Lbw): Systematic Review. *Indonesian Midwifery and Health Sciences Journal*, 4(1), 73–81. <https://doi.org/10.20473/imhsj.v4i1.2020.73-81>
- Lin, L., Lu, C., Chen, W., Li, C., & Guo, V. Y. (2021). Parity and the risks of adverse birth outcomes: a retrospective study among Chinese. *BMC Pregnancy and Childbirth*, 21(1), 1–11. <https://doi.org/10.1186/s12884-021-03718-4>
- Liznindya, L. (2023). Hubungan Usia Ibu Hamil dengan Kejadian Bayi Berat Lahir Rendah (BBLR) Di Desa Serangmekar Ciparay Kab. Bandung Tahun 2021. *Cerdika: Jurnal Ilmiah KS Indonesia*, 3(1), 1–5. <https://doi.org/10.59141/cerdika.v3i1.516>
- Maheshwari, M. V, Khalid, N., Patel, P. D., Alghareeb, R., & Hussain, A. (2022). Maternal and Neonatal Outcomes of Adolescent Pregnancy: A Narrative Review. *Cureus*, 14(6), 1–10. <https://doi.org/10.7759/cureus.25921>
- Mehari, M. A., Maeruf, H., Robles, C. C., Woldemariam, S., Adhena, T., Mulugeta, M., Haftu, A., Hagose, H., & Kumsa, H. (2020). Advanced maternal age pregnancy and its adverse obstetrical and perinatal outcomes in Ayder comprehensive specialized hospital, Northern Ethiopia, 2017: A comparative cross-sectional study. *BMC Pregnancy and Childbirth*, 20(1), 1–10. <https://doi.org/10.1186/s12884-020-2740-6>
- Nurbaniwati, N., Dewi, W. P., & Nisaa, D. R. (2023). Hubungan Umur dan Paritas Ibu dengan Kejadian Bayi Berat Lahir Rendah (BBRL) pada Ibu Bersalin di

RSUD Waled Tahun 2018 – 2021. *Indonesian Journal of Obstetrics & Gynecology Science*, 6(3), 460. <https://doi.org/10.24198/obgynia.v6i3.587>

Nurhayati, et al. (2020). Faktor Risiko Umur , Paritas , dan Lingkar Lengan Atas Ibu Hamil Address : Phone : Article history : *Window Of Midwifery Journal*, 01(01), 31–38.

Oluwafemi, R. O., Adesina, F. P., & Hassan, A. O. (2022). Outcomes and Disease Spectrum of LBW Neonates in a Secondary Health Facility. *Journal of Healthcare Engineering*, 2022. <https://doi.org/10.1155/2022/9974636>

Permana, P., & Wijaya, G. B. R. (2019). Analisis faktor risiko bayi Berat Badan Lahir Rendah (BBLR) di Unit Pelayanan Terpadu (UPT) Kesehatan Masyarakat (Kemas) Gianyar I tahun 2016-2017. *Intisari Sains Medis*, 10(3), 674–678. <https://doi.org/10.15562/ism.v10i3.481>

Rahfiludin, M. Z., & Dharmawan, Y. (2018). Risk factors associated with low birth weight. *Kemas*, 13(2), 75–80. <https://doi.org/10.21109/kesmas.v13i2.1719>

Restrepo-Méndez, M. C., Lawlor, D. A., Horta, B. L., Matijasevich, A., Santos, I. S., Menezes, A. M. B., Barros, F. C., & Victora, C. G. (2015). The association of maternal age with birthweight and gestational age: A cross-cohort comparison. *Paediatric and Perinatal Epidemiology*, 29(1), 31–40. <https://doi.org/10.1111/ppe.12162>

United Nations Children's Fund (UNICEF), W. H. O. (WHO) (2019) UNICEF-WHO *Low birthweight estimates: Levels and trends 2000–2015*. Geneva: World Health Organization.

Unicef. *Low birthweight* [Internet]. unicef data. 2019 [cited 2021 Aug 3]. Tersedia dari <https://data.unicef.org/topic/nutrition/low-birthweight/>.

Wang, S., Yang, L., Shang, L., Yang, W., Qi, C., Huang, L., Xie, G., Wang, R., & Chung, M. C. (2020). Changing trends of birth weight with maternal age: a cross-sectional study in Xi'an city of Northwestern China. *BMC Pregnancy and Childbirth*, 20(1), 1–8. <https://doi.org/10.1186/s12884-020-03445-2>

Wibowo, R. P., Prasetyo, B., Fatmaningrum, W., & Modi, A. H. (2022). Correlation Between Early Age Pregnancy with Low Body Weight (LBW) Newborn at Universitas Airlangga Academic Hospital, Surabaya, Indonesia. *Biomolecular and Health Science Journal*, 5(1), 16–18. <https://doi.org/10.20473/bhsj.v5i1.34442>

Yadav, G. K., Paudel, B., Chaudhary, A. P., Mahato, G., & Pyakurel, P. (2023). Low Birth Weight among Deliveries, and Adolescent and Advanced Maternal Age Pregnancy. *Journal of Nepal Health Research Council*, 20(3), 653–658. <https://doi.org/10.33314/jnhrc.v20i3.3774>