

DAFTAR PUSTAKA

- Adeel, M., Saeed, M., Khan, I., Munneer, M., & Akram, N. (2021). Synthesis and characterization of Co-ZnO and evaluation of its photocatalytic activity for photodegradation of methyl orange. *ACS omega*, 6(2), 1426-1435.
- Afrozi, A. S. (2010). Sintesis dan karakterisasi katalis nanokomposit berbasis titania untuk Produksi Hidrogen dari Gliserol dan Air. Depok: Departemen Teknik Kimia, Universitas Indonesia.
- Ahmad, A., Mohd-Setapar, S. H., Chuong, C. S., Khatoon, A., Wani, W. A., Kumar, R., & Rafatullah, M. (2015). Recent advances in new generation dye removal technologies: novel search for approaches to reprocess wastewater. *RSC advances*, 5(39), 30801-30818.
- Ahmad, R., Ahmad, Z., Khan, A. U., Mastoi, N. R., Aslam, M., & Kim, J. (2016). Photocatalytic systems as an advanced environmental remediation: Recent developments, limitations and new avenues for applications. *Journal of Environmental Chemical Engineering*, 4(4), 4143-4164.
- Akram, F., Ashraf, S., Haq, I. U., Shah, F. I., & Aqeel, A. (2022). Eminent industrial and biotechnological applications of laccases from bacterial source: a current overview. *Applied Biochemistry and Biotechnology*, 1-21.
- Alfarisa, S., Rifai, D. A., & Toruan, P. L. (2018). X-Ray Diffraction Study on ZnO Nanostructures. *Physics Treatise*, 2(2), 53-57.
- Aristanti, Y., Minandar, N., Marliani, M., & Soepriyanto, S. (2019). Analisis Laju Degradasi Rhodamine B (Rhb) Pada Proses Fotokatalisis TiO₂. *Ensains Journal*, 2(3), 188-194.
- Ajiboye, T. O., Oyewo, O. A., & Onwudiwe, D. C. (2021). Adsorption and Photocatalytic Removal Of Rhodamine B From Wastewater Using Carbon-Based Materials. *FlatChem*, 29, 100277.
- Angelescu, N., Ungureanu, D. N., & Anghelina, F. V. (2011). Synthesis and characterization of hydroxyapatite obtained in different experimental conditions. *Sci Bull Valahia Univ Mater Mech*, 6(9), 15-18.
- Arif, S., Hermana, G. N., Khalida, Z., Arif, S. W., & Puspita, I. (2020). Synthesis of biomaterial hydroxyapatite from limestone by using two-step conversion. *International journal of science, engineering, and information technology*, 5(1).
- AR, H. M., & Hadisantoso, E. P. (2022, March). Sintesis dan Karakterisasi Hybrid-Biocomposite ZnO/Kitosan untuk Aplikasi Penanganan Metilen Biru secara Fotokatalisis. In *Gunung Djati Conference Series* (Vol. 7, pp. 120-128).

- Aziz, A., Ali, N., Khan, A., Bilal, M., Malik, S., Ali, N., & Khan, H. (2020). Chitosan zinc sulfide nanoparticles, characterization and their photocatalytic degradation efficiency for azo dyes. International journal of biological macromolecules, 153, 502-512.
- Bemis, R., & Nurjanah, S. (2019). Sintesis dan karakterisasi fotokatalis ZnO/karbon aktif dan aplikasinya pada degradasi rhodamin B. Chempublish Journal, 4(2), 101-113.
- Ben Mansour, H., Houas, I., Montassar, F., Ghedira, K., Barillier, D., Mosrati, R., & Chekir-Ghedira, L. (2012). Alteration of in vitro and acute in vivo toxicity of textile dyeing wastewater after chemical and biological remediation. Environmental Science and Pollution Research, 19, 2634-2643.
- Bokuniaeva, A. O., & Vorokh, A. S. (2019, December). Estimation of particle size using the Debye equation and the Scherrer formula for polyphasic TiO₂ powder. In journal of physics: Conference series (Vol. 1410, No. 1, p. 012057). IOP Publishing.
- Carabin, A., Drogui, P., & Robert, D. (2015). Photo-degradation of carbamazepine using TiO₂ suspended photocatalysts. Journal of the Taiwan Institute of Chemical Engineers, 54, 109-117.
- Chen, X., Wu, Z., Liu, D., & Gao, Z. (2017). Preparation of ZnO photocatalyst for the efficient and rapid photocatalytic degradation of azo dyes. Nanoscale research letters, 12, 1-10.
- Cimdina, L., & Borodajenko, N. (2012). Research of calcium phosphates using Fourier transform infrared spectroscopy. Infrared spectroscopy-materials science, engineering and technology, 12(7), 251-263.
- Colmenares, J. C., & Luque, R. (2014). Heterogeneous photocatalytic nanomaterials: prospects and challenges in selective transformations of biomass-derived compounds. Chemical Society Reviews, 43(3), 765-778.
- Danish, M. S. S., Estrella, L. L., Alemaida, I. M. A., Lisin, A., Moiseev, N., Ahmadi, M., ... & Senju, T. (2021). Photocatalytic applications of metal oxides for sustainable environmental remediation. Metals, 11(1), 80.
- Dhruv Patel, D., & Bhatt, S. (2022). Environmental pollution, toxicity profile, and physico-chemical and biotechnological approaches for treatment of textile wastewater. Biotechnology and Genetic Engineering Reviews, 38(1), 33-86.
- Fatimah, I., Fahrani, D., Harmawantika, T., Sahroni, I., Kamari, A., Sa'bana Rahmatillah, C., & Nurillahi, R. (2019). Functionalization of hydroxyapatite derived from cockle (*Anadara granosa*) shells into hydroxyapatite–nano TiO₂ for photocatalytic degradation of methyl violet. Sustainable Environment Research, 29, 1-14.

- Gayatri, R., Agustina, T. E., Bahrin, D., Moeksin, R., & Gustini, G. (2021). Preparation and characterization of ZnO-zeolite nanocomposite for photocatalytic degradation by ultraviolet light. *Journal of Ecological Engineering*, 22(2), 178-186.
- Greene, J. C., Bartels, C. L., Warren-Hicks, W. J., Parkhurst, B. R., & Linder, G. L. (1988). Protocols for short-term toxicity screening of hazardous-waste sites (No. PB-88-235510/XAB; EPA-600/3-88/029). Environmental Protection Agency, Corvallis, OR (USA). Environmental Research Lab.
- Goswami, M. (2020). Enhancement of photocatalytic activity of synthesized Cobalt doped Zinc Oxide nanoparticles under visible light irradiation. *Optical Materials*, 109, 110400.
- Guo, X. P., Zang, P., Li, Y. M., & Bi, D. S. (2021). TiO₂-powdered activated carbon (TiO₂/PAC) for removal and photocatalytic properties of 2-Methylisoborneol (2-MIB) in water. *Water*, 13(12), 1622.
- Habibie, S., Wargadipura, A. H. S., Gustiono, D., Herdianto, N., Riswoko, A., Nikmatin, S., & Clarke, S. (2017). Production and characterization of hydroxyapatite bone substitute material performed from Indonesian limestone. *Int. J. Biomed. Eng. Sci*, 4(1), 11-23.
- Hamdaoui, O. (2011). Intensification of the sorption of Rhodamine B from aqueous phase by loquat seeds using ultrasound. *Desalination*, 271(1-3), 279-286.
- Hariani, P. L., Rachmat, A., Said, M., & Salni, S. (2021). Modification of Fishbone-Based Hydroxyapatite with MnFe₂O₄ for Efficient Adsorption of Cd (II) and Ni (II) from Aqueous Solution. *Indonesian Journal of Chemistry*, 21(6), 1471-1483.
- Hashimoto, K., Irie, H., & Fujishima, A. (2005). TiO₂ photocatalysis: a historical overview and future prospects. *Japanese journal of applied physics*, 44(12R), 8269.
- Hassan, M. M., & Carr, C. M. (2018). A critical review on recent advancements of the removal of reactive dyes from dyehouse effluent by ion-exchange adsorbents. *Chemosphere*, 209, 201-219.
- Ibhadon, A. O., & Fitzpatrick, P. (2013). Heterogeneous photocatalysis: recent advances and applications. *Catalysts*, 3(1), 189-218.
- Ibrahim, M., Labaki, M., Giraudon, J. M., & Lamonier, J. F. (2020). Hydroxyapatite, a multifunctional material for air, water and soil pollution control: A review. *Journal of hazardous materials*, 383, 121139.
- Ilinoiu, E. C., Pode, R., Manea, F., Colar, L. A., Jakab, A., Orha, C., ... & Sfarloaga, P. (2013). Photocatalytic activity of a nitrogen-doped TiO₂ modified zeolite in

- the degradation of Reactive Yellow 125 azo dye. *Journal of the Taiwan Institute of Chemical Engineers*, 44(2), 270-278.
- Kazeminezhad, I., & Sadollahkhani, A. (2016). Influence of pH on the photocatalytic activity of ZnO nanoparticles. *Journal of Materials Science: Materials in Electronics*, 27, 4206-4215.
- Kementerian Perindustrian Republik Indonesia. (2019). Kemenperin: Industri Tekstil dan Pakaian Tumbuh Paling Tinggi. Diakses dari <https://kemenperin.go.id/artikel/21230/Kemenperin:-Industri-Tekstil-dan-Pakaian-Tumbuh-Paling-Tinggi>
- Khiri, M. Z. A., Matori, K. A., Zainuddin, N., Abdullah, C. A. C., Alassan, Z. N., Baharuddin, N. F., & Zaid, M. H. M. (2016). The usability of ark clam shell (*Anadara granosa*) as calcium precursor to produce hydroxyapatite nanoparticle via wet chemical precipitate method in various sintering temperature. *SpringerPlus*, 5, 1-15.
- Lee, H. J., Kim, J. H., Park, S. S., Hong, S. S., & Lee, G. D. (2015). Degradation kinetics for photocatalytic reaction of methyl orange over Al-doped ZnO nanoparticles. *Journal of Industrial and Engineering Chemistry*, 25, 199-206.
- Lee, K. M., Lai, C. W., Ngai, K. S., & Juan, J. C. (2016). Recent developments of zinc oxide based photocatalyst in water treatment technology: a review. *Water research*, 88, 428-448.
- Liang, S., Xiao, K., Mo, Y., & Huang, X. (2012). A novel ZnO nanoparticle blended polyvinylidene fluoride membrane for anti-irreversible fouling. *Journal of membrane science*, 394, 184-192.
- Mohammadi, A., Aliakbarzadeh Karimi, A., & Fallah Moafi, H. (2016). Adsorption and photocatalytic properties of surface-modified TiO₂ nanoparticles for methyl orange removal from aqueous solutions. *Progress in Color, Colorants and Coatings*, 9(4), 249-260.
- Mohd Adnan, M. A., Julkapli, N. M., & Abd Hamid, S. B. (2016). Review on ZnO hybrid photocatalyst: impact on photocatalytic activities of water pollutant degradation. *Reviews in Inorganic Chemistry*, 36(2), 77-104.
- Mondal, S., Pal, U., & Dey, A. (2016). Natural origin hydroxyapatite scaffold as potential bone tissue engineering substitute. *Ceramics International*, 42(16), 18338-18346.
- Muhammad, A. S. (2022). Photocatalytic Degradation Of Rhodamine B Dye Using Mn Doped ZnO Nanoparticles. *Applied Journal of Environmental Engineering Science*, 8(4), 8-4.

- Munawaroh, F., Muharrami, L. K., Triwikantoro, & Arifin, Z. (2018). Calcium oxide characteristics prepared from Ambunten's calcined limestone. *Jurnal Pena Sains*, 5(1), April, 2407-2311, 2527-7634.
- Ngapa, Y. S. D. (2018). Sintesis dan karakterisasi hidroksiapatit (hap) dari limbah cangkang kerang lokan (*Batissa violecea l*) dengan metode basah presipitasi. *Optika: Jurnal Pendidikan Fisika*, 2(1), 67-74.
- Noviyanti, A. R., Haryono, H., Pandu, R., & Eddy, D. R. (2017). Cangkang telur ayam sebagai sumber kalsium dalam pembuatan hidroksiapatit untuk aplikasi graft tulang. *Chimica et Natura Acta*, 5(3), 107-111.
- Oliveira, W. V. D., Morais, A. I. S., Honorio, L. M. C., Trigueiro, P. A., Almeida, L. C., Garcia, R. R. P., ... & Osajima, J. A. (2020). TiO₂ immobilized on fibrous clay as strategies to photocatalytic activity. *Materials Research*, 23, e20190463.
- Omer, O. S., Hussein, M. A., Hussein, B. H., & Mgaidi, A. (2018). Adsorption thermodynamics of cationic dyes (methylene blue and crystal violet) to a natural clay mineral from aqueous solution between 293.15 and 323.15 K. *Arabian Journal of Chemistry*, 11(5), 615-623.
- Özgür, Ü., Alivov, Y. I., Liu, C., Teke, A., Reshchikov, M. A., Doğan, S., ... & Morkoç, A. H. (2005). A comprehensive review of ZnO materials and devices. *Journal of applied physics*, 98(4).
- Paz, A., Guadarrama, D., López, M., E González, J., Brizuela, N., & Aragón, J. (2012). A comparative study of hydroxyapatite nanoparticles synthesized by different routes. *Química Nova*, 35, 1724-1727.
- Perdana, N. D., Wardhani, S., & Khunur, M. M. (2014). Pengaruh Penambahan Hidrogen Peroksida (H₂O₂) Terhadap Degradasi Methylene Blue Dengan Menggunakan Fotokatalis ZnO-Zeolit (Doctoral dissertation, Brawijaya University).
- Phuong, N. T., Thom, N. T., Nam, P. T., Van Trang, N., Huong, T. T. T., Hai, D. T., ... & Thanh, D. T. M. (2022). Co²⁺ and Cr³⁺ ions removal from wastewater by using nanostructural hydroxyapatite. *Vietnam Journal of Chemistry*, 60, 135-147.
- Piccirillo, C., & Castro, P. M. L. (2017). Calcium hydroxyapatite-based photocatalysts for environment remediation: Characteristics, performances and future perspectives. *Journal of environmental management*, 193, 79-91.
- Pokhrel, S. (2018). Hydroxyapatite: preparation, properties and its biomedical applications. *Advances in Chemical Engineering and Science*, 8(04), 225.
- Rafiq, A., Ikram, M., Ali, S., Niaz, F., Khan, M., Khan, Q., & Maqbool, M. (2021). Photocatalytic degradation of dyes using semiconductor photocatalysts to clean

- industrial water pollution. *Journal of Industrial and Engineering Chemistry*, 97, 111-128.
- Rajamanickam, D., & Shanthi, M. (2016). Photocatalytic degradation of an organic pollutant by zinc oxide–solar process. *Arabian Journal of Chemistry*, 9, S1858-S1868.
- Rajkumar, M., Sundaram, N. M., & Rajendran, V. (2011). Preparation of size controlled, stoichiometric and bioresorbable hydroxyapatite nanorod by varying initial pH, Ca/P ratio and sintering temperature. *Digest Journal of Nanomaterials and Biostructures*, 6(1), 169-179.
- Rujitanapanich, S., Kumpapan, P., & Wanjanoi, P. (2014). Synthesis of hydroxyapatite from oyster shell via precipitation. *Energy Procedia*, 56, 112-117
- Sadat-Shojaei, M., Khorasani, M. T., Dinpanah-Khoshdargi, E., & Jamshidi, A. (2013). Synthesis methods for nanosized hydroxyapatite with diverse structures. *Acta biomaterialia*, 9(8), 7591-7621.
- Salma, K., Berzina-Cimdina, L., & Borodajenko, N. (2010). Calcium phosphate bioceramics prepared from wet chemically precipitated powders. *Processing and Application of Ceramics*, 4(1), 45-51.
- Santhosh, S., & Prabu, S. B. (2013). Thermal stability of nano hydroxyapatite synthesized from sea shells through wet chemical synthesis. *Materials Letters*, 97, 121-124.
- Shariffuddin, J. H., Jones, M. I., & Patterson, D. A. (2013). Greener photocatalysts: Hydroxyapatite derived from waste mussel shells for the photocatalytic degradation of a model azo dye wastewater. *chemical engineering research and design*, 91(9), 1693-1704.
- Sharma, J., Sharma, S., & Soni, V. (2021). Classification and impact of synthetic textile dyes on Aquatic Flora: A review. *Regional Studies in Marine Science*, 45, 101802.
- Sirait, M., Sinulingga, K., Siregar, N., & Siregar, R. S. D. (2020). Synthesis of hydroxyapatite from limestone by using precipitation method. In *Journal Of Physics: Conference Series* (Vol. 1462, No. 1, p. 012058). IOP Publishing.
- Surmeneva, M. A., Mukhametkaliyev, T. M., Khakbaz, H., Surmenev, R. A., & Kannan, M. B. (2015). Ultrathin film coating of hydroxyapatite (HA) on a magnesium–calcium alloy using RF magnetron sputtering for bioimplant applications. *Materials Letters*, 152, 280-282.

- Suryandari, A. S., Mustain, A., Pratama, D. W., & Maula, I. (2019). Studi aktivitas reaksi fotokatalisis berbasis katalis TiO₂-karbon aktif terhadap mutu air limbah power plant. *Jurnal Teknik Kimia dan Lingkungan*, 3(2), 95-101.
- Sutanto, H., Nurhasanah, I., Hidayanto, E., & Arifin, Z. (2013). Deposisi Lapisan Tipis Foto Katalis Seng Oksida (ZnO) Berukuran Nano dengan Teknik Penyemprotan dan Aplikasinya untuk Pendegradasi Pewarna Methylene Blue. *Jurnal Fisika*, 3(1).
- Tan, L. S., Jain, K., & Rozaini, C. A. (2010). Adsorption Of Textile Dye From Aqueous Solution On Pretreated Mangrove Bark, An Agricultural Waste: Equilibrium And Kinetic Studies. *Journal of Applied Sciences in Environmental Sanitation*, 5(3).
- Tao, P., Xu, Y., Song, C., Yin, Y., Yang, Z., Wen, S., ... & Shao, M. (2017). A Novel Strategy For The Removal Of Rhodamine B (Rhb) Dye From Wastewater By Coal-Based Carbon Membranes Coupled With The Electric Field. *Separation and Purification Technology*, 179, 175-183.
- Theerthagiri, J., Salla, S., Senthil, R. A., Nithyadharseni, P., Madankumar, A., Arunachalam, P., ... & Kim, H. S. (2019). A review on ZnO nanostructured materials: energy, environmental and biological applications. *Nanotechnology*, 30(39), 392001.
- Wismayanti, D. A., Diantariani, N. P., & Santi, S. R. (2015). Pembuatan komposit ZnO-arang aktif sebagai fotokatalis untuk mendegradasi zat warna metilen biru. *Jurnal Kimia*, 9(1), 109-116.