

## BIBLIOGRAPHY

- Abbasi, M., Shah-hosseini, R., & Forest, R. (2023). Sentinel-1 Polarization Comparison for Flood Segmentation Using Deep Learning † and a Feature Pyramid Network ( FPN ), both based on the E ffi cientNet-B7 backbone . The evaluated the performance of the models using the Sentinel-1 images . Using several m. *Proceedings of the MDPI*, 1–8.
- Ait El Asri, S., Negabi, I., El Adib, S., & Raissouni, N. (2023). Enhancing building extraction from remote sensing images through UNet and transfer learning. *International Journal of Computers and Applications*, 45(5), 413–419. <https://doi.org/10.1080/1206212X.2023.2219117>
- Akter, A., & Babel, M. S. (2012). Hydrological modeling of the Mun River basin in Thailand. *Journal of Hydrology*, 452–453, 232–246. <https://doi.org/10.1016/j.jhydrol.2012.05.059>
- Amani, M., Ghorbanian, A., Ahmadi, S. A., Kakooei, M., Moghimi, A., Mirmazloumi, S. M., Moghaddam, S. H. A., Mahdavi, S., Ghahremanloo, M., Parsian, S., Wu, Q., & Brisco, B. (2020). Google Earth Engine Cloud Computing Platform for Remote Sensing Big Data Applications: A Comprehensive Review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 13, 5326–5350. <https://doi.org/10.1109/JSTARS.2020.3021052>
- Barthakur, M., & Sarma, K. K. (2019). Semantic Segmentation using K-means Clustering and Deep Learning in Satellite Image. *Proceedings of 2nd International Conference on Innovations in Electronics, Signal Processing and Communication, IESPC 2019*, 192–196. <https://doi.org/10.1109/IESPC.2019.8902391>
- Chen, L.-C., Papandreou, G., Schroff, F., & Adam, H. (2017). *Rethinking Atrous Convolution for Semantic Image Segmentation*. <http://arxiv.org/abs/1706.05587>
- Chen, L. C., Papandreou, G., Kokkinos, I., Murphy, K., & Yuille, A. L. (2017). DeepLab: Semantic Image Segmentation with Deep Convolutional Nets, Atrous Convolution, and Fully Connected CRFs. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 40(4), 834–848. <https://doi.org/10.1109/TPAMI.2017.2699184>
- Ciecholewski, M. (2017). River channel segmentation in polarimetric SAR images: Watershed transform combined with average contrast maximisation. *Expert Systems with Applications*, 82, 196–215. <https://doi.org/10.1016/j.eswa.2017.04.018>
- Conde, F. C., & De Mata Muñoz, M. (2019). Flood monitoring based on the study

- of Sentinel-1 SAR images: The Ebro River case study. *Water (Switzerland)*, 11(12), 1–25. <https://doi.org/10.3390/w11122454>
- de Roda Husman, S., van der Sanden, J. J., Lhermitte, S., & Eleveld, M. A. (2021). Integrating intensity and context for improved supervised river ice classification from dual-pol Sentinel-1 SAR data. *International Journal of Applied Earth Observation and Geoinformation*, 101(May). <https://doi.org/10.1016/j.jag.2021.102359>
- Fan, Z., Hou, J., Zang, Q., Chen, Y., & Yan, F. (2022). River Segmentation of Remote Sensing Images Based on Composite Attention Network. *Complexity*, 2022. <https://doi.org/10.1155/2022/7750281>
- Goumehei, E., Tolpekin, V., Stein, A., & Yan, W. (2019). Surface Water Body Detection in Polarimetric SAR Data Using Contextual Complex Wishart Classification. *Water Resources Research*, 55(8), 7047–7059. <https://doi.org/10.1029/2019WR025192>
- Guo, Y., Liu, Y., Georgiou, T., & Lew, M. S. (2018). A review of semantic segmentation using deep neural networks. *International Journal of Multimedia Information Retrieval*, 7(2), 87–93. <https://doi.org/10.1007/s13735-017-0141-z>
- Hao, S., Zhou, Y., & Guo, Y. (2020). A Brief Survey on Semantic Segmentation with Deep Learning. *Neurocomputing*, 406, 302–321. <https://doi.org/10.1016/j.neucom.2019.11.118>
- Hordiiuk, D., Oliinyk, I., Hnatushenko, V., & Maksymov, K. (2019). Semantic Segmentation for Ships Detection from Satellite Imagery. *2019 IEEE 39th International Conference on Electronics and Nanotechnology, ELNANO 2019 - Proceedings*, 454–457. <https://doi.org/10.1109/ELNANO.2019.8783822>
- Jadon, S. (2020). A survey of loss functions for semantic segmentation. *2020 IEEE Conference on Computational Intelligence in Bioinformatics and Computational Biology, CIBCB 2020*. <https://doi.org/10.1109/CIBCB48159.2020.9277638>
- Kanungo, T., Mount, D. M., Netanyahu, N. S., Piatko, C. D., Silverman, R., & Wu, A. Y. (2002). *An efficient k-means clustering algorithm: Analysis and implementation*. 24(7), 881–892.
- Kanungo, T., Mount, D. M., Netanyahu, N. S., Piatko, C., Silverman, R., & Wu, A. Y. (2000). Analysis of a simple k-means clustering algorithm. *Proceedings of the Annual Symposium on Computational Geometry*, 100–109. <https://doi.org/10.1145/336154.336189>
- Khan, S. D., Alarabi, L., & Basalamah, S. (2021). Deep hybrid network for land cover semantic segmentation in high-spatial resolution satellite images.

- Information (Switzerland)*, 12(6), 1–16. <https://doi.org/10.3390/info12060230>
- Ko, B. C., Kim, H. H., & Nam, J. Y. (2015). Classification of potential water bodies using landsat 8 OLI and a combination of two boosted random forest classifiers. *Sensors (Switzerland)*, 15(6), 13763–13777. <https://doi.org/10.3390/s150613763>
- Kolhar, S., & Jagtap, J. (2021). Convolutional neural network based encoder-decoder architectures for semantic segmentation of plants. *Ecological Informatics*, 64(November 2020), 101373. <https://doi.org/10.1016/j.ecoinf.2021.101373>
- Li, K., Wang, J., & Yao, J. (2021). *Effectiveness of machine learning methods for water segmentation with ROI as the label : A case study of the Tuul River in Mongolia*. 103(June).
- Li, Z., Wang, R., Zhang, W., Hu, F., & Meng, L. (2019). Multiscale features supported deeplabv3+ optimization scheme for accurate water semantic segmentation. *IEEE Access*, 7, 155787–155804. <https://doi.org/10.1109/ACCESS.2019.2949635>
- Liu, Z., Li, F., Li, N., Wang, R., & Zhang, H. (2016). A Novel Region-Merging Approach for Coastline Extraction from Sentinel-1A IW Mode SAR Imagery. *IEEE Geoscience and Remote Sensing Letters*, 13(3), 324–328. <https://doi.org/10.1109/LGRS.2015.2510745>
- Louis, R., Zech, Y., Joseph, A., Gonomy, N., & Soares-Frazaio, S. (2024). Flood Modeling of the June 2023 Flooding of Léogâne City by the Overflow of the Rouyonne River in Haiti. *Water (Switzerland)*, 16(18). <https://doi.org/10.3390/w16182594>
- M, M. P. M., Aiyar, S., Pai, R. M., Mehrotra, V., & Verma, U. (2019). *Automatic Segmentation of River and Land in SAR Images : A Deep Learning Approach*. <https://doi.org/10.1109/AIKE.2019.00011>
- Mullissa, A., Vollrath, A., Odongo-braun, C., Slagter, B., Balling, J., Gou, Y., Gorelick, N., & Reiche, J. (2021). *Sentinel-1 SAR Backscatter Analysis Ready Data Preparation in Google Earth Engine*. 5–11. [10.3390/rs13101954](https://doi.org/10.3390/rs13101954)
- Navab, N., Hornegger, J., Wells, W. M., Frangi, A. F., & Hutchison, D. (2015). *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2015*.
- Neupane, B., Horanont, T., & Aryal, J. (2021). Deep learning-based semantic segmentation of urban features in satellite images: A review and meta-analysis. *Remote Sensing*, 13(4), 1–41. <https://doi.org/10.3390/rs13040808>
- Pappas, O. A., Anantrasirichai, N., Achim, A. M., & Adams, B. A. (2021). River

- Planform Extraction from High-Resolution SAR Images via Generalized Gamma Distribution Superpixel Classification. *IEEE Transactions on Geoscience and Remote Sensing*, 59(5), 3942–3955. <https://doi.org/10.1109/TGRS.2020.3011209>
- Pham-Duc, B., Prigent, C., & Aires, F. (2017). Surface water monitoring within cambodia and the Vietnamese Mekong Delta over a year, with Sentinel-1 SAR observations. *Water (Switzerland)*, 9(6), 1–21. <https://doi.org/10.3390/w9060366>
- Pokhrel, Y., Burbano, M., Roush, J., Kang, H., Sridhar, V., & Hyndman, D. W. (2018). A review of the integrated effects of changing climate, land use, and dams on Mekong river hydrology. *Water (Switzerland)*, 10(3), 1–25. <https://doi.org/10.3390/w10030266>
- Potin, P., Rosich, B., Miranda, N., & Grimont, P. (2016). Sentinel-1 Mission Status. *Procedia Computer Science*, 100, 1297–1304. <https://doi.org/10.1016/j.procs.2016.09.245>
- Pugsee, P., Soipetchakoon, K., & Thongsang, P. (2024). Water Supply Forecasting Model in the Chi River from Satellite Images. *Proceedings - 21st International Joint Conference on Computer Science and Software Engineering, JCSSE 2024*, 704–711. <https://doi.org/10.1109/JCSSE61278.2024.10613693>
- Ronneberger, O., Fischer, P., & Brox, T. (2015). *U-Net : Convolutional Networks for Biomedical Image Segmentation U-Net : Convolutional Networks for Biomedical*. May.
- Shi, N., Liu, X., & Guan, Y. (2010). Research on k-means clustering algorithm: An improved k-means clustering algorithm. *3rd International Symposium on Intelligent Information Technology and Security Informatics, IITSI 2010*, 63–67. <https://doi.org/10.1109/IITSI.2010.74>
- Siddique, N., Paheding, S., Elkin, C. P., & Devabhaktuni, V. (2021). U-Net and Its Variants for Medical Image Segmentation: A Review of Theory and Applications. *IEEE Access*, 9, 82031–82057. <https://doi.org/10.1109/ACCESS.2021.3086020>
- Sinaga, K. P., & Yang, M. (2020). *Unsupervised K-Means Clustering Algorithm*. 8.
- Singh, G., Dahiya, N., Sood, V., Singh, S., & Sharma, A. (2024). ENVINet5 deep learning change detection framework for the estimation of agriculture variations during 2012–2023 with Landsat series data. *Environmental Monitoring and Assessment*, 196(3). <https://doi.org/10.1007/s10661-024-12394-8>
- Steinley, D. (2006). K-means clustering: A half-century synthesis. *British Journal*

of *Mathematical and Statistical Psychology*, 59(1), 1–34.  
<https://doi.org/10.1348/000711005X48266>

- Tamiminia, H., Salehi, B., Mahdianpari, M., Quackenbush, L., Adeli, S., & Brisco, B. (2020). ISPRS Journal of Photogrammetry and Remote Sensing Google Earth Engine for geo-big data applications : A meta-analysis and systematic review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 164(May), 152–170. <https://doi.org/10.1016/j.isprsjprs.2020.04.001>
- Tian, X., Bruin, S. de, Simoes, R., Isik, M. S., Minar'ık, R., Ho, Y.-F., Sahin, M., Herold, M., Consoli, D., & Hengl, T. (2024). *Spatiotemporal prediction of soil organic carbon density for Europe ( 2000--2022 ) in 3D + T based on Landsat-based spectral indices time-series*.
- Vågen, M., & Askevold, R. (2022). *Automated Mapping and Change Detection of Rivers and Inland Water Bodies by Semantic Segmentation of SAR Imagery using Deep Learning*. May, 107.
- Verma, U., Chauhan, A., Manohara, M. P., & Pai, R. (2021). DeepRivWidth : Deep learning based semantic segmentation approach for river identification and width measurement in SAR images of Coastal Karnataka. *Computers and Geosciences*, 154(September 2020), 104805. <https://doi.org/10.1016/j.cageo.2021.104805>
- Vignesh, T., & Thyagarajan, K. K. (2017). Water bodies identification from multispectral images using Gabor filter, FCM and canny edge detection methods. *2017 International Conference on Information Communication and Embedded Systems, ICICES 2017, Icices*, 5–9. <https://doi.org/10.1109/ICICES.2017.8070767>
- Wang, P., Chen, P., Yuan, Y., Liu, D., Huang, Z., Hou, X., & Cottrell, G. (2018). Understanding Convolution for Semantic Segmentation. *Proceedings - 2018 IEEE Winter Conference on Applications of Computer Vision, WACV 2018, 2018-Janua*, 1451–1460. <https://doi.org/10.1109/WACV.2018.00163>
- Yang, K., Li, M., Liu, Y., Cheng, L., Duan, Y., & Zhou, M. (2014). River delineation from remotely sensed imagery using a multi-scale classification approach. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 7(12), 4726–4736. <https://doi.org/10.1109/JSTARS.2014.2309707>
- Yang, K., Li, M., Liu, Y., Cheng, L., Huang, Q., & Chen, Y. (2015). River detection in remotely sensed imagery using Gabor filtering and path opening. *Remote Sensing*, 7(7), 8779–8802. <https://doi.org/10.3390/rs70708779>
- Yu, H., Yang, Z., Tan, L., Wang, Y., Sun, W., Sun, M., & Tang, Y. (2018). Methods and datasets on semantic segmentation: A review. *Neurocomputing*, 304, 82–103. <https://doi.org/10.1016/j.neucom.2018.03.037>

- Žalik, K. R. (2008). An efficient k'-means clustering algorithm. *Pattern Recognition Letters*, 29(9), 1385–1391. <https://doi.org/10.1016/j.patrec.2008.02.014>
- Zhao, Q., Yu, L., Li, X., Peng, D., Zhang, Y., & Gong, P. (2021). Progress and trends in the application of google earth and google earth engine. *Remote Sensing*, 13(18), 1–21. <https://doi.org/10.3390/rs13183778>
- Zhu, H., Li, C., Zhang, L., & Shen, J. (2015). River Channel Extraction From SAR Images by Combining Gray and Morphological Features. *Circuits, Systems, and Signal Processing*, 34(7), 2271–2286. <https://doi.org/10.1007/s00034-014-9922-2>

