

DAFTAR PUSTAKA

- Adiputra, I. M., Trisnadewi, N. W., W, O. N., Munthe, S. A., Hulu, V. T., Budiastutik, I., . . . Sianturi, E. (2021). *Metodologi Penelitian Kesehatan*. Denpasar: Yayasan Kita Menulis.
- Agarwal, A., & Nath, K. A. (2020). Pathophysiology of Chronic Kidney Disease Progression: Organ and Cellular Considerations. *Chronic Renal Disease, Second Edition.*, 263-278. doi:<https://doi.org/10.1016/B978-0-12-815876-0.00018-8>
- Aggarwal, H. K., Jain, D., Dabas, G., & Yadav, R. K. (2017). PREVALENCE OF DEPRESSION, ANXIETY AND INSOMNIA IN CHRONIC KIDNEY DISEASE PATIENTS AND THEIR O-RELATION WITH THE DEMOGRAPHIC VARIABLES. *DE GRUYTER*, 38(2), 35-44. doi:10.1515/prilozi-2017-0020
- Amaludin, M., Arisandi, D. N., Akbar, A., & Hidayat, U. R. (2023). TINGKAT DEPRESI, ANSIETAS DAN STRES PASIEN GAGAL GINJAL KRONIK (GGK) DENGAN HEMODIALISA. *Husada Mahakam: Jurnal Kesehatan*, 13(1), 1-7. doi: <https://doi.org/10.35963/hmjk.v13i1.374>
- Anggraini, S., & Fadila, Z. (2023). Kualitas Hidup Pasien Gagal Ginjal Kronik Dengan Dialisis Di Asia Tenggara : A Systematic Review. *Jurnal Kesehatan Masyarakat*, 11(1), 77-83.
- Anita, D., & Husada, I. S. (2020). Depresi pada Pasien Hemodialisa Perempuan Lebih Tinggi. *Prosiding University Research Colloquium*, 277–288.
- Baransano, I. F., & Tambunan, E. H. (2023). Tingkat Depresi, Kecemasan dan Stres Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisa. *jurnal Nursing Update*, 14(2), 10-18.
- Bikbov, B., Purcell, C. A., Levey, A. S., Smith, M., Abdoli, A., Abebe, M., . . . Murray, C. J. (2020). Global, regional, and national burden of chronic

- kidney disease 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, 395(10225), 709-733. doi:[https://doi.org/10.1016/S0140-6736\(20\)30045-3](https://doi.org/10.1016/S0140-6736(20)30045-3)
- Carney, E. F. (2020). The Impact of Chronic Kidney Disease on Global Health. *Nature Review Nephrology*, 16, 251. doi: <https://doi.org/10.1038/s41581-020-0268-7>
- Chan, L. (2018). Dietary sodium and blood pressure changes in hemodialysis patients undergoing a liberalized renal diet intervention. *Illinois State University*.
- Charles, C., & Ferris, A. H. (2020). Chronic Kidney Disease. *Primary Care: Clinics in Office Practice*, 47(4), 585-595. doi:DOI: 10.1016/j.pop.2020.08.001
- Chen, T. K., Knicely, D. H., & Grams, M. E. (2019). Chronic Kidney Disease Diagnosis and Management. *JAMA - Journal of the American Medical Association*, 322(13), 1294-1304. doi: <https://doi.org/10.1001/jama.2019.14745>
- Chin, A., Appasamy, S., Carey, R., & Madan, N. (2017). Feasibility of incremental 2-times weekly hemodialysis in incident patients with residual kidney function. *Kidney international reports*, 2(5), 933-942.
- Cockwell, P., & Fisher, L. (2020). The global burden of chronic kidney disease. *The Lancet*, 395(10225), 662-664. doi:10.1016/S0140-6736(19)32977-0
- Dąbrowska-Bender, M., Dykowska, G., Żuk, W., Milewska, M., & Staniszewska, A. (2018). The impact on quality of life of dialysis patients with renal insufficiency. *Patient Preference and Adherence*, 12, 577-583. doi:<https://doi.org/10.2147/PPA.S156356>
- Damanik, H. (2020). Tingkat Kecemasan Pasien Gagal Ginjal Kronik Dalam Menjalani Hemodialisa Di Rumah Sakit Imelda Pekerja Indonesia. *Jurnal Ilmiah Keperawatan Imelda*, 6(1), 80-85.

- Darmanah, G. (2019). *Metodologi Penelitian*. Jakarta: www.hira-tech.com.
- de Alencar, S., Dias, L., Dias, V., de Lima, F., Montarroyos, U., & de Petribú, K. (2020). Quality of life may be a more valuable prognostic factor than depression in older hemodialysis patients. *Quality of Life Research*, 1-10.
- Deswima, C., Widodo, & Yulianti, E. (2021). Correlation Between Duration of Hemodialysis and Depression in Chronic Kidney Disease. *Journal of Medical and Health Studies*, 139-144. doi:DOI: 10.32996/jmhs.2021.2.2.17
- Dianovinina, K. (2018). Depresi pada Remaja: Gejala dan Permasalahannya. *Journal Psikogenesis*, 6(1), 69-78. doi:DOI:10.24854/jps.v6i1.634
- Dirgayunita, A. (2016). Depresi: Ciri, Penyebab dan Penangannya. *IJournal An-nafs: Kajian dan Penelitian Psikologi*, 1(1), 1-14.
- Donohue, M. R., & Luby, J. (2016). Depression. *The Curated Reference Collection in Neuroscience and Biobehavioral Psychology*. doi:<https://doi.org/10.1016/B978-0-12->
- Hervinda, S., Novadian, & Tjekyan, S. (2014). Prevalensi dan Faktor Risiko Penyakit Ginjal Kronik di RSUP Dr. Mohammad Hoesin Palembang Tahun 2012. *Majalah Kedokteran Sriwijaya*, 46(4), 275-281.
- Kandarini, Y., & Winangun, A. (2021). Hemodialysis Sustained Low-Efficiency Dialysis: Indikasi dan Penerapannya. *Intisari Sains Medis / Intisari Sains Medis*, 12(1), 453-459. doi:<https://doi.org/10.15562/ism.v12i1.935>
- KDIGO. (2020). KDIGO 2020 Clinical Practice Guideline for Diabetes Management in Chronic Kidney Disease. *Kidney International*, 98(4), 1-115. doi:<https://doi.org/10.1016/j.kint.2020.06.019>
- Kemenkes RI. (2017). Pedoman Nasional Pelayanan Kedokteran Tata Laksana Penyakit Ginjal Tahap Akhir. *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK//MENKES/642/2017*.

- Khan, A., Khan, A., Adnan, A., Sulaiman, S. A., Mushtaq, & S. (2019). Prevalence and predictors of depression among hemodialysis patients: a prospective follow-up study. *BMC Public Health*, 19(531), 1-13. doi:<https://doi.org/10.1186/s12889-019-6796-z>
- Kumar, V., Khandelia, V., & Garg, A. (2018). Depression and Anxiety in Patients with Chronic Kidney Disease Undergoing Hemodialysis. *Annals of Indian Psychiatry*, 2(2), 115-119.
- Lisanby, S. H. (2007). Electroconvulsive therapy for depression. *The New England Journal of Medicine*, 375(19), 1939-1945. doi:doi: 10.1056/NEJMct075234
- Mahayundhari, E., Wiardani, K., & Cintari, L. (2018). Hubungan Adekuasi Hemodialisis dan Status Gizi dengan Kualitas Hidup Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis di RSUP Sanglah Denpasar. *Journal of Nutrition Science*, 7(4), 156-164.
- Mosleh, H., Alenezi, M., Al-johani, S., Alsani, A., Fairaq, G., & Bedaiwi, R. (2020). Prevalence and Factors of Anxiety and Depression in Chronic Kidney Disease Patients Undergoing Hemodialysis: A Cross-sectional Single-Center Study in Saudi Arabia. *Cureus*, 12(1), 1-8. doi:DOI 10.7759/cureus.6668
- Muslim, R. (2013). *Diagnosis Gangguan Jiwa Rujukan PPDGJ III Dan DSM IV*. Jakarta: FK Unika Atmajaya.
- NKDEP. (2015). Chronic Kidney Disease (CKD) and Diet: Assessment, Management, and Treatment. *National Kidney Foundation*, 1-16.
- Nurfajri, Q. A., Murtaqib, & Widayati, N. (2022). Literature Review Kejadian Depresi Pasien Gagal Ginjal Kronis yang Menjalani Terapi Hemodialisis. *JKEP (Jurnal Keperawatan)*, 7(2), 178-190.
- Nurhayati, I., Hamzah, A., Erlina, L., & Rumahorbo, H. (2021). Sleep Quality in Chronic Kidney Disease in Hemodialysis Patients. *Jurnal Keperawatan Indonesia Florence Nightingale*, 1(1).

- Octafiani, M., & Armelia, L. (2020). Angka Kejadian Depresi pada Pasien yang Menjalani Hemodialisis Menggunakan Metode Pengukuran Geriatric Depression Scale. *Majalah Kesehatan Pharmamedika*, 12(1).
- Ortega, M. R., Mateos, S. R., Lamas, S., Ortiz, A., & Diez, R. R. (2020). Targeting the progression of chronic kidney disease. *Nature Reviews Nephrology volume*, 16, 269-288. doi:<https://doi.org/10.1038/s41581-019-0248-y>
- Pardede, J. A., Safitra, N., & Simanjuntak, E. Y. (2020). KONSEP DIRI BERHUBUNGAN DENGAN KEJADIAN DEPRESI PADA PASIEN YANG MENJALANI HEMODIALISA. *Jurnal Persatuan Perawat Nasional Indonesia*, 5(3), 92-99. doi:DOI: <http://dx.doi.org/10.32419/jppni.v5i3.240>
- PERNEFRI. (2018). *11 th Report Of Indonesian Renal Registry 2018*, 1-46. Diambil kembali dari <https://www.indonesianrenalregistry.org/data/IRR%202018.pdf>
- Rahmawati, F. (2018). Aspek Laboratorium Gagal Ginjal Kronik. *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 6(1), 14-22.
- Ridha, N. (2017). Proses Penelitian, Masalah, Variabel dan Paradigma Penelitian. *Jurnal Hikmah*, 14(1), 62-70.
- Riskal, F., Annisa, M., & Dewi, N. P. (2020). Gambaran Tingkat Depresi pada Pasien Penyakit Ginjal Kronik dengan Hemodialisis di RSI Siti Rahmah dan RST Dr. Reksodiwiryo Padang. *Health & Medical Journal*, II(1), 11-18. doi:<https://doi.org/10.33854/heme.v2i1.312>
- Riskesdas. (2018). *Riset Kesehatan Dasar 2018*, 59-62. Diambil kembali dari https://kesmas.kemkes.go.id/assets/upload/dir_519d41d8cd98f00/files/Has il-riskesdas-2018_1274.pdf
- Rocco, M., Daugirdas, J. T., Depner, T. A., Inrig, J., Mehrotra, R., Rocco, M. V., . . . Brereton, L. (2015). KDOQI Clinical Practice Guideline for

- Hemodialysis Adequacy: 2015 Update. *American Journal of Kidney Diseases*, 66(5), 884-930. doi:<https://doi.org/10.1053/j.ajkd.2015.07.015>
- Romagnani, P., Remuzzi, G., Glasscock, R., Levin, A., J, J. K., Tonelli, M., . . . Andres, H. J. (2017). Chronic kidney disease. *Nature Reviews Disease Primers*, 3(1), 1-73. doi:[DOI:10.1038/nrdp.2017.88](https://doi.org/10.1038/nrdp.2017.88)
- Ronco, C., & Clark, W. R. (2018). Haemodialysis membranes. *Nature Reviews Nephrology*, 14(6), 394-410. doi:<https://doi.org/10.1038/s41581-018-0002-x>
- Sastroasmoro, S. (2011). *Dasar-dasar metodologi penelitian klinis*. Jakarta: Sagung Seto.
- Shirazian, S., D, G. C., Aina, O., Mattana, J., Khorassani, F., & Ricardo, A. C. (2016). Depression in Chronic Kidney Disease and End-Stage Renal Disease: Similarities and Differences in Diagnosis, Epidemiology, and Management. *Kidney International Report*, 2(1), 94-107. doi:[doi:10.1016/j.ekir.2016.09.005](https://doi.org/10.1016/j.ekir.2016.09.005)
- Simbolon, N., & Simbolon, P. (2019). Hubungan Pengetahuan Dengan Kepatuhan Pasien PGK Menjalani Hemodialisa di Unit Rawat Hemodialisa Rumah Sakit Santa Elisabeth Medan. *Journal of Midwifery and Nursing*, 1(2), 7-14.
- Siregar, C. T. (2020). *Buku ajar manajemen komplikasi pasien hemodialisa*. Jakarta: Deepublish.
- Stern, A. F. (2014). The Hospital Anxiety and Depression Scale. *Occupational Medicine*, 4(64), 393-394. doi: [doi:10.1093/occmed/kqu024](https://doi.org/10.1093/occmed/kqu024)
- Sugiyono. (2013). *Metode Penelitian Kuantitatif, Kualitatif, dan RD*. Bandung: Alfabeta.
- Sujarwoto, S., Holipah, H., & Maharani, A. (2022). A Cross-Sectional Study of Knowledge, Attitudes, and Practices concerning COVID-19 Outbreaks in

- the General Population in Malang District, Indonesia. *International Journal of Environmental Research and Public Health*, 19(7), 1-16. doi:<https://doi.org/10.3390/ijerph19074287>
- Suwitra, K. (2009). Penyakit Gijal Kronis. Dalam A. W. Sudoyo, S. Bambang, A. Idrus, K. M. Simadibrata, & S. Setiadi, *Buku Ajar Ilmu Penyakit Dalam*. Jakarta : Interna Publishing.
- Syamsiah, N., Said, F. M., Che Hassan, D. H., Fachrudin, D., & Nurjanah, U. (2022). The Relationship Between Depression and Quality of Life in Patients Undergoing Hemodialysis in Indonesia. *The International Virtual Conference on Nursing*, 155-164. doi: DOI 10.18502/cls.v7i2.10298
- Tartum, V. V., Kaunang, T. M., Elim, C., & Ekawardani, N. (2016). Hubungan lamanya hemodialisis dengan tingkat depresi pada pasangan hidup pasien gagal ginjal kronik di RSUP Prof. Dr. R. D. Kandou Manado. *Jurnal e-Clinic (eCl)*, 4(1), 46-52.
- Teter, C. J., Cranford, J. A., Boyd, C. J., & McCabe, S. E. (2010). Nonmedical use of prescription stimulants and depressed mood among college students: Frequency and routes of administration. *Journal of Substance Abuse Treatment*, 38(3), 292-298. doi:doi; 10.1016/j.jsat.2010.01.005
- Thapar, A., Collishaw, S., Pine, D. S., & Thapar, A. K. (2012). Depression in adolescence. *The Lancet*, 379(9820), 1056–1067. doi:doi:10.1016/s0140-6736(11)60871-4
- Wakhid, A., Kamsidi, & Widodo, G. G. (2018). Gambaran Tingkat Depresi Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisis. *urnal Keperawatan Ji*, 6(1), 25-28.
- Wantonoro, W., & Rahmawati, A. (2020). Changes of health related quality of life dimensions in hemodialysis patients. *Media Keperawatan Indonesia*, 3(3), 159-165. doi:doi:10.26714/mki.3.3.2020.159-165

Webster, A. C., Nagler, E. V., Morton, R. L., & Masson, P. (2017). Chronic Kidney Disease. *The Lancet*, 389, 1238-1252. doi:[https://doi.org/10.1016/S0140-6736\(16\)32064-5](https://doi.org/10.1016/S0140-6736(16)32064-5)

WHO. (2012). Depression: A global public health concern.

Wijayanti, D., Dinarwiyata, D., & Tumini, T. (2018). Self Care Management Pasien Hemodialisis Ditinjau Dari Dukungan Keluarga di RSUD Dr. Soetomo Surabaya. *Jurnal Ilmu Kesehatan*, 6(2), 109-117.

Zadeh, K. K., Jafar, T. H., Nitsch, D., Neuen, B. L., & Perkovic, V. (2021). Chronic Kidney Disease. *Lancet*, 398, 786-802. doi:[https://doi.org/10.1016/S0140-6736\(21\)00519-5](https://doi.org/10.1016/S0140-6736(21)00519-5)

