

DAFTAR PUSTAKA

- Abraham, A., Barnett, C., Katzberg, H. D., Lovblom, L. E., Perkins, B. A., & Bril, V. (2018). Nerve function varies with hemoglobin A1c in controls and type 2 diabetes. *Journal of Diabetes and Its Complications*, 32(4), 424–428. <https://doi.org/10.1016/j.jdiacomp.2017.12.007>
- Alshammari, N. A., Alodhayani, A. A., Joy, S. S., Isnani, A., Mujammami, M., Alfadda, A. A., & Siddiqui, K. (2022). Evaluation of Risk Factors for Diabetic Peripheral Neuropathy Among Saudi Type 2 Diabetic Patients with Longer Duration of Diabetes. *Diabetes, Metabolic Syndrome and Obesity*, 15, 3007–3014. <https://doi.org/10.2147/DMSO.S364933>
- American Diabetes Assosiation. (2021a). 2. Classification and diagnosis of diabetes: Standards of medical care in diabetes-2021. *Diabetes Care*, 44(January), S15–S33. <https://doi.org/10.2337/dc21-S002>
- American Diabetes Assosiation. (2021b). Classification and diagnosis of diabetes: Standards of medical care in diabetes-2021. *Diabetes Care*, 44(January), S15–S33. <https://doi.org/10.2337/dc21-S002>
- American Diabetes Assosiation. (2021c). Microvascular complications and foot care: Standards of medical care in diabetes—2021. *Diabetes Care*, 44(January), S151–S167. <https://doi.org/10.2337/dc21-S011>
- American Diabetes Assosiation. (2024). 10. Cardiovascular Disease and Risk Management: Standards of Care in Diabetes—2024. *Diabetes Care*, 47(January), S179–S218. <https://doi.org/10.2337/dc24-S010>
- Antoine, J. C., Robert-Varvat, F., Maisonobe, T., Créange, A., Franques, J., Mathis, S., Delmont, E., Kuntzer, T., Lefaucheur, J. P., Pouget, J., Viala, K., Desnuelle, C., Echaniz-Laguna, A., Rotolo, F., & Camdessanché, J. P. (2016). Identifying a therapeutic window in acute and subacute inflammatory sensory neuronopathies. *Journal of the Neurological Sciences*, 361, 187–191. <https://doi.org/10.1016/j.jns.2015.12.044>
- Astuti, A., Merdekawati, D., & Aminah, S. (2020). Faktor resiko kaki diabetik pada diabetes mellitus tipe 2. *Riset Informasi Kesehatan*, 9(1), 72. <https://doi.org/10.30644/rik.v9i1.391>
- Aziz, N., Dash, B., Wal, P., Kumari, P., Joshi, P., & Wal, A. (2024). New Horizons in Diabetic Neuropathies : An Updated Review on their Pathology , Diagnosis , Mechanism , Screening Techniques , Pharmacological , and Future Approaches. *Curr. Diabetes Rev.* <https://doi.org/10.2174/0115733998242299231011181615>
- Bahour, N., Cortez, B., Pan, H., Shah, H., Doria, A., & Aguayo-Mazzucato, C. (2022). Diabetes mellitus correlates with increased biological age as indicated by clinical biomarkers. *GeroScience*, 44(1), 415–427. <https://doi.org/10.1007/s11357-021-00469-0>

- Bakta, I. M. (2021). *Metodologi Penelitian Kedokteran dan Kesehatan* (1st ed.). PT. Bali Internasional Press.
- Baum, P., Toyka, K. V., Blüher, M., Kosacka, J., & Nowicki, M. (2021). Inflammatory mechanisms in the pathophysiology of diabetic peripheral neuropathy (DN)—New aspects. *International Journal of Molecular Sciences*, 22(19). <https://doi.org/10.3390/ijms221910835>
- Billa, M. S., Sulistiawan, A., & Subandi, A. (2023). Hubungan Kontrol Glikemik dan Lama Menderita Diabetes dengan Kejadian Neuropati Perifer Diabetik di Rumah Sakit dr. Bratanata Kota Jambi. *MAHESA: Malahayati Health Student Journal*, 3, 1558–1569. <https://doi.org/Doi:https://doi.org/10.33024/mahesa.v3i6.10443>
- Bingham, M. (2020). Chemical Scaffold Identified to Potentially Reverse β -Cell Dysfunction Due to Glucolipotoxicity in Diabetes. *Diabetes*.
- Bodman, M. A., Dreyer, M. A., & Varacallo, M. (2024). Diabetic Peripheral Neuropathy. *StatPearls Publishing*.
- Braffett, B. H. (2020). Risk factors for diabetic peripheral neuropathy and cardiovascular autonomic neuropathy in the Diabetes Control and Complications Trial/Epidemiology of Diabetes interventions and Complications (DCCT/EDIC) study. *Diabetes*, 69(5), 1000–1010. <https://doi.org/10.2337/db19-1046>
- Cai, C., Wu, F., He, J., Zhang, Y., Shi, N., Peng, X., & Ou, Q. (2022). *Mitochondrial quality control in diabetic cardiomyopathy: from molecular mechanisms to therapeutic strategies*. 18. <https://doi.org/10.7150/ijbs.75402>
- Candra, I. W., Sumirta, I. N., Luh, N., Ari, G., Dewi, K., & Ayu, I. G. (2024). *Body Image in Patients With Type II Diabetes Mellitus At Rsud*. 18(2), 58–67.
- Casadei, G., Filippini, M., & Brognara, L. (2021). Glycated Hemoglobin (HbA1c) as a Biomarker for Diabetic Foot Peripheral Neuropathy. *Diseases*, 9(1), 1–18. <https://doi.org/10.3390/diseases9010016>
- Chen, J., Zhou, R., Feng, Y., & Cheng, L. (2022). Molecular mechanisms of exercise contributing to tissue regeneration. *Signal Transduction and Targeted Therapy*, 7(1). <https://doi.org/10.1038/s41392-022-01233-2>
- Chen, Y., Sun, L., Chen, M., Zhang, H., Song, B., Wang, H., Jiang, A., Zhang, L., Li, S., Wang, J., Wang, W., & Zhang, H. (2024). Lower Free Triiodothyronine is a Risk Factor of Diabetic Peripheral Neuropathy in Patients with Type 2 Diabetes Mellitus. In *Diabetes, metabolic syndrome and obesity: targets and therapy* (Vol. 17, pp. 4407–4415). <https://doi.org/10.2147/DMSO.S489204>
- Chen, Z., Fu, S., Lai, S., Fu, M., & Du, G. (2024). Association of circulating adiponectin and leptin levels with the risk of diabetic peripheral neuropathy. *Frontiers in Endocrinology*, 15. <https://doi.org/https://doi.org/10.3389/fendo.2024.1505082>
- Chen, Z., Liu, X. an, & Kenny, P. J. (2023). Central and peripheral actions of nicotine that influence blood glucose homeostasis and the development of diabetes. *Pharmacological Research*, 194(July), 106860.

<https://doi.org/10.1016/j.phrs.2023.106860>

- Dahlan, M. S. (2017). *Metode MSD Pintu Gerbang Memahami Epidemiologi, Biostatistik, dan Metode Penelitian* (A. Kurniawan (ed.); 2nd ed.). Epidemiologi Indonesia.
- Dal-cim, T., Poluceno, G. G., Lanznaster, D., Oliveira, K. A. De, Nedel, C. B., & Tasca, C. I. (2019). *Guanosine prevents oxidative damage and glutamate uptake impairment induced by oxygen / glucose deprivation in cortical astrocyte cultures : involvement of A 1 and A 2A adenosine receptors and PI3K , MEK , and PKC pathways*. 465–476.
- De Ferranti, S. D., De Boer, I. H., Fonseca, V., Fox, C. S., Golden, S. H., Lavie, C. J., Magge, S. N., Marx, N., McGuire, D. K., Orchard, T. J., Zinman, B., & Eckel, R. H. (2014). Type 1 diabetes mellitus and cardiovascular disease a scientific statement from the american heart association and american diabetes association. *Circulation*, 130(13), 1110–1130. <https://doi.org/10.1161/CIR.0000000000000034>
- Diabetes Care. (2022). *Risk Factors for Diabetic Peripheral Neuropathy in Adolescents and Young Adults With Type 2 Diabetes : Results From the TODAY Study*. 45(May), 1065–1072.
- Dinas Kesehatan Kabupaten Gianyar. (2023). *Profil Kesehatan Gianyar Tahun 2023*. 72.
- Dinas Kesehatan Provinsi Bali. (2023). *Profil Kesehatan Provinsi Bali. Bali Provincial Health Service*, 1–367.
- Driva, S., Korkontzelou, A., Tonstad, S., Tentolouris, N., & Katsaounou, P. (2022). The Effect of Smoking Cessation on Body Weight and Other Metabolic Parameters with Focus on People with Type 2 Diabetes Mellitus. *International Journal of Environmental Research and Public Health*, 19(20), 4–5. <https://doi.org/10.3390/ijerph192013222>
- Elafros, M. A. Md., Andersen, P. H. Md., Bennett, P. D. L. Frcp., Savelieff, M. G. P., Viswanathan, P. V. Md., Callaghan, B. C. Md., & Feldman, P. E. L. M. (2022). Towards prevention of diabetic peripheral neuropathy: clinical presentation, pathogenesis, and new treatments. *The Lancet Neurology*, 21(10), 922–936.
- Elliott, J., Sloan, G., Stevens, L., Selvarajah, D., Cruccu, G., Gandhi, R. A., Kempler, P., Fuller, J. H., Chaturvedi, N., Tesfaye, S., & Prospective, E. (2024). Female sex is a risk factor for painful diabetic peripheral neuropathy : the EURODIAB prospective diabetes complications study. *Diabetologia*, 67(1), 190–198. <https://doi.org/10.1007/s00125-023-06025-z>
- Elsayed, N. A. (2023). Retinopathy, Neuropathy, and Foot Care: Standards of Care in Diabetes—2023. *Diabetes Care*, 46. <https://doi.org/10.2337/dc23-S012>
- Elsayed, N. A., Aleppo, G., Aroda, V. R., Bannuru, R. R., Brown, F. M., Bruemmer, D., Collins, B. S., Hilliard, M. E., Isaacs, D., Johnson, E. L., Kahan, S., Khunti, K., Leon, J., Lyons, S. K., Perry, M. Lou, Prahalad, P., Pratley, R. E., Seley, J. J., Stanton, R. C., & Gabbay, R. A. (2023). 6. Glycemic Targets: Standards

- of Care in Diabetes—2023. *Diabetes Care*, 46(January), S97–S110. <https://doi.org/10.2337/dc23-S006>
- Eyth, E., & Naik, R. (2023). *Hemoglobin A1C*. StatPearls Publishing.
- Falvo, E., Diviccaro, S., Melcangi, R. C., & Giatti, S. (2020). *Physiopathological Role of Neuroactive Steroids in the Peripheral Nervous System*.
- Fatimah, S., Siagian, L. O., Pakpahan, E. A., Nainggolan, R., & Sinaga, I. (2025). Hubungan Kadar HbA1c, Indeks Massa Tubuh dan. *Medical Journal (Medimeth)*, 3(1), 1–13. <https://doi.org/https://doi.org/10.46880/mm.v3i1>
- Fei, S., Fan, J., Cao, J., Chen, H., Wang, X., & Pan, Q. (2024). Vitamin D deficiency increases the risk of diabetic peripheral neuropathy in elderly type 2 diabetes mellitus patients by predominantly increasing large-fiber lesions. In *Diabetes research and clinical practice* (Vol. 209, p. 111585). <https://doi.org/10.1016/j.diabres.2024.111585>
- Feldman, E. L., & Al., E. (2019). Diabetic neuropathy. *Nat. Rev*, 5(42).
- Fentie, D., Solomon, Y., Abebe, F., Derese, T., & Tigstu, F. (2023). *Diabetic peripheral neuropathy and their associations with overweight / obesity and impaired blood glucose among diabetic patients in Eastern Ethiopia : Institutional- based study*. <https://doi.org/10.1177/20503121231220784>
- Forbes, J. M., & Cooper, M. E. (2013). Mechanisms of diabetic complications. *Physiological Reviews*, 93(1), 137–188. <https://doi.org/10.1152/physrev.00045.2011>
- Fox, C. S. (2010). Cardiovascular Disease Risk Factors, Type 2 Diabetes Mellitus, and the Framingham Heart Study. *Trends in Cardiovascular Medicine*, 20(3), 90–95. <https://doi.org/10.1016/j.tcm.2010.08.001>
- Frank, B. H., JOANN, M. E., MEIR, J. S., GRAHAM, C., S IMIN, L., C AREN, G. S. O., & WALTER, C. W. I. (2001). Diet, Lifestyle, and The Risk of Type 2 Diabetes Mellitus in Women. *The New England Journal of Medicine DIET*, 345(11), 790–797.
- French, E. K., Donihi, A. C., & Korytkowski, M. T. (2019). Diabetic ketoacidosis and hyperosmolar hyperglycemic syndrome: Review of acute decompensated diabetes in adult patients. *The BMJ*, 365. <https://doi.org/10.1136/bmj.l1114>
- Galiero, R., Caturano, A., Vetrano, E., Beccia, D., Brin, C., Alfano, M., Di Salvo, J., Epifani, R., Piacivole, A., Tagliaferri, G., Rocco, M., Iadicicco, I., Docimo, G., Rinaldi, L., Sardu, C., Salvatore, T., Marfella, R., & Sasso, F. C. (2023). Peripheral Neuropathy in Diabetes Mellitus: Pathogenetic Mechanisms and Diagnostic Options. *International Journal of Molecular Sciences*, 24(4). <https://doi.org/10.3390/ijms24043554>
- Gao, L., Qin, J., Chen, Y., Jiang, W., Zhu, D., Zhou, X., Gao, L., Qin, J., Chen, Y., Jiang, W., & Zhu, D. (2024). *Risk Factors for Subclinical Diabetic Peripheral Neuropathy in Type 2 Diabetes Mellitus Risk Factors for Subclinical Diabetic Peripheral Neuropathy in Type 2 Diabetes Mellitus*. 7007. <https://doi.org/10.2147/DMSO.S433024>
- Gillery, P. (2023). HbA1c and biomarkers of diabetes mellitus in Clinical Chemistry

- and Laboratory Medicine: Ten years after. *Clinical Chemistry and Laboratory Medicine*, 61(5), 861–872. <https://doi.org/10.1515/cclm-2022-0894>
- Goel, S., Walia, D., Bhojani, U., Bhatnagar, N., & Chopra, M. (2024). Is India on a path to reduce the tobacco industry's influence in tobacco control? Insights from the Global Tobacco Industry Interference Index (2019-2023). *Frontiers in Public Health*, 12(September), 1358834. <https://doi.org/10.3389/fpubh.2024.1358834>
- Gomatos, E. L., Dulebohn, S. C., & Rehman, A. (2024). Sensory Neuropathy. *National Center for Biotechnology Information*.
- Hackett, A. R., Strickland, A., & Milbrandt, J. (2020). Disrupting insulin signaling in Schwann cells impairs myelination and induces a sensory neuropathy. *Glia*, 5(68), 963–978. <https://doi.org/https://doi.org/10.1002/GLIA.23755>
- Hakim, S., Jain, A., Petrova, V., Indajang, J., Kawaguchi, R., Wang, Q., Duran, E. S., Nelson, D., Adamson, S. S., Greene, C., & Woolf. (2024). Macrophages protect against sensory axon degeneration in diabetic neuropathy. *BioRxiv*. <https://doi.org/https://doi.org/10.1101/2024.01.30.577801287>
- HENRY, W. L. (1962). Perspectives in diabetes. *Journal of the National Medical Association*, 54(8), 476–478.
- Hoeijmakers, J. G., Faber, C. G., Lauria, G., Merkies, I. S., & Waxman, S. G. (2012). Small-fibre neuropathies-advances in diagnosis, pathophysiology and management. *Nature Reviews Neurology*, 8(7), 369–379. <https://doi.org/10.1038/nrneurol.2012.97>
- Holmes, C. J., & Hastings, M. K. (2021). The application of exercise training for diabetic peripheral neuropathy. *Journal of Clinical Medicine*, 10(21). <https://doi.org/10.3390/jcm10215042>
- Hossain, M., Sarkar, M., Mahbub, I., & Islam, S. (2021). Hba1c Variability Has a Strong Relationship With Peripheral Sensory And Motor Neuropathy in Type-2 Diabetes Mellitus. *Journal of Bio-Science*, 29(1), 93–100. <https://doi.org/10.3329/jbs.v29i0.54825>
- International Diabetes Federation. (2025). *Diabetes Atlas* (D. J. Magliano, E. J. Boyko, I. Genitsaridi, L. Piemonte, P. Riley, & P. Salpea (eds.); 11th ed.). International Diabetes Federation.
- Ishikawa-Takata, K., Ohta, T., Moritaki, K., Gotou, T., & Inoue, S. (2002). Obesity, weight change and risks for hypertension, diabetes and hypercholesterolemia in Japanese men. *European Journal of Clinical Nutrition*, 56(7), 601–607. <https://doi.org/10.1038/sj.ejcn.1601364>
- Jin, H. Y. 1, & Park, T. S. (2018). Role of inflammatory biomarkers in diabetic peripheral neuropathy. *Journal of Diabetes Investigation*, 9(5). <https://doi.org/10.1111/jdi.12794>
- Kadri, H., & Nurfitriani, N. (2021). Hubungan Lama Menderita dan Indeks Massa Tubuh terhadap Gejala Neuropati pada Penderita Diabetes Melitus di Wilayah Kerja Puskesmas Kenali Besar. *Jurnal Akademika Baiturrahim Jambi*, 10(2), 446. <https://doi.org/10.36565/jab.v10i2.414>

- Kahal, H., Halama, A., Aburima, A., Bhagwat, A. M., Butler, A. E., Graumann, J., Karsten, S., Sathyapalan, T., & Atkin, S. L. (2020). *Effect of induced hypoglycemia on inflammation and oxidative stress in type 2 diabetes and control subjects*. 1–8. <https://doi.org/10.1038/s41598-020-61531-z>
- Kaiafa, G., Veneti, S., Polychronopoulos, G., Pilalas, D., Daios, S., Kanellos, I., Didangelos, T., Pagoni, S., & Savopoulos, C. (2021). Is HbA1c an ideal biomarker of well-controlled diabetes? *Postgraduate Medical Journal*, 97(1148), 380–383. <https://doi.org/10.1136/postgradmedj-2020-138756>
- Karagiannis, T., Bekiari, E., Manolopoulos, K., Paletas, K., & Tsapas, A. (2010). Gestational diabetes mellitus: Why screen and how to diagnose. *Hippokratia*, 14(3), 151–154.
- Kazamel, M., Stino, A. M., & Smith, A. G. (2021). Metabolic syndrome and peripheral neuropathy. *Muscle & Nerve*, 63(3), 385–393. <https://doi.org/https://doi.org/10.1002/MUS.27086>
- Kementerian Kesehatan RI. (2021). *Pedoman Pengelolaan Pencegahan Obesitas bagi Tenaga Medis* (C. P. Arianie & L. B. Rivai (eds.)). Kementerian Kesehatan RI.
- Kementerian Kesehatan RI. (2024). *LAPORAN TEMATIK SURVEI KESEHATAN INDONESIA TAHUN 2023* (S. O. Frans & M. Widiastuti (eds.)). Kementerian Kesehatan RI.
- Khadka, B., Pandey, S., & Kafle, D. (2023). Dyslipidemia among Patients with Type 2 Diabetes Mellitus Visiting a Tertiary Care Centre. *Journal of the Nepal Medical Association*, 61(266), 758–761. <https://doi.org/10.31729/jnma.8306>
- Khawaja, N., Abu-Shennar, J., Saleh, M., Dahbour, S. S., Khader, Y. S., & Ajlouni, K. M. (2018). The prevalence and risk factors of peripheral neuropathy among patients with type 2 diabetes mellitus; The case of Jordan. *Diabetology and Metabolic Syndrome*, 10(1), 1–10. <https://doi.org/10.1186/s13098-018-0309-6>
- Kim, M. J., Lim, N. K., Choi, S. J., & Park, H. Y. (2015). Hypertension is an independent risk factor for type 2 diabetes: The Korean genome and epidemiology study. *Hypertension Research*, 38(11), 783–789. <https://doi.org/10.1038/hr.2015.72>
- Kiziltan, M. E., Gunduz, A., Kiziltan, G., Akalin, M. A., & Uzun, N. (2007). Peripheral neuropathy in patients with diabetic foot ulcers: Clinical and nerve conduction study. *Journal of the Neurological Sciences*, 258(1–2), 75–79. <https://doi.org/10.1016/j.jns.2007.02.028>
- Klein, B. E. K., Klein, R., Moss, S. E., & Cruickshanks, K. J. (1996). Parental history of diabetes in a population-based study. *Diabetes Care*, 19(8), 827–830. <https://doi.org/10.2337/diacare.19.8.827>
- Le, T. D., Nguyen, N. P. T., Tran, H. T. T., Cong, T. L., Nguyen, L. H. T., Nhu, B. Do, Nguyen, S. T., Ngo, M. Van, Dinh, H. T., Nguyen, H. T., Nguyen, K. T., & Le, D. C. (2022). Diabetic Peripheral Neuropathy Associated with Cardiovascular Risk Factors and Glucagon-Like Peptide-1 Concentrations

- Among Newly Diagnosed Patients with Type 2 Diabetes Mellitus. *Diabetes, Metabolic Syndrome and Obesity*, 15, 35–44. <https://doi.org/10.2147/DMSO.S344532>
- Lestari, N. M. S. D., Wirawan, I. M. A., Januraga, P. P., Weta, I. W., & Suputra, P. A. (2024). *Health Education Model for Obesity: A Systematic Review*. 12(1), 157–166. <https://doi.org/10.13189/ujph.2024.120117>
- Li, Q., Wang, Z., Zhou, W., Fan, S., Ma, R., Xue, L., Yang, L., Li, Y., Tan, H., & Shao, Q. (2016). *Epalrestat protects against diabetic peripheral neuropathy by alleviating oxidative stress and inhibiting polyol pathway*. 11(2), 345–351. <https://doi.org/10.4103/1673-5374.177745>
- Liu, P., Peng, J., Han, G. H., Ding, X., Wei, S., Gao, G., Huang, K., Chang, F., & Wang, Y. (2018). *Role of macrophages in peripheral nerve injury and repair*. 1335–1342. <https://doi.org/10.4103/1673-5374.253510>
- Lu, Y., Xing, P., 1, X. C., Luo1, D., 1, R. L., Lloyd2, C., & 1, N. S. 3 and M. L. (2020). Prevalence and Risk Factors for Diabetic Peripheral Neuropathy in Type 2 Diabetic Patients From 14 Countries: Estimates of the INTERPRET-DD Study. *Frontiers in Public Health*, 8. <https://doi.org/10.3389/fpubh.2020.534372>
- Malik, R. A., Andag-Silva, A., Dejthevaporn, C., Hakim, M., Koh, J. S., Pinzon, R., Sukor, N., & Song, K. S. (2020). Diagnosing peripheral neuropathy in South-East Asia: A focus on diabetic neuropathy. *Journal of Diabetes Investigation*, 11, 1097–1103. <https://doi.org/10.1111/jdi.13269>
- Mao, F., Zhu, X., Liu, S., Qiao, X., Zheng, H., Lu, B., & Li, Y. (2019). Age as an independent risk factor for diabetic peripheral neuropathy in chinese patients with Type 2 diabetes. *Aging and Disease*, 10(3), 592–600. <https://doi.org/10.14336/AD.2018.0618>
- Mariadoss, A. V. A., Sivakumar, A. S., Lee, C. H., & Kim, S. J. (2022). Diabetes mellitus and diabetic foot ulcer: Etiology, biochemical and molecular based treatment strategies via gene and nanotherapy. *Biomedicine and Pharmacotherapy*, 151(March), 113134. <https://doi.org/10.1016/j.biopha.2022.113134>
- Mawaddah, M., Susmiati, S., & Lenggogeni, D. P. (2022). Gambaran Karakteristik Pasien Dengan Neuropati Diabetik Pada Diabetes Melitus Tipe 2. *REAL in Nursing Journal*, 5(3), 207. <https://doi.org/10.32883/rnj.v5i3.2085>
- Mazzone, T., Chait, A., & Plutzky, J. (2008). Cardiovascular disease risk in type 2 diabetes mellitus: insights from mechanistic studies. *The Lancet*, 371(9626), 1800–1809. [https://doi.org/10.1016/S0140-6736\(08\)60768-0](https://doi.org/10.1016/S0140-6736(08)60768-0)
- McDermott, K. (2023). Etiology, Epidemiology, and Disparities in the Burden of Diabetic Foot Ulcers. In *Diabetes Care* (Vol. 46, Issue 1, pp. 209–211). <https://doi.org/10.2337/dci22-0043>
- Meyer, K. A., Lawrence, K., Jacobs, D., & Folsom, A. (2001). Dietary Fat and Incidence of Type 2. *Diabetes Care*, 24(June 2000), 1528–1535.
- Mirian, A., Aljohani, Z., Grushka, D., & Florendo-Cumbermack, A. (2023).

- Diagnosis and management of patients with polyneuropathy. *CMAJ. Canadian Medical Association Journal*, 195(6), E227–E233. <https://doi.org/10.1503/CMAJ.220936>
- Mulyasari, I., Afiatna, P., Maryanto, S., & Aryani, A. N. (2023). Body Mass Index as Hypertension Predictor: Comparison between World Health Organization and Asia-Pacific Standard. *Amerta Nutrition*, 7(2SP), 247–251. <https://doi.org/10.20473/amnt.v7i2SP.2023.247-251>
- Myron A. Bodman, Dreyer, M. A., & Varacallo., M. (2024). *Diabetic Peripheral Neuropathy*. StatPearls Publishing.
- N, S. S. K., & H, A. K. (2023). Assessment of the diagnostic accuracy of Vibrasense compared to a biothesiometer and nerve conduction study for screening diabetic peripheral neuropathy. In *Journal of foot and ankle research* (Vol. 16, Issue 1, p. 65). <https://doi.org/10.1186/s13047-023-00667-3>
- Nathan, D. M. (2014). The diabetes control and complications trial/epidemiology of diabetes interventions and complications study at 30 years: Overview. *Diabetes Care*, 37(1), 9–16. <https://doi.org/10.2337/dc13-2112>
- Nathan, D. M. (2021). Realising the long-term promise of insulin therapy: the DCCT/EDIC study. *Diabetologia*, 64(5), 1049–1058. <https://doi.org/10.1007/s00125-021-05397-4>
- Nattino, G., Pennell, M. L., & Lemeshow, S. (2020). Assessing the goodness of fit of logistic regression models in large samples: A modification of the Hosmer-Lemeshow test. *Bioemetrics*, 76(2), 549–560. <https://doi.org/https://doi.org/10.1111/BIOM.13249>
- Nistiandani, A., Hakam, M., Sutawardana, J. H., Widayati, N., Siswoyo, S., & Kurniawan, F. A. (2023). Identifikasi Risiko Terjadinya Ulkus Diabetik Berbasis Diabetic Foot Screening pada Pasien DM Tipe 2. *Jl-KES (Jurnal Ilmu Kesehatan)*, 6(2), 162–170. <https://doi.org/10.33006/jikes.v6i2.521>
- Nowicki, M., Kosacka, J., Serke, H., Blu, M., & Spanel-borowski, K. (2012). *Altered Sciatic Nerve Fiber Morphology and Endoneural Microvessels in Mouse Models Relevant for Obesity , Peripheral Diabetic Polyneuropathy , and the Metabolic Syndrome*. 131(May 2011), 122–131. <https://doi.org/10.1002/jnr.22728>
- Nozawa, K., Ikeda, M., & Kikuchi, S. (2022). Association Between HbA1c Levels and Diabetic Peripheral Neuropathy : A Case – Control Study of Patients with Type 2 Diabetes Using Claims Data. *Drugs - Real World Outcomes*, 9(3), 403–414. <https://doi.org/10.1007/s40801-022-00309-3>
- Pakaya, N. (2022). Faktor Risiko Kejadian Penyakit Jantung Koroner (PJK) Pada Pasien Diabetes Melitus Tipe II. *Jambura Nursing Journal*, 4(1), 57–67. <https://doi.org/10.37311/jnj.v4i1.13489>
- Pang, L., Lian, X., Liu, H., Zhang, Y., Li, Q., Cai, Y., & Ma, H. (2020). *Review Article Understanding Diabetic Neuropathy: Focus on Oxidative Stress*. 2020.
- Perreault, L., Pan, Q., Schroeder, E. B., Kalyani, R. R., Bray, G. A., Dagogo-Jack,

- S., White, N. H., Goldberg, R. B., Kahn, S. E., Knowler, W. C., Mathioudakis, N., & Dabelea, D. (2019). Regression from prediabetes to normal glucose regulation and prevalence of microvascular disease in the diabetes prevention program outcomes study (DPPOS). *Diabetes Care*, 42(9), 1809–1815. <https://doi.org/10.2337/dc19-0244>
- Pilla, R., Palleti, S. K., Rayala, R., SKSS, S. R., Abdul Razzack, A., & Kalla, S. (2020). Glycated Haemoglobin (HbA1c) Variations in Nondiabetics With Nutritional Anemia. *Cureus*, 12(11), 13–17. <https://doi.org/10.7759/cureus.11479>
- Pleus, S., Tytko, A., Landgraf, R., Heinemann, L., Werner, C., Müller-Wieland, D., Ziegler, A. G., Müller, U. A., Freckmann, G., Kleinwechter, H., Schleicher, E., Nauck, M., & Petersmann, A. (2024). Definition, Classification, Diagnosis and Differential Diagnosis of Diabetes Mellitus: Update 2023. *Experimental and Clinical Endocrinology and Diabetes*, 132(3), 112–124. <https://doi.org/10.1055/a-2166-6643>
- Pomytkin, I., & Pinelis, V. (2021). Brain Insulin Resistance: Focus on Insulin Receptor-Mitochondria Interactions. *Life*, 11(3), 262. <https://doi.org/https://doi.org/10.3390/LIFE11030262>
- Ponirakis, G., Elhadd, T., Ozairi, E. Al, Brema, I., Chinnaiyan, S., Taghadom, E., Kandari, J. Al, Wotayan, R. Al, Ozairi, A. Al, Aljohani, N., AlMistehi, W., Qahtani, N. Al, Khan, S., Dabbous, Z., Si, M. A., & Malik, R. A. (2022). Prevalence and risk factors for diabetic peripheral neuropathy, neuropathic pain and foot ulceration in the Arabian Gulf region. *Journal of Diabetes Investigation*, 13(9), 1551–1559. <https://doi.org/10.1111/jdi.13815>
- Pop-Busui, R., Boulton, A. J. M., Feldman, E. L., Bril, V., Freeman, R., Malik, R. A., Sosenko, J. M., & Ziegler, D. (2017). Diabetic neuropathy: A position statement by the American diabetes association. *Diabetes Care*, 40(1), 136–154. <https://doi.org/10.2337/dc16-2042>
- Purwandari, C. A. A., Wirjatmadi, B., & Mahmudiono, T. (2022). Faktor Risiko Terjadinya Komplikasi Kronis Diabetes Melitus Tipe 2 pada Pra Lansia. *Amerta Nutrition*, 6(3), 262–271. <https://doi.org/10.20473/amnt.v6i3.2022.262-271>
- Qin, Z., Zhou, K., Li, Y., Cheng, W., Wang, Z., Wang, J., Gao, F., Yang, L., Xu, Y., Wu, Y., He, H., & Zhou, Y. (2020). The atherogenic index of plasma plays an important role in predicting the prognosis of type 2 diabetic subjects undergoing percutaneous coronary intervention: Results from an observational cohort study in China. *Cardiovascular Diabetology*, 19(1), 1–11. <https://doi.org/10.1186/s12933-020-0989-8>
- Rachman, A., & Dwipayana, I. M. P. (2020). Prevalensi dan Hubungan Antara Kontrol Glikemik Dengan Diabetik Neuropati Perifer Pada Pasien Diabetes Melitus Tipe II di RSUP Sanglah. In *Jurnal Medika Udayana*.
- Rekatsina, M., Paladini, A., Piroli, A., & Zis, P. (2020). Pathophysiology and Therapeutic Perspectives of Oxidative Stress and Neurodegenerative Diseases : A Narrative Review. *Advances in Therapy*, 37(1), 113–139.

<https://doi.org/10.1007/s12325-019-01148-5>

Relica, C., & Mariyati. (2024). Jurnal Ilmiah Permas: Jurnal Ilmiah STIKES Kendal. *Peran Mikronutrisi Sebagai Upaya Pencegahan Covid-19*, 14(3), 75–82.

<https://journal2.stikeskendal.ac.id/index.php/PSKM/article/view/1979/1260>

Rhee, E. J. (2022). Extra-Glycemic Effects of Anti-Diabetic Medications: Two Birds with One Stone? *Endocrinology and Metabolism*, 12(3), 415–429. <https://doi.org/10.3803/ENM.2022.304>

Ristikj-stomnaroska, D., Risteska-nejashmijk, V., & Papazova, M. (2019). *Role of Inflammation in the Pathogenesis of Diabetic Peripheral Neuropathy*. 7(14), 2267–2270.

Sacks, D. B., Arnold, M., Bakris, G. L., Bruns, D. E., Horvath, A. R., Lernmark, Å., Metzger, B. E., Nathan, D. M., & Sue Kirkman, M. (2023). Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus. *Clinical Chemistry*, 69(8), 808–868. <https://doi.org/10.1093/clinchem/hvad080>

Sangwung, P., Petersen, K. F., Shulman, G. I., & Knowles, J. W. (2020). Mitochondrial dysfunction, insulin resistance, and potential genetic implications. *Endocrinology*. <https://doi.org/doi:10.1210/endocr/bqaa017>

Sapra, A., & Bhandari, P. (2023). Diabetes. *StatPearl Publishing*.

Sarkar, D., Lebedeva, I. V., Emdad, L., Kang, D. C., Baldwin, A. S., & Fisher, P. B. (2004). Human polynucleotide phosphorylase (hPNPaseold-35): A potential link between aging and inflammation. *Cancer Research*, 64(20), 7473–7478. <https://doi.org/10.1158/0008-5472.CAN-04-1772>

Schwarz, P. (2025). IDF global clinical practice recommendations for managing type 2 diabetes – 2025. In *Diabetes Research and Clinical Practice*. <https://doi.org/10.1016/j.diabres.2025.112158>

Selph, S., Dana, T., Blazina, I., Bougatsos, C., Patel, H., & Chou, R. (2015). Screening for type 2 diabetes mellitus: A systematic review for the U.S. preventive services task force. *Annals of Internal Medicine*, 162(11), 765–776. <https://doi.org/10.7326/M14-2221>

Setyawan, D. A. (2022). *Statistika Kesehatan Analisis Bivariat pada Hipotesis Penelitian* (A. B. Astuti & W. Setyaningsih (eds.)). Tahta Media Group.

Sharma, A. K., Singh, S., Singh, H., Mahajan, D., Kolli, P., Mandadapu, G., Kumar, B., Kumar, D., Kumar, S., & Jena, M. K. (2022). Deep Insight of the Pathophysiology of Gestational Diabetes Mellitus. *Cells*, 11(17), 1–19. <https://doi.org/10.3390/cells11172672>

Sherwani, S. I., Khan, H. A., Ekhzaimy, A., Masood, A., & Sakharkar, M. K. (2016). Significance of HbA1c test in diagnosis and prognosis of diabetic patients. *Biomarker Insights*, 11, 95–104. <https://doi.org/10.4137/Bmi.s38440>

Shuch, Brian; Linehan, B. W. M.L.; Srivasan, R. (2012). Metformin Is Associated With Survival Benefit in Cancer Patients With Concurrent Type 2 Diabetes: A Systematic Review and Meta-Analysis. *The Oncologist*, 0031(0),

1051–1062. <https://doi.org/10.1634/theoncologist.2011-0227>

- Sims, N. A., & Walsh, N. C. (2010). *GP130 cytokines and bone remodelling in health and disease*. *July*, 513–523.
- Soelistijo, S. A., Suastika, K., Lindarto, D., Decroli, E., Permana, H., Sucipto, K. W., Kusnadi, Y., Budiman, Ikhsan, R., Sasiarini, L., Sanusi, H., HS, H. N., & Susanto, H. (2021). *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2021* (I). PB Perkeni.
- Sun, H., Saeedi, P., Karuranga, S., Pinkepank, M., Ogurtsova, K., Duncan, B. B., Stein, C., Basit, A., Chan, J. C. N., Mbanya, J. C., Pavkov, M. E., Ramachandaran, A., Wild, S. H., James, S., Herman, W. H., Zhang, P., Bommer, C., Kuo, S., Boyko, E. J., & Magliano, D. J. (2022). IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. *Diabetes Research and Clinical Practice*, 183, 109119. <https://doi.org/10.1016/J.DIABRES.2021.109119>
- Sun, Q., Yan, B., Yang, D., Guo, J., Wang, C., Zhang, Q., Shi, Y., Shi, X., Tian, G., & Liang, X. (2020). *Serum Adiponectin Levels Are Positively Associated With Diabetic Peripheral Neuropathy in Chinese Patients With Type 2 Diabetes*. 11(November), 1–6. <https://doi.org/10.3389/fendo.2020.567959>
- Suputra, P. A. (2023). *Exercise to reduce leptin on obesity : A review*. 2(3), 289–299.
- Suputra, P. A. (2024). *LATIHAN AEROBIK PADA DIABETES TIPE 2*. 4(2), 105–116.
- Suputra, P. A., Jawi, I. M., Purnawati, S., & Muliarta, I. M. (2023). *Vitamin D Status of the Adult Population in Bali and Its Relationship to Anthropometry and Body Fat : A Cross-Sectional Study*. 11(6), 845–851. <https://doi.org/10.13189/ujph.2023.110608>
- Suputra, P. A., & Lestari, N. M. S. D. (2022). *Comparison of Simple Tools For Measurement Of Obesity With Anthropometric Examination As A Predictor Of Metabolic Syndrome*. 04002.
- Suri, M. H., Haddani, H., & Sinulingga, S. (2018). Hubungan Karakteristik, Hiperglikemi, dan Kerusakan Saraf Pasien Neuropati Diabetik di RSMH Palembang. *Biomedical Journal of Indonesia: Jurnal Biomedik Fakultas Kedokteran Universitas Sriwijaya*, 4(1), 40–45. <https://doi.org/10.32539/bji.v5i1.7957>
- Susanti, I., Seraph, N. M., Edward, M. N., & Burhan, A. (2025). National Trends in the Prevalence of Diabetic Peripheral Neuropathy Among Diabetes Mellitus Patients in Indonesia (2010–2024): A Pooled Meta-Analysis of 46 Studies with 2,808 Participants. *Java Nursing Journal*, 3(2). <https://doi.org/DOI:10.61716/jnj.v3i2.103>
- Tajima, R., Kodama, S., Hirata, M., Horikawa, C., Fujihara, K., Yachi, Y., Yoshizawa, S., Iida, K. T., & Sone, H. (2014). High cholesterol intake is associated with elevated risk of type 2 diabetes mellitus - A meta-analysis1-4. *Clinical Nutrition*, 33(6), 946–950. <https://doi.org/10.1016/j.clnu.2014.03.001>

- Tan, M. Y., Weng, L., Yang, Z. H., Zhu, S. X., Wu, S., & Su, J. H. (2024). The association between non-high-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio with type 2 diabetes mellitus: recent findings from NHANES 2007–2018. *Lipids in Health and Disease*, 23(1), 1–11. <https://doi.org/10.1186/s12944-024-02143-8>
- Tobón-Velasco, J. C., Cuevas, E., & Torres-Ramos, M. A. (2014). Receptor for AGEs (RAGE) as Mediator of NF-κB Pathway Activation in Neuroinflammation and Oxidative Stress. *Cns & Neurological Disorders-Drug Targets*. <https://doi.org/https://doi.org/10.2174/1871527313666140806144831>
- Toprak, C., & Yigitaslan, S. (2019). *Alagebrium and Complications of Diabetes Mellitus*. 51(3). <https://doi.org/10.5152/eurasianjmed.2019.18434>
- Tseng, C. H. (2011). Diabetes and risk of bladder cancer: A study using the National Health Insurance database in Taiwan. *Diabetologia*, 54(8), 2009–2015. <https://doi.org/10.1007/s00125-011-2171-z>
- Turicek, D. P., Wan, X., Turicek, D. P., & Wan, X. (2025). Decoding autoimmunity : HLA-DQ and type 1 diabetes. *American Association of Immunologist*, 1–3. <https://doi.org/https://doi.org/10.1093/jimmun/vkaf070>
- Unger, T., Borghi, C., Charchar, F., Khan, N. A., Poulter, N. R., Prabhakaran, D., Ramirez, A., Schlaich, M., Stergiou, G. S., Tomaszewski, M., Wainford, R. D., Williams, B., & Schutte, A. E. (2020). 2020 International Society of Hypertension Global Hypertension Practice Guidelines. *Hypertension*, 75(6), 1334–1357. <https://doi.org/10.1161/HYPERTENSIONAHA.120.15026>
- Utami, I. T., & Annisa, F. (2021). *Indonesian Nursing and Scientific Journal*. December 2019, 114–121.
- Vægter, C. B. (2018). *Peripheral Glial Cells in the Development of Diabetic neuropathy*. 9(May), 1–9. <https://doi.org/10.3389/fneur.2018.00268>
- Varghese, M., Thekkelnaycke, R., Soni, T., Zhang, J., & Maddipati, K. (2025). Sex differences in the lipid profiles of visceral adipose tissue with obesity and gonadectomy. *Journal of Lipid Research*, 66(5), 100803. <https://doi.org/10.1016/j.jlr.2025.100803>
- Vekic, J., Vujcic, S., Bufan, B., Bojanin, D., Al-Hashmi, K., Al-Rasadi, K., Stoian, A. P., Zeljkovic, A., & Rizzo, M. (2023). The Role of Advanced Glycation End Products on Dyslipidemia. *Metabolites*, 13(1). <https://doi.org/10.3390/metabo13010077>
- Wahlqvist, M., Okada, A., & Li, D. (2006). *Body mass index and risk of diabetes mellitus in the Asia-Pacific region*. 15(2), 127–286.
- Waldfoegel, J. M., Wilson, L. M., & Robinson, K. A. (2018). Author response: Pharmacotherapy for diabetic peripheral neuropathy pain and quality of life: A systematic review. *Neurology*, 90(24), 1123–1125. <https://doi.org/10.1212/WNL.0000000000005676>
- Wang, L., Guo, S., Wang, W., Xu, B., Chen, W., Jing, Y., Jin, J., Li, C., Zhou, Y., & Zhu, D. (2022). Neuropathy scale score as an independent risk factor for

- myocardial infarction in patients with type 2 diabetes. In *Diabetes/metabolism research and reviews* (Vol. 38, Issue 7). <https://doi.org/10.1002/dmrr.3561>
- Wang, R., & Li, X.-N. (2017). Different adipose tissue depots and metabolic syndrome in human. *Nanjing Medical University*.
- Wang, W., Ji, Q., Ran, X., Li, C., Kuang, H., Yu, X., Fang, H., Yang, J., Liu, J., Xue, Y., Feng, B., Lei, M., & Zhu, D. (2023). Prevalence and risk factors of diabetic peripheral neuropathy: A population-based cross-sectional study in China. *Diabetes Metabolism Research and Review*, 39(8). <https://doi.org/https://doi.org/10.1002/dmrr.3702>
- Wannamethee, S. G., Shaper, A. G., & Perry, I. J. (2001). Smoking as a modifiable risk factor for type 2 diabetes in middle-aged men. *Diabetes Care*, 24(9), 1590–1595. <https://doi.org/10.2337/diacare.24.9.1590>
- Waspadji, S. (2014). Buku Ajar Ilmu Penyakit Dalam Jilid II Edisi VI. In *Interna Publishing*.
- Wei, G. S., Coady, S. A., Goff, D. C., Brancati, F. L., Levy, D., Selvin, E., Vasan, R. S., & Fox, C. S. (2011). Blood pressure and the risk of developing diabetes in African Americans and Whites: ARIC, CARDIA, and the Framingham Heart Study. *Diabetes Care*, 34(4), 873–879. <https://doi.org/10.2337/dc10-1786>
- Whitley, B. N., Engelhart, E. A., & Hoppins, S. (2020). *HHS Public Access*. 206, 269–283. <https://doi.org/10.1016/j.mito.2019.06.002>. Mitochondrial
- WHO. (2024). *Diabetes*.
- Widianti, W., Malvi, A. F., Zein, Z., & Kusnandang, A. (2024). Faktor Yang Memengaruhi Neuropati Diabetik Pada Pasien Diabetes Melitus Tipe 2 Di Rsud Waled. *Medika Kartika Jurnal Kedokteran Dan Kesehatan*, 7(Volume 7 No 3), 285–294. <https://doi.org/10.35990/mk.v7n3.p285-294>
- World Health Organization. (2024). *Ageing and health*.
- Wu, B., Niu, Z., & Hu, F. (2021). *Study on Risk Factors of Peripheral Neuropathy in Type 2 Diabetes Mellitus and Establishment of Prediction Model*. 526–538.
- Wu, R., Chen, N., Chen, Y., Wu, X., Ko, C., & Chen, X. (2024). *Visceral Adiposity as an Independent Risk Factor for Diabetic Peripheral Neuropathy in Type 2 Diabetes Mellitus : A Retrospective Study*. 2024. <https://doi.org/10.1155/2024/9912907>
- Xue, T. (2021). Advances About Immunoinflammatory Pathogenesis and Treatment in Diabetic Peripheral Neuropathy. In *Frontiers in Pharmacology* (Vol. 12). <https://doi.org/10.3389/fphar.2021.748193>
- Yamamoto, Y., Ikeue, K., Kanasaki, M., Yamakage, H., Satoh-Asahara, N., Masuda, I., & Ishii, K. (2024). *Age-wise examination of the association of obesity based onbody mass index and waist circumference with metabolicdiseases in comprehensive health checkup participants* (pp. 1–9). Wiley Online Library. <https://doi.org/10.1002/osp4.746>
- Yang, X. H., Zhang, B. L., Cheng, Y., Fu, S. K., & Jin, H. M. (2022). Statin use

- and the risk of CVD events, stroke, and all-cause mortality in patients with diabetes: A systematic review and meta-analysis. *Nutrition, Metabolism and Cardiovascular Diseases*, 32(11), 2470–2482. <https://doi.org/10.1016/j.numecd.2022.07.018>
- Żarnowski, A., Jankowski, M., & Gujski, M. (2022). Public Awareness of Diet-Related Diseases and Dietary Risk Factors: A 2022 Nationwide Cross-Sectional Survey among Adults in Poland. *Nutrients*, 14(16). <https://doi.org/10.3390/nu14163285>
- Zhang, H., Vladmir, C., Zhang, Z., Zhou, W., Xu, J., Zhao, W., Chen, Y., He, M., Zhang, Y., Wang, W., & Zhang, H. (2023). Serum Uric Acid Levels Are Related to Diabetic Peripheral Neuropathy, Especially for Motor Conduction Velocity of Tibial Nerve in Type 2 Diabetes Mellitus Patients. In *Journal of diabetes research* (Vol. 2023, p. 3060013). <https://doi.org/10.1155/2023/3060013>
- ZHANG, N., HU, X., ZHANG, Q., BAI, P., CAI, M., ZENG, T. S., ZHANG, J.-Y., TIAN, S.-H., MIN, J., HUANG, H.-T., ZHENG, J., Peng, M.-M., Li, M. jia, & Chen, L.-L. (2018). Non-high-density lipoprotein cholesterol: High-density lipoprotein cholesterol ratio is an independent risk factor for diabetes mellitus: Results from a population-based cohort study. *Journal of Diabetes*, 708–714. <https://doi.org/doi: 10.1111/1753-0407.12650>
- Zhang, Y., Zhang, S., Pan, L., Wang, B., Sun, Y., Gao, L., Wang, L., Cui, L., Zhang, Q., Shang, H., Jin, S., Qin, X., Geng, D., Yu, X., Yang, L., Li, L., Li, Z., Yan, C., Sun, H., ... Fan, D. (2021). Painful Diabetic Peripheral Neuropathy Study of Chinese Outpatients (PDNSCOPE): A Multicentre Cross-Sectional Registry Study of Clinical Characteristics and Treatment in Mainland China. In *Pain and therapy* (Vol. 10, Issue 2, pp. 1355–1373). <https://doi.org/10.1007/s40122-021-00281-w>
- Zhao, W.-J., Xia, X.-Y., & Yin, J. (2021). Relationship of serum vitamin D levels with diabetic microvascular complications in patients with type 2 diabetes mellitus. In *Chinese medical journal* (Vol. 134, Issue 7, pp. 814–820). <https://doi.org/10.1097/CM9.0000000000001364>
- Zhu, H., Wei, M., Xu, J., Hua, J., Liang, C., Meng, Q., & Zhang, Y. (2020). *PARP inhibitors in pancreatic cancer: molecular mechanisms and clinical applications*. 1–15.
- Zhu, J., Hu, Z., Luo, Y., Liu, Y., Luo, W., & Peng, S. (2024). *Diabetic peripheral neuropathy: pathogenetic mechanisms and treatment*. January, 1–17. <https://doi.org/10.3389/fendo.2023.1265372>
- Ziegler, D., Papanas, N., Vinik, A. I., & Shaw, J. E. (2014). Epidemiology of polyneuropathy in diabetes and prediabetes. In *Handbook of Clinical Neurology* (1st ed., Vol. 126). Elsevier B.V. <https://doi.org/10.1016/B978-0-444-53480-4.00001-1>