

DAFTAR PUSTAKA

- Abbag, F. I., Abu-Eshy, S. A., Mahfouz, A. A., Alsaleem, M. A., Alsaleem, S. A., Patel, A. A., Mirdad, T. M., Shati, A. A., & Awadalla, N. J. (2021). Iodine deficiency disorders as a predictor of stunting among primary school children in the aseer region, southwestern Saudi Arabia. *International Journal of Environmental Research and Public Health*, 18(14), 7644.
- Aboagye, R. G., Ahinkorah, B. O., Seidu, A.-A., Frimpong, J. B., Archer, A. G., Adu, C., Hagan Jr, J. E., Amu, H., & Yaya, S. (2022). Birth weight and nutritional status of children under five in sub-Saharan Africa. *Plos One*, 17(6), e0269279.
- Aryastami, N. K., Shankar, A., Kusumawardani, N., Besral, B., Jahari, A. B., & Achadi, E. (2017). Low birth weight was the most dominant predictor associated with stunting among children aged 12-23 months in Indonesia. *BMC Nutrition*, 3(1). <https://doi.org/10.1186/s40795-017-0130-x>
- Azriani, D., Masita, Qinthara, N. S., Yulita, I. N., Agustian, D., Zuhairini, Y., & Dhamayanti, M. (2024). Risk factors associated with stunting incidence in under five children in Southeast Asia: a scoping review. In *Journal of health, population, and nutrition* (Vol. 43, Issue 1, p. 174). <https://doi.org/10.1186/s41043-024-00656-7>
- Badjuka, B. Y. M. (2020). The Correlation between Low Birth Weight and Stunting in 24-59 Month Children in Haya-Haya Village, Western Limboto Sub-District, Gorontalo Regency. *Afiasi: Jurnal Kesehatan Masyarakat*, 5(1), 23–32. <https://doi.org/10.31943/afiasi.v5i1.94>
- Berhe, K., Seid, O., Gebremariam, Y., Berhe, A., & Etsay, N. (2019). Risk factors of stunting (chronic undernutrition) of children aged 6 to 24 months in Mekelle City, Tigray Region, North Ethiopia: An unmatched case-control study. *Plos One*, 14(6), e0217736.
- Blencowe, H., Krusevec, J., De Onis, M., Black, R. E., An, X., Stevens, G. A., Borghi, E., Hayashi, C., Estevez, D., & Cegolon, L. (2019). National, regional, and worldwide estimates of low birthweight in 2015, with trends from 2000: a systematic analysis. *The Lancet Global Health*, 7(7), e849–e860.
- Bogale, T. Y., Bala, E. T., Tadesse, M., & Asamoah, B. O. (2018). Prevalence and associated factors for stunting among 6–12 years old school age children from rural community of Humbo district, Southern Ethiopia. *BMC Public Health*, 18(1), 653.
- Chaveepojnkamjorn, W., Songroop, S., Satitvipawee, P., Pitikultang, S., & Thiengwiboonwong, S. (2022). Effect of Low Birth Weight on Child Stunting among Adolescent Mothers. *Open Journal of Social Sciences*, 10(11), 177–191. <https://doi.org/10.4236/jss.2022.1011013>
- Devaguru, A., Gada, S., Potpalle, D., Eshwar, M. D., & Purwar, D. (2023). The Prevalence of Low Birth Weight Among Newborn Babies and Its Associated Maternal Risk Factors: A Hospital-Based Cross-Sectional Study. *Cureus*, 15(5).
- Diah Putri Anggaraeningsih, N. L. M., & Yuliati, H. (2022). Hubungan Status Gizi Balita Di Kelurahan Liliba Kecamatan Oebobo. *Jurnal Health Sains*, 3(7), 830–836. <https://doi.org/10.46799/jhs.v3i7.545>
- Ernawati, R., Feriani, P., & Khosyi, N. D. (2022). *The Relationship between LBW History and Genetic Factors with the Incidence of Stunting in Toddlers at Loa Ipuh Puskesmas, Tenggaraong*. 10(2). <https://doi.org/10.30650/jik.v10i2.3507>

- Fauziyah, R. N. (2024). *Sampling dan Besar Sampel Bidang Kesehatan Masyarakat dan Klinis*. Penerbit Politeknik Kesehatan Kemenkes Bandung.
- Fitri, L. (2018). Hubungan BBLR Dan ASI Eksklusif dengan Kejadian *Stunting* Di Puskesmas Lima Puluh. *Jurnal Endurance*, 3(1), 131. <https://doi.org/10.22216/jen.v3i1.1767>
- Halli, S. S., Biradar, R. A., & Prasad, J. B. (2022). Low Birth Weight, the Differentiating Risk Factor for Stunting among Preschool Children in India. *International Journal of Environmental Research and Public Health*, 19(7). <https://doi.org/10.3390/ijerph19073751>
- Kementerian Kesehatan Republik Indonesia. (2022b). *Pedoman Nasional Pelayanan Kedokteran Tataaksana Stunting*.
- Laksono, A. D., Wulandari, R. D., Amaliah, N., & Wisnuwardani, R. W. (2022). Stunting among children under two years in Indonesia: Does maternal education matter? *PLoS ONE*, 17(7 July). <https://doi.org/10.1371/journal.pone.0271509>
- Lenaini, I. (2021). Teknik Pengambilan Sampel *Purposive dan Snowball Sampling*. Info Artikel Abstrak. 6(1), 33–39. <https://doi.org/10.31764/historis.vXiY.4075>
- Liza Munira, S., & Badan Kebijakan Pembangunan Kesehatan, K. (2022). *Survei Status Gizi Indonesia (SSGI) 2022*.
- Marume, A., Archary, M., & Mahomed, S. (2023). Predictors of stunting among children aged 6–59 months, Zimbabwe. *Public Health Nutrition*, 26(4), 820–833.
- Mwangome, M., Ngari, M., Brals, D., Bawhere, P., Kabore, P., McGrath, M., & Berkley, J. A. (2024). Stunting in the first year of life: Pathway analysis of a birth cohort. *PLOS Global Public Health*, 4(2), e0002908.
- Pasaribu, C. J. (2021). Hubungan Berat Badan Lahir Rendah (Bblr) Dengan Kejadian Stunting Pada Anak Usia 1-5 Tahun. *Journal Health of Education*, 1(1), 29–34.
- Pirahanchi, Y., Toro, F., & Jialal, I. (2018). *Physiology, thyroid stimulating hormone*.
- Sari, N. A. M. E., Kumarawati, N. L. K. A. S., Devi, N. L. P. S., Sriasih, N. K., Widiastuti, I. A. K. S., Utami, K. C., Sukmandari, N. M. A., Puspita, L. M., Lestari, M. P. L., & Sulisnadewi, N. L. K. (2023). *Asuhan Keperawatan Anak Sakit Kronis*. PT. Sonpedia Publishing Indonesia.
- Setiawan, K. H., Hartono, M. S., Budiarta, I. W., Wirabrata, D. G. F., & Sekarini, N. N. A. D. (2024). A situational analysis of model holistic-comprehensive and integrated approaches to handling stunting in Buleleng Regency, Bali, Indonesia. *MEDISAINS*, 22(2), 61. <https://doi.org/10.30595/medisains.v22i2.23375>
- Sholihah, S. C. (2023). Hubungan Berat Badan Lahir Rendah (BBLR) Terhadap Kejadian *Stunting* di Wilayah Kerja Puskesmas Dradah. 7(1).
- Soliman, A., De Sanctis, V., Alaraj, N., Ahmed, S., Alyafei, F., Hamed, N., & Soliman, N. (2021). Early and long-term consequences of nutritional stunting: From childhood to adulthood. *Acta Biomedica*, 92(1). <https://doi.org/10.23750/abm.v92i1.11346>
- Sugiyono, S., & Lestari, P. (2021). *Metode penelitian komunikasi (Kuantitatif, kualitatif, dan cara mudah menulis artikel pada jurnal internasional)*. Alfabeta Bandung, CV.
- Survei Kesehatan Republik Indonesia. (2023). Survei Kesehatan 2023. Kementerian Kesehatan Republik Indonesia.. <https://www.badankebijakan.kemkes.go.id/ski-2023-dalam-angka/>
- Suryani, E. (2020). *Bayi Berat Lahir Rendah dan Penatalaksanaannya*. Strada Press.

- Tessler, M. (2022). Bivariate Analysis: Associations, Hypotheses, and Causal Stories. In *Social Science Research in the Arab World and Beyond: A Guide for Students, Instructors and Researchers* (pp. 51–86). Springer.
- Vaivada, T., Akseer, N., Akseer, S., Somaskandan, A., Stefopoulos, M., & Bhutta, Z. A. (2020). Stunting in childhood: an overview of global burden, trends, determinants, and drivers of decline. *The American Journal of Clinical Nutrition*, 112, 777S–791S.
- Vats, H., Walia, G. K., Saxena, R., Sachdeva, M. P., & Gupta, V. (2024). Association of low birth weight with the risk of childhood stunting in low-and middle-income countries: A systematic review and meta-analysis. *Neonatology*, 121(2), 244–257. <https://doi.org/10.1159/000532006>
- Wen, J., Zhao, Y., Xian, R., & Fan, X. (2025). Correlation between umbilical cord concentration of the growth hormone-IGF axis and small for gestational age: A single-center retrospective, observational study. *International Journal of Gynecology and Obstetrics*. <https://doi.org/10.1002/ijgo.70464>
- World Health Organization. (2021). Levels and trends in child malnutrition: UNICEF/WHO/The World Bank Group joint child malnutrition estimates: key findings of the 2021 edition. *WHO Publications*.
- World Health Organization, United Nation Children Fund, & World Bank Group. (2023). Levels and trends in child malnutrition: UNICEF/WHO/The World Bank Group joint child malnutrition estimates: key findings of the 2023 edition. In *Levels and trends in child malnutrition: UNICEF/WHO/The World Bank Group joint child malnutrition estimates: key findings of the 2023 edition*.
- World Health Organization, United Nation Children Fund, & World Bank Group. (2024). *The UNICEF-WHO-World Bank Joint Child Malnutrition Estimates (JME) standard methodology: tracking progress on SDG Indicators 2.2. 1 on stunting, 2.2. 2 (1) on overweight and 2.2. 2 (2) on wasting*. World Health Organization.
- Wubetu, A. D., Amare, Y. E., Haile, A. B., & Degu, M. W. (2021). Newborn Birth Weight and Associated Factors Among Mother-Neonate Pairs in Public Hospitals, North Wollo, Ethiopia. *Pediatric Health, Medicine and Therapeutics*, Volume 12, 111–118. <https://doi.org/10.2147/phmt.s299202>
- Yulizawati, A. Ramayani. (2022). *Pertumbuhan dan Perkembangan Bayi dan Balita*. Indomedia Pustaka.
- Zakaria, M. A., Kustanto, K., Nur Pratiwi, I., Arifin, H., Phiri, D., Soares, A., & Kumpeera, K. (2024). Determinant of stunting among children under-five years: A nationwide study in Zambia. *The Journal of Palembang Nursing Studies*. <https://doi.org/10.55048/jpns109>