

DAFTAR PUSTAKA

- Amoutzopoulos, B., Page, P., Steer, T., Roberts, C., & Collins, D. (2020). Free and added sugar consumption and adherence to guidelines: The UK national diet and nutrition survey (2014/15–2015/16). *Nutrients*, 12(2). <https://doi.org/10.3390/nu12020393>
- Antoniou, V., Chrysostomou, S., Giannakou, K., & Hadjimbei, E. (2023). Greek-Cypriot students' knowledge, attitudes, and actions regarding consumption of added sugar: A cross-sectional study. *Mediterranean Journal of Nutrition and Metabolism*, 16(3), 201–212. <https://doi.org/10.3233/MNM-230032>
- Baleeiro, R. D. S., Guimarães, A. P., Souza, P. M. D., Andrade, R. D. S., Barbosa De Queiroz, K., Coelho, D. B., Oliveira, E. C. D., & Becker, L. K. (2021). Sucrose-Sweetened Drinks Reduce the Physical Performance and Increase the Cardiovascular Risk in Physically Active Males. *Journal of Nutrition and Metabolism*, 2021. <https://doi.org/10.1155/2021/6683657>
- Bihan, H., & Czernichow, S. (2010). Epidemiology: Sugar and health; [Épidémiologie: Sucre et santé]. *Medecine des Maladies Metaboliques*, 4(5), 515 – 520. [https://doi.org/10.1016/S1957-2557\(10\)70116-4](https://doi.org/10.1016/S1957-2557(10)70116-4)
- Bou-Sospedra, C., Adelantado-Renau, M., Beltran-Valls, M. R., & Moliner-Urdiales, D. (2020). Association between health-related physical fitness and self-rated risk of depression in adolescents: Dados study. *International Journal of Environmental Research and Public Health*, 17(12), 1. <https://doi.org/10.3390/ijerph17124316>
- Breda, J., Jewell, J., & Keller, A. (2019). The Importance of the World Health Organization Sugar Guidelines for Dental Health and Obesity Prevention. *Caries Research*, 53(2), 149–152. <https://doi.org/10.1159/000491556>
- Bremer, A. A., Auinger, P., & Byrd, R. S. (2009). Relationship between insulin resistance-associated metabolic parameters and anthropometric measurements with sugar-sweetened beverage intake and physical activity levels in US adolescents: Findings from the 1999-2004 national health and nutrition examinat. *Archives of Pediatrics and Adolescent Medicine*, 163(4), 328–335. <https://doi.org/10.1001/archpediatrics.2009.21>
- Britton, Ú., Issartel, J., Belton, S., Fahey, G., & Conyngham, G. (2020). What is health-related fitness? Investigating the underlying factor structure of fitness in youth. *European Physical Education Review*, 26(4), 782–796. <https://doi.org/10.1177/1356336X19882060>
- Cooke, R., & Papadaki, A. (2014). Nutrition label use mediates the positive relationship between nutrition knowledge and attitudes towards healthy eating with dietary quality among university students in the UK. *Appetite*, 83, 297 – 303. <https://doi.org/10.1016/j.appet.2014.08.039>
- Deng, W.-J., Yi, Z., & Lee, J. C.-K. (2024). The Demographic Variation in Nutrition Knowledge and Relationship with Eating Attitudes among Chinese University Students. *International Journal of Environmental Research and Public Health*, 21(2). <https://doi.org/10.3390/ijerph21020159>

- Ding, Y., Chen, H., Shen, J., Huang, L., Cao, Y., Zheng, Y., Zong, G., & Yuan, C. (2024). Associations of sugary beverage intake with type 2 diabetes and the role of physical activity: a prospective cohort study. *Nutrition Journal*, 23(1). <https://doi.org/10.1186/s12937-024-01006-3>
- Erickson, J., Sadeghirad, B., Lytvyn, L., Slavin, J., & Johnston, B. C. (2017). The scientific basis of guideline recommendations on sugar intake: A systematic review. *Annals of Internal Medicine*, 166(4), 257–267. <https://doi.org/10.7326/M16-2020>
- Erickson, J., & Slavin, J. (2015). Total, added, and free sugars: Are restrictive guidelines science - Based or achievable? *Nutrients*, 7(4), 2866–2878. <https://doi.org/10.3390/nu7042866>
- Fadupin, G. T., Ogunkunle, M. O., & Gabriel, O. O. (2014). Knowledge, attitude and consumption pattern of alcoholic and sugar sweetened beverages among undergraduates in a Nigerian institution. *African Journal of Biomedical Research*, 17(2), 75 – 82. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-84907587096&partnerID=40&md5=1d238c39dfd658691ffdda8cc2621d36>
- Fan, Z., Shi, T., Yang, Y., He, W., & Chai, D. (2024). Associations of sugar-sweetened beverage consumption and screen time with physical fitness index: a multicentre cross-sectional study among Chinese adolescents. *BMC Public Health*, 24(1). <https://doi.org/10.1186/s12889-024-20158-9>
- Ferreira, N. L., Claro, R. M., & Lopes, A. C. S. (2015). Consumption of sugar-rich food products among Brazilian students: National School Health Survey (PeNSE 2012); [Consumo de alimentos ricos em açúcar entre estudantes brasileiros: Pesquisa Nacional de Saúde do Escolar (PeNSE 2012)]; [Consumo de alimentos ricos en azúcar entre estudiantes brasileños: Encuesta Nacional de Salud Escolar (PeNSE 2012)]. *Cadernos de Saude Publica*, 31(12), 2493 – 2504. <https://doi.org/10.1590/0102-311X00014515>
- Fiscal policies to promote healthy diets WHO guideline. (t.t.).*
- Gase, L. N., Robles, B., Barragan, N. C., & Kuo, T. (2014). Relationship Between Nutritional Knowledge and the Amount of Sugar-Sweetened Beverages Consumed in Los Angeles County. *Health Education and Behavior*, 41(4), 431 – 439. <https://doi.org/10.1177/1090198114529128>
- Guy-Grand, B. (2008). What do they say about sugar in food? | Les sucres dans l'alimentation: De quoi parle-t-on? *Cahiers de Nutrition et de Dietetique*, 43(HS2). [https://doi.org/10.1016/S0007-9960\(08\)71549-9](https://doi.org/10.1016/S0007-9960(08)71549-9)
- Hedrick, V. E., Savla, J., Comber, D. L., Flack, K. D., Estabrooks, P. A., Nsiah-Kumi, P. A., Ortmeier, S., & Davy, B. M. (2012). Development of a Brief Questionnaire to Assess Habitual Beverage Intake (BEVQ-15): Sugar-Sweetened Beverages and Total Beverage Energy Intake. *Journal of the Academy of Nutrition and Dietetics*, 112(6), 840–849. <https://doi.org/10.1016/j.jand.2012.01.023>
- Heilmann, A., & Ziller, S. (2021). Reducing sugar consumption to improve oral health which strategies are effective?; [Reduzierung des Zuckerkonsums für eine bessere Mundgesundheit – Welche Strategien sind Erfolg versprechend?].

- Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz*, 64(7), 838 – 846. <https://doi.org/10.1007/s00103-021-03349-2>
- Hess, J., Latulippe, M. E., Ayoob, K., & Slavin, J. (2012). The confusing world of dietary sugars: Definitions, intakes, food sources and international dietary recommendations. *Food and Function*, 3(5), 477–486. <https://doi.org/10.1039/c2fo10250a>
- Hilgenkamp, T. I. M., Evenhuis, H. M., & van Wijck, R. (2010). Physical fitness in older people with ID-Concept and measuring instruments: A review. *Research in Developmental Disabilities*, 31(5), 1027–1038. <https://doi.org/10.1016/j.ridd.2010.04.012>
- Kluttig, A., Zschocke, J., Haerting, J., Kartschmit, N., Mikolajczyk, R., Schmermund, A., Gastell, S., Steindorf, K., Herbolsheimer, F., Hillreiner, A., Damms Machado, A., & Hoffmeister, M. (2020). Measuring physical fitness in the German National Cohort methods, quality assurance, and first descriptive results | Messung der körperlichen Fitness in der NAKO Gesundheitsstudie – Methoden, Qualitätssicherung und erste deskriptive Ergebnisse. *Bundesgesundheitsblatt Gesundheitsforschung - Gesundheitsschutz*, 63(3), 312–321. <https://doi.org/10.1007/s00103-020-03100-3>
- Knapik, J. J. (2015). The importance of physical fitness for injury prevention: part 1. *Journal of Special Operations Medicine A Peer Reviewed Journal for Sof Medical Professionals*, 15(1), 123–127.
- Lai, H. T., Hutchinson, J., & Evans, C. E. L. (2019). Non-Milk extrinsic sugars intake and food and nutrient consumption patterns among adolescents in the uk national diet and nutrition survey, years 2008–16. *Nutrients*, 11(7). <https://doi.org/10.3390/nu11071621>
- Liu, Y., Xu, Y., Sun, Z., & Gao, S. (2025). Joint association of physical activity and sugar-sweetened beverages with obesity in young U.S. adults: A cross-sectional analysis of NHANES 2007–2020. *Preventive Medicine Reports*, 53. <https://doi.org/10.1016/j.pmedr.2025.103043>
- Malik, V. S., & Hu, F. B. (2014). Sugars, Obesity, and Chronic Diseases in Adults. Dalam *Dietary Sugars and Health*. <https://doi.org/10.1201/b17849>
- Margină, D., & Ungurianu, A. (2023). Dietary sugar intake: Public health perspective. Dalam *Encyclopedia of Toxicology, Fourth Edition: Volume 1-9* (Vol. 3). <https://doi.org/10.1016/B978-0-12-824315-2.00071-3>
- McNaughton, S. A., Pendergast, F. J., Worsley, A., & Leech, R. M. (2020). Eating occasion situational factors and sugar-sweetened beverage consumption in young adults. *International Journal of Behavioral Nutrition and Physical Activity*, 17(1). <https://doi.org/10.1186/s12966-020-00975-y>
- Misra, R. (2007). Knowledge, Attitudes, and Label Use among College Students. *Journal of the American Dietetic Association*, 107(12), 2130 – 2134. <https://doi.org/10.1016/j.jada.2007.09.001>

- Naughton, P., McCarthy, M., & McCarthy, S. (2015). Acting to self-regulate unhealthy eating habits. An investigation into the effects of habit, hedonic hunger and self-regulation on sugar consumption from confectionery foods. *Food Quality and Preference*, 46, 173 – 183. <https://doi.org/10.1016/j.foodqual.2015.08.001>
- Navas-Carretero, S., San-Cristobal, R., Alvarez-Alvarez, I., Celis-Morales, C., Livingstone, K. M., O'donovan, C. B., Mavrogianni, C., Lambrinou, C. P., Manios, Y., Traczyk, I., Dreven, C. A., Marsaux, C. F. M., Saris, W. H. M., Fallaize, R., Mcready, A. L., Lovegrove, J. A., Gundersen, T. E., Walsh, M., Brennan, L., ... Martinez, J. A. (2021). Interactions of Carbohydrate Intake and Physical Activity with Regulatory Genes Affecting Glycaemia: A Food4Me Study Analysis. *Lifestyle Genomics*, 14(3), 63–72. <https://doi.org/10.1159/000515068>
- Øverby, N. C., Lillegaard, I. T. L., Johansson, L., & Andersen, L. F. (2004). High intake of added sugar among Norwegian children and adolescents. *Public Health Nutrition*, 7(2), 285–293. <https://doi.org/10.1079/PHN2003515>
- Pacheco, L. S., Tobias, D. K., Haslam, D. E., Drouin-Chartier, J.-P., Li, Y., Bhupathiraju, S. N., Willett, W. C., Ludwig, D. S., Ebbeling, C. B., Hu, F. B., & Guasch-Ferré, M. (2025). Sugar-sweetened or artificially sweetened beverage consumption, physical activity and risk of type 2 diabetes in US adults. *Diabetologia*, 68(4), 792–800. <https://doi.org/10.1007/s00125-024-06351-w>
- Petrauskiene, A., Žaltauskė, V., & Albavičiūtė, E. (2015). Family socioeconomic status and nutrition habits of 7-8 year old children: Cross-sectional Lithuanian COSI study. *Italian Journal of Pediatrics*, 41(1), 1 – 7. <https://doi.org/10.1186/s13052-015-0139-1>
- Powell, M. A. (2011). Physical fitness: Training, effects, and maintaining. Dalam *Physical Fitness Training Effects and Maintaining*.
- Prada, M., Godinho, C. A., Garrido, M. V., Rodrigues, D. L., Coelho, I., & Lopes, D. (2021). A qualitative study about college students' attitudes, knowledge and perceptions regarding sugar intake. *Appetite*, 159. <https://doi.org/10.1016/j.appet.2020.105059>
- Rabiau, M., Knäuper, B., & Miquelon, P. (2006). The eternal quest for optimal balance between maximizing pleasure and minimizing harm: The *compensatory health beliefs* model. *British Journal of Health Psychology*, 11(1), 139–153. <https://doi.org/10.1348/135910705X52237>
- Rippe, J. M., & Angelopoulos, T. J. (2016). Sugars, obesity, and cardiovascular disease: results from recent randomized control trials. *European Journal of Nutrition*, 55, 45 – 53. <https://doi.org/10.1007/s00394-016-1257-2>
- Rizal, D. M., & Wibowo, R. A. (2022). Changes in Physical Activity Among University Students in Indonesia from Before to During the COVID-19 Pandemic: A Retrospective Cohort Study. *Journal of Population and Social Studies*, 30, 128–146. <https://doi.org/10.25133/JPSSv302022.009>
- Rodríguez, L. A., Madsen, K. A., Cotterman, C., & Lustig, R. H. (2016). Added sugar intake and metabolic syndrome in US adolescents: Cross-sectional analysis of the

- National Health and Nutrition Examination Survey 2005-2012. *Public Health Nutrition*, 19(13), 2424–2434. <https://doi.org/10.1017/S1368980016000057>
- Ross, S. M. (2019). Sugary Drinks: A Modifiable Risk Factor for Cancer Prevention. *Holistic Nursing Practice*, 33(6), 366–369. <https://doi.org/10.1097/HNP.0000000000000358>
- Shanita, N. S., K, N. A., & Hanifah, A. S. (2012). Food Frequency Questionnaire (FFQ) for Sugar Mal. Dalam *J Nutr* (Vol. 18, Nomor 3).
- Sholikhah, A. M., Putera, S. H. P., Wahyudi, H., Hartoto, S., & Hazar, F. (2025). Sedentary Behaviour, Physical Activity and Its Association with Depression among University Students Majoring in Sports | Conducta sedentaria, actividad física y su asociación con la depresión en estudiantes universitarios de especialidades deportivas. *Retos*, 65, 1132–1139. <https://doi.org/10.47197/retos.v65.109213>
- Song, W., Su, F., Li, S., Song, Y., & Chai, G. (2024). Association between sugar-sweetened beverages and duration of physical exercise with psychological symptoms among Tibetan university students at high altitude. *Frontiers in Psychology*, 15. <https://doi.org/10.3389/fpsyg.2024.1380893>
- Stanhope, K. L., & Havel, P. J. (2014). Mechanisms by which dietary sugars influence lipid metabolism, circulating lipids and lipoproteins, and cardiovascular risk. Dalam *Dietary Sugars and Health*. <https://doi.org/10.1201/b17849>
- Sudrazat, A., Jajat, & Sultoni, K. (2021). Comparison of Student Athlete's Physical Activity and Sedentary Behaviour by Gender. *Malaysian Journal of Medicine and Health Sciences*, 17, 90–94.
- Tappy, L. (2020). Fructose, dietary sugars and metabolic diseases | Fructose, sucres et maladies métaboliques. *Cahiers de Nutrition et de Dietetique*, 55(5), 233–239. <https://doi.org/10.1016/j.cnd.2020.06.003>
- Thiboonboon, K., Lourenco, R. D. A., Church, J., & Goodall, S. (2024). Sugar-sweetened beverage consumption in Thailand: Determinants and variation across socioeconomic status. *Public Health*, 237, 426 – 434. <https://doi.org/10.1016/j.puhe.2024.10.037>
- Treur, J. L., Boomsma, D. I., Ligthart, L., Willemsen, G., & Vink, J. M. (2016). Heritability of high sugar consumption through drinks and the genetic correlation with substance use. *American Journal of Clinical Nutrition*, 104(4), 1144 – 1150. <https://doi.org/10.3945/ajcn.115.127324>
- Vierimaa, M., Erickson, K., Côté, J., & Gilbert, W. (2012). Positive youth development: A measurement framework for sport. *International Journal of Sports Science and Coaching*, 7(3), 601–614. <https://doi.org/10.1260/1747-9541.7.3.601>
- West, D. S., Bursac, Z., Quimby, D., Prewitt, T. E., Spatz, T., Nash, C., Mays, G., & Eddings, K. (2006). Self-reported sugar-sweetened beverage intake among college students. *Obesity*, 14(10), 1825–1831. <https://doi.org/10.1038/oby.2006.210>
- Wilder, R. P., Greene, J. A., Winters, K. L., Long III, W. B., Gubler, K. D., & Edlich, R. F. (2006). Physical fitness assessment: An update. *Journal of Long Term Effects*

of *Medical Implants*, 16(2), 193–204.
<https://doi.org/10.1615/JLongTermEffMedImplants.v16.i2.90>

Xiao, H.-L., Jin, C.-Y., Zhang, G.-D., & Zhang, C.-Q. (2023). Applying the temporal self-regulation theory to understand sugar-sweetened beverage consumption among Chinese college students. *Health Psychology and Behavioral Medicine*, 11(1).
<https://doi.org/10.1080/21642850.2023.2208213>

Yamada, Y., Hiratsu, A., Thivel, D., Beaulieu, K., Finlayson, G., Nagayama, C., Kamemoto, K., Siripiyavatana, S., Tataka, Y., Sakazaki, M., & Miyashita, M. (2024). Reward for fat and sweet dimensions of food are altered by an acute bout of running in healthy young men. *Appetite*, 200.
<https://doi.org/10.1016/j.appet.2024.107562>

Zhang, D., Yang, J., Liu, H., & Cai, R. (2022). Sex-Related Differences in the Relationship between Sugar-Sweetened Beverage Consumption and Cardiorespiratory Fitness: Results from Chinese Cross-Sectional Study on Children. *Children*, 9(9). <https://doi.org/10.3390/children9091411>

