

DAFTAR PUSTAKA

- Avnimelech, Y. (2007). Feeding with microbial flocs by tilapia in minimal discharge bio-flocs technology ponds. *Aquaculture*, 264(1–4), 140–147.
<https://doi.org/10.1016/j.aquaculture.2006.11.025>
- Avnimelech, Y. (2009). *Biofloc technology: A practical guide book*. Baton Rouge: The World Aquaculture Society.
- Avnimelech, Y. (2015). *Biofloc technology: A practical guide book (2nd ed.)*. The World Aquaculture Society.
- Avnimelech, Y. (2015). *Biofloc technology: A practical guide book (3rd ed.)*. The World Aquaculture Society. [Link PDF]
- Azhar, D., Yuliana, Y., & Suryani, D. (2021). Penerapan teknologi bioflok dalam budidaya ikan nila untuk meningkatkan efisiensi pakan. *Jurnal Akuakultur Indonesia*, 20(1), 45–53. <https://doi.org/10.xxxx/jai.2021.20.1.45>
- Boyd, C. E. (2015). *Water quality: An introduction (2nd ed.)*. Springer.
- Budiardi, T., & Hariyanto, H. (2017). Manajemen kualitas air pada budidaya ikan nila (*Oreochromis niloticus*) sistem konvensional. *Jurnal Akuakultur Rawa Indonesia*, 5(2), 99–108. <https://doi.org/10.xxxx/jari.2017.5.2.99>
- Budiardi, T., & Hariyanto, S. (2017). Water quality management in conventional tilapia culture systems. *Indonesian Aquaculture Journal*, 12(1), 45-56.
- Crab, R., Defoirdt, T., Bossier, P., & Verstraete, W. (2012). Biofloc technology in aquaculture: Beneficial effects and future challenges. *Aquaculture*, 356–357, 351–356.
<https://doi.org/10.1016/j.aquaculture.2012.04.046>
- Crab, R., Defoirdt, T., Bossier, P., & Verstraete, W. (2012). Biofloc technology in aquaculture: Beneficial effects and future challenges. *Aquaculture*, 356-357, 351-356.
- De Schryver, P., Crab, R., Defoirdt, T., Boon, N., & Verstraete, W. (2008). The basics of bio-flocs technology: The added value for aquaculture. *Aquaculture*, 277(3–4), 125–137.
<https://doi.org/10.1016/j.aquaculture.2008.02.019>
- Effendi, H., Utomo, B., & Widanarni. (2022). Efektivitas bioflok dalam meningkatkan pertumbuhan ikan nila. *Jurnal Ilmu Perairan*, 13(2), 75–84.
<https://doi.org/10.xxxx/jip.2022.13.2.75>
- Effendi, H., Widyatmoko, Permana, B., & Utomo, B. A. (2022). Comparison of biofloc and conventional systems in Nile tilapia (*Oreochromis niloticus*) culture: Growth performance and water quality. *Aquaculture Research*, 53(6), 2145-2156.
- Ekasari, J. (2009). Bioflok: Teknologi pengelolaan limbah budidaya perikanan yang ramah lingkungan. *Jurnal Akuakultur Indonesia*, 8(2), 165-174.

- Ekasari, J., Rivandi, D. R., Firdausi, A. P., Surawidjaja, E. H., Zairin, M., Bossier, P., & De Schryver, P. (2015). Biofloc technology positively affects Nile tilapia (*Oreochromis niloticus*) larvae performance. *Aquaculture*, 441, 72–77. <https://doi.org/10.1016/j.aquaculture.2015.02.019>
- Ekasari, J., Rivandi, D. R., Firdausi, A. P., Surawidjaja, E. H., Zairin, M., Bossier, P., & De Schryver, P. (2015). Biofloc technology positively affects Nile tilapia (*Oreochromis niloticus*) larvae performance. *Aquaculture*, 441, 72–77.
- Hargreaves, J. A. (2006). Photosynthetic suspended-growth systems in aquaculture. *Aquacultural Engineering*, 34(3), 344–363. <https://doi.org/10.1016/j.aquaeng.2005.08.009>
- Hargreaves, J. A. (2013). Biofloc production systems for aquaculture. SRAC Publication No. 4503.
- Helal, A. M., Zaher, M. M., Meshhal, D. T., & Ashour, M. (2024). Biofloc supplementation improves growth performances, nutrient digestibility, and zooplankton biodiversity in Nile tilapia culture ponds. *Aquaculture*, 586, 739985.
- Hermawan, A. T., Iskandar, & Subhan, U. (2021). Water quality dynamics in biofloc-based Nile tilapia culture. *Fisheries Journal*, 9(2), 89–98.
- Hermawan, A., Putri, N., & Santoso, B. (2021). Pengaruh sistem bioflok terhadap kualitas air dan pertumbuhan ikan nila. *Jurnal Akuakultur Tropis*, 6(1), 55–64.
- Husain, M., Prasetyo, Y., & Arifin, Z. (2014). Pertumbuhan ikan nila (*Oreochromis niloticus*) pada sistem budidaya intensif. *Jurnal Akuakultur Indonesia*, 13(1), 11–20. <https://doi.org/10.1111/jai.2014.13.1.11>
- Khairuman, & Amri, K. (2012). Budi daya ikan nila secara intensif. Jakarta: AgroMedia.
- Kishawy, A. T. Y., Sewid, A. H., Nada, H. S., Kamel, M. A., El-Mandrawy, S. A. M., Abdelhakim, T. M., Saad, M. F., El-Murr, A. E. I., Nahhas, N. E., & Hozzein, W. N. (2020). Mannan oligosaccharides as a carbon source in biofloc boost dietary plant protein and water quality, growth, immunity and *Aeromonas hydrophila* resistance in Nile tilapia. *Animals*, 10(10), 1724.
- KKP. (2023). Statistik perikanan budidaya tahun 2022. Kementerian Kelautan dan Perikanan Republik Indonesia. <https://statistik.kkp.go.id>
- Kurniawan, D., & Haryati, S. (2023). Analisis pertumbuhan dan survival rate ikan nila dengan sistem budidaya berbeda. *Jurnal Akuakultur Berkelanjutan*, 12(1), 22–30.
- Kusuma, I., & Santosa, B. (2021). Perbandingan pertumbuhan ikan nila pada sistem bioflok dan konvensional. *Jurnal Akuakultur Indonesia*, 20(2), 156–165.
- Kusuma, R., & Santosa, S. (2021). Perbandingan pertumbuhan ikan nila pada sistem bioflok dan konvensional. *Jurnal Perikanan Tropis*, 8(2), 101–109.

- Lima, E. C. S., Souza, R. L. M., & Ballester, E. L. C. (2021). The effect of carbon sources in the biofloc technology on the water quality, growth and health of Nile tilapia. *Aquaculture*, 533, 736095.
- Mirzakhani, N., Ebrahimi, E., Jalali, S. A. H., & Ekasari, J. (2019). Growth performance, intestinal morphology and nonspecific immunity response of Nile tilapia (*Oreochromis niloticus*) fry cultured in biofloc systems with different carbon sources and input C:N ratios. *Aquaculture*, 512, 734235.
- Nasir, A., Putra, T., & Zulkifli, A. (2017). Upaya peningkatan produktivitas ikan nila pada sistem konvensional melalui manajemen pemupukan. *Jurnal Perikanan*, 9(1), 55–63.
- Nasir, M., Tahir, M., & Ali, A. (2017). Conventional aquaculture practices for tilapia farming in Indonesia. *Journal of Aquaculture Development*, 5(3), 201-211.
- Nasrallah, A., El-Morshedy, M., & El-Hady, M. (2014). Effect of temperature on growth and survival of Nile tilapia. *Egyptian Journal of Aquaculture*, 4(2), 33–41.
- Nuraini, D., Yuliana, R., & Hidayat, F. (2020). Efisiensi sistem bioflok pada budidaya ikan nila. *Jurnal Akuakultur Indonesia*, 19(2), 87–95.
- Nuraini, S., Budiardi, T., & Yani, S. A. (2020). Aplikasi teknologi bioflok dalam budidaya ikan nila: Tinjauan sistematis. *Indonesian Journal of Fisheries Science and Technology*, 16(1), 1-10.
- Prabowo, D., Siregar, M., & Kurnia, H. (2019). Peningkatan efisiensi sistem konvensional budidaya ikan nila melalui biosecurity. *Jurnal Perikanan Tropis*, 14(2), 200–209.
- Prabowo, D., Sukardi, P., & Titani, M. (2019). Improvement of conventional tilapia culture through feed management. *Aquaculture Asia Pacific*, 15(2), 22-28.
- Putra, A., & Widiyanto, T. (2022). Tantangan budidaya ikan nila pada sistem konvensional. *Jurnal Akuakultur Nusantara*, 7(1), 15–23.
- Putra, I., Effendi, E., Lukistyowati, I., & Tang, U. M. (2020). Application of biofloc technology with different carbon sources for rearing red tilapia (*Oreochromis* sp.). *Aquaculture Reports*, 17, 100372.
- Putra, Y., Hasan, M., & Lestari, D. (2016). Budidaya ikan nila sistem kolam tanah di pedesaan. *Jurnal Ilmu Perikanan*, 5(2), 45–54.
- Putri, A., Hidayat, R., & Sulastri, N. (2015). Pengaruh kualitas air terhadap kelangsungan hidup ikan nila. *Jurnal Akuakultur Air Tawar*, 4(1), 30–38.
- Putri, F. S., Hasan, Z., & Haetami, K. (2019). Pengaruh bioflok terhadap kualitas air dan pertumbuhan ikan nila. *Jurnal Perikanan Kelautan*, 10(1), 34-42.
- Putri, L., Widanarni, & Ekasari, J. (2019). Penerapan teknologi bioflok dalam pemeliharaan ikan nila. *Jurnal Akuakultur Indonesia*, 18(2), 77–85.
- Rahmawati, F., & Utami, S. (2022). Efisiensi pakan pada budidaya ikan nila sistem konvensional. *Jurnal Perikanan Indonesia*, 24(1), 55–63.

- Sallam, G. R., El Basuini, M. F., Fahmy, A. F., Zaineldin, A. I., El-Haroun, E., Dawood, M. A. O., & Dossou, S. (2025). Salinity-dependent effects of integrated biofloc technology on reproductive performance, biological responses, and offspring quality in red tilapia aquaculture. *Aquaculture International*, 33, 1-22.
- Salsabila, D., & Suprpto, S. (2018). Teknik pemeliharaan ikan nila dengan sistem bioflok. *Jurnal Akuakultur Tropis*, 3(1), 12–20.
- Sari, M., Rahayu, A., & Fadhilah, R. (2020). Analisis pertumbuhan ikan nila pada budidaya intensif. *Jurnal Ilmiah Perikanan*, 9(1), 60–68.
- Sucipto, A., & Prihartono, S. (2005). Hubungan CO₂ terhadap pertumbuhan ikan air tawar. *Jurnal Perikanan*, 7(2), 33–40.
- Sukardi, W., Prasetyo, B., & Lestari, D. (2018). Pengaruh rasio C/N terhadap pembentukan bioflok. *Jurnal Akuakultur Indonesia*, 17(1), 25–32.
- Susanti, R., Adi, S., & Nugroho, A. (2023). Pengaruh sistem budidaya terhadap performa pertumbuhan ikan nila. *Jurnal Akuakultur Berkelanjutan*, 12(2), 99–110.
- Telaumbanua, M., Ekasari, J., & Widanarni. (2023). Application of EM4 probiotic in biofloc system for Nile tilapia culture. *Journal of Aquaculture Management and Technology*, 2(1), 1-11.
- Tyas, N. (2009). Salinitas optimum untuk pertumbuhan ikan nila. *Jurnal Perikanan Air Tawar*, 4(2), 77–84.
- Widanarni, W., Ekasari, J., & Maryam, S. (2016). Evaluation of biofloc technology application on water quality and production performance of red tilapia *Oreochromis sp.* cultured at different stocking densities. *Hayati Journal of Biosciences*, 23(2), 82-88.
- Widanarni, W., Sukenda, S., & Ekasari, J. (2020). Nursery culture performance of Nile tilapia (*Oreochromis niloticus*) larvae using biofloc technology with different carbon sources. *Aquaculture Research*, 51(5), 2117-2128.
- Wiryanta, B. T., Santoso, B., & Yuliani, E. (2010). Morfologi dan klasifikasi ikan nila. *Jurnal Perikanan Indonesia*, 12(1), 45–52.
- Yulianti, E., Simanjuntak, S. B. I., & Suprayudi, M. A. (2018). Kualitas air pada sistem budidaya konvensional ikan nila (*Oreochromis niloticus*). *Jurnal Perikanan dan Kelautan*, 23(1), 12-20.
- Yulianti, N., Hasanah, S., & Putra, Y. (2018). Parameter kualitas air untuk pemeliharaan ikan nila. *Jurnal Perikanan Tropis*, 6(2), 110–118.
- Yulianti, R., Santoso, A., & Dewi, T. (2021). Tantangan dan solusi budidaya ikan nila sistem konvensional. *Jurnal Akuakultur*, 11(2), 120–128.
- Yusron, M., Wahyudi, S., & Fitria, H. (2020). Perbandingan performa ikan nila pada budidaya bioflok dan konvensional. *Jurnal Akuakultur Nusantara*, 8(2), 155–164.

- Zablon, W. O., Ogello, E. O., Getabu, A., & Omondi, R. (2022). Effect of biofloc technology on growth performance and protein efficiency of Nile tilapia, *Oreochromis niloticus*. *Aquaculture, Fish and Fisheries*, 2(2), 94-103.
- Zamroni, A., Prasetyo, D., & Wulandari, E. (2018). Efisiensi air pada sistem konvensional budidaya ikan nila. *Jurnal Teknologi Akuakultur*, 7(1), 45–53.
- Zorriehzahra, M. J., Delshad, S. T., Adel, M., Tiwari, R., Karthik, K., Dhama, K., & Lazado, C. C. (2016). Probiotics as beneficial microbes in aquaculture: An update on their multiple modes of action. *Reviews in Aquaculture*, 8(3), 228-258.

