

OUTPUT SPSS UJI VALIDITAS DAN RELIABILITAS MATERI AJAR

```
RELIABILITY
/VARIABLES=P01 P02 P03 P04 P05 P06 P07 P08 P09 P10 P11 P12 P13 P14 P15 P16
P17 P18 P19 P20 P21 P22 P23 P24 P25 P26
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.
```

Reliability



Notes

Output Created	20-JUL-2025 19:53:01	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	25
Missing Value Handling	Matrix Input	
	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=P01 P02 P03 P04 P05 P06 P07 P08 P09 P10 P11 P12 P13 P14 P15 P16 P17 P18 P19 P20 P21 P22 P23 P24 P25 P26 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.	
Resources	Processor Time	00:00:00,00

Elapsed Time

00:00:00,00

[DataSet0]

Scale: ALL VARIABLES**Case Processing Summary**

		N	%
Cases	Valid	25	100.0
	Excluded ^a	0	.0
	Total	25	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.962	26

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P01	84.2000	107.500	.916	.959
P02	83.8800	114.277	.738	.961
P03	83.8400	117.390	.450	.963
P04	84.2400	108.940	.840	.960
P05	83.8800	114.277	.738	.961
P06	84.4400	111.673	.816	.960

P07	83.7600	117.107	.494	.963
P08	83.9600	115.790	.600	.962
P09	84.2000	107.500	.916	.959
P10	83.7600	117.190	.486	.963
P11	84.2000	107.750	.899	.959
P12	83.9600	115.540	.623	.962
P13	83.7600	117.190	.486	.963
P14	84.4400	111.590	.823	.960
P15	84.0400	117.123	.492	.963
P16	83.7200	115.960	.624	.962
P17	84.3200	110.060	.816	.960
P18	83.7600	116.107	.591	.962
P19	84.3200	110.143	.810	.960
P20	83.7600	117.107	.494	.963
P21	84.2800	108.960	.864	.959
P22	83.8000	117.333	.462	.963
P23	83.9600	116.790	.506	.962
P24	84.3200	109.060	.888	.959
P25	83.7600	117.190	.486	.963
P26	84.4400	111.590	.823	.960



OUTPUT SPSS UJI VALIDITAS DAN RELIABILITAS DESAIN BUKU AJAR

RELIABILITY

```

/VARIABLES=P01 P02 P03 P04 P05 P06 P07 P08 P09 P10 P11 P12 P13 P14 P15 P16 P17
P18 P19 P20 P21 P22 P23 P24 P25 P26 P27 P28 P29 P30 P31 P32 P33 P34 P35 P36 P37
P38 P39 P40
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability



Notes

Output Created		
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	25
Missing Value Handling	Matrix Input	
	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY
		/VARIABLES=P01 P02 P03 P04 P05
		P06 P07 P08 P09 P10 P11 P12 P13
		P14 P15 P16 P17 P18 P19 P20 P21
		P22 P23 P24 P25 P26 P27 P28 P29
Resources		P30 P31 P32 P33 P34 P35 P36 P37
		P38 P39 P40
		/SCALE('ALL VARIABLES') ALL
		/MODEL=ALPHA
		/SUMMARY=TOTAL.
	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00

[DataSet0]

Scale: ALL VARIABLES


Case Processing Summary

		N	%
Cases	Valid	25	100.0
	Excluded ^a	0	.0
	Total	25	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.937	40



Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P01	125.2800	114.543	.766	.933
P02	125.1200	115.777	.699	.933
P03	125.3600	118.990	.255	.936
P04	125.4000	116.750	.571	.934
P05	126.8800	115.777	.417	.937
P06	125.1600	115.473	.708	.933
P07	125.2400	116.523	.584	.934
P08	125.2800	118.877	.402	.936
P09	126.9600	126.040	-.205	.944

P10	125.2800	114.543	.766	.933
P11	125.3200	116.810	.553	.935
P12	125.2000	118.583	.398	.936
P13	125.2400	115.440	.686	.933
P14	127.2400	115.940	.639	.934
P15	125.1200	116.610	.616	.934
P16	125.1600	115.973	.659	.934
P17	125.1200	119.110	.269	.936
P18	125.5600	117.090	.624	.934
P19	126.8000	115.417	.529	.935
P20	125.1200	115.943	.682	.934
P21	125.1600	116.140	.643	.934
P22	125.2000	115.333	.706	.933
P23	127.1600	120.390	.169	.939
P24	125.3200	116.060	.623	.934
P25	125.1200	118.443	.434	.936
P26	125.2800	114.543	.766	.933
P27	125.2000	120.417	.228	.937
P28	127.2000	120.833	.118	.940
P29	125.1200	116.443	.632	.934
P30	125.0400	117.540	.575	.935
P31	125.2400	115.023	.726	.933
P32	125.0800	118.410	.456	.935
P33	127.2000	119.583	.205	.937
P34	124.9600	117.290	.708	.934
P35	125.0800	116.910	.610	.934
P36	125.1200	117.193	.557	.935
P37	125.2000	116.000	.642	.934
P38	127.4800	120.510	.232	.937
P39	125.0400	116.707	.666	.934
P40	125.1600	117.057	.554	.935

OUTPUT SPSS UJI VALIDITAS DAN RELIABILITAS ASPEK BAHASA

RELIABILITY

```

/VARIABLES=P01 P02 P03 P04 P05 P06 P07 P08 P09 P10 P11 P12 P13 P14 P15 P16 P17
P18 P19 P20 P21 P22 P23 P24
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

Notes		
Output Created		05-JUN-2025 13:36:41
Comments		
	Data	D:\punya urip\urip\s3\PERSIAPAN DESERTASI\File bab disertasi\statistik\data uji valid dan reliabel bahasa.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
Input	Split File	<none>
	N of Rows in Working Data	25
	File	D:\punya urip\urip\s3\PERSIAPAN DESERTASI\File bab disertasi\statistik\data uji valid dan reliabel bahasa.sav
	Matrix Input	
	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling		Statistics are based on all cases with valid data for all variables in the procedure.
	Cases Used	

Syntax		RELIABILITY /VARIABLES=P01 P02 P03 P04 P05 P06 P07 P08 P09 P10 P11 P12 P13 P14 P15 P16 P17 P18 P19 P20 P21 P22 P23 P24 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,00

[DataSet1] D:\punya urip\urip\s3\PERSIAPAN DESERTASI\File bab disertasi\statistik\data uji valid dan reliabel bahasa.sav

Scale: ALL VARIABLES

Case Processing Summary			
		N	%
Cases	Valid	25	100.0
	Excluded ^a	0	.0
	Total	25	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics	
Cronbach's Alpha	N of Items
.961	24

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P01	78.7200	96.127	.921	.957
P02	78.4800	102.510	.725	.960
P03	78.5600	102.507	.620	.960
P04	78.7600	98.690	.821	.958
P05	78.5600	103.423	.629	.960
P06	78.6000	102.917	.587	.961
P07	78.6800	97.643	.873	.958
P08	78.6400	104.157	.568	.961
P09	78.5200	102.093	.656	.960
P10	78.8000	99.167	.802	.959
P11	78.5200	102.677	.704	.960
P12	78.6000	103.167	.566	.961
P13	78.6800	98.143	.834	.958
P14	78.6000	103.000	.676	.960
P15	78.5600	102.840	.591	.961
P16	78.7200	98.877	.790	.959
P17	78.6000	102.917	.684	.960
P18	78.5600	102.923	.584	.961
P19	78.7200	98.460	.823	.958
P20	78.6000	103.333	.642	.960
P21	78.6000	102.833	.595	.961
P22	78.6800	98.560	.803	.959
P23	78.6000	102.917	.684	.960
P24	78.5600	103.340	.548	.961

OUTPUT SPSS UJI VALIDITAS DAN RELIABILITAS KEPRAKTISAN BUKU AJAR

RELIABILITY

```

/VARIABLES=P01 P02 P03 P04 P05 P06 P07 P08 P09 P10 P11 P12 P13 P14 P15 P16 P17
P18 P19 P20 P21 P22 P23 P24
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability



Notes

Output Created	31-May-2025 11:14:41	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	41
Missing Value Handling	Matrix Input	
	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY	
	/VARIABLES=P01 P02 P03 P04 P05 P06 P07 P08 P09 P10 P11 P12 P13 P14 P15 P16 P17 P18 P19 P20 P21 P22 P23 P24	
	/SCALE('ALL VARIABLES') ALL	
	/MODEL=ALPHA	
Resources	/SUMMARY=TOTAL.	
	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00

[DataSet0]

Scale: ALL VARIABLES


Case Processing Summary

		N	%
Cases	Valid	41	100.0
	Excluded ^a	0	.0
	Total	41	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.959	24



Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P01	78.5854	89.849	.914	.955
P02	78.3415	95.730	.703	.957
P03	78.4146	94.749	.670	.958
P04	78.6585	93.280	.765	.957
P05	78.4146	96.399	.627	.958
P06	78.4878	95.606	.601	.958
P07	78.5366	91.655	.852	.956
P08	78.5122	97.606	.517	.959
P09	78.4146	94.749	.670	.958
P10	78.6341	92.938	.782	.956

P11	78.3902	95.944	.675	.958
P12	78.4878	95.906	.574	.959
P13	78.5366	92.255	.802	.956
P14	78.4634	96.205	.653	.958
P15	78.4390	95.202	.631	.958
P16	78.5610	93.002	.747	.957
P17	78.4878	96.256	.652	.958
P18	78.4146	95.149	.634	.958
P19	78.5854	92.649	.785	.956
P20	78.4634	96.605	.611	.958
P21	78.5122	95.656	.601	.958
P22	78.4878	92.156	.800	.956
P23	78.4878	96.256	.652	.958
P24	78.4390	96.102	.551	.959



UJI NORMALITAS DATA

```
EXAMINE VARIABLES=berbicara BY kelas
/PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT
/COMPARE GROUPS
/STATISTICS DESCRIPTIVES
/CINTERVAL 95
/MISSING LISTWISE
/NOTOTAL.
```

Explore



Notes

Output Created	10-AUG-2025 20:45:55	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	N of Rows in Working Data File	48
	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax	EXAMINE VARIABLES=berbicara BY kelas	
	/PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:00,42
	Elapsed Time	00:00:00,47

[DataSet0]

Kelas

Case Processing Summary

Kelas		Cases			
		Valid		Missing	
		N	Percent	N	Percent
Keterampilan Berbicara	Post-test kelas kontrol	23	100.0%	0	0.0%
	Post-test kelas eksperimen	25	100.0%	0	0.0%

Case Processing Summary

Kelas		Cases	
		Total	
		N	Percent
Keterampilan Berbicara	Post-test kelas kontrol	23	100.0%
	Post-test kelas eksperimen	25	100.0%

Descriptives

Kelas				
Keterampilan Berbicara	Post-test kelas kontrol	Mean		
		95% Confidence Interval for Mean	Lower Bound	
			Upper Bound	
		5% Trimmed Mean		
		Median		
		Variance		
		Std. Deviation		
		Minimum		
		Maximum		
		Range		

Post-test kelas eksperimen	Interquartile Range	
	Skewness	
	Kurtosis	
	Mean	
	95% Confidence Interval for Mean	Lower Bound
		Upper Bound
	5% Trimmed Mean	
	Median	
	Variance	
	Std. Deviation	
	Minimum	
	Maximum	
	Range	
	Interquartile Range	
	Skewness	
	Kurtosis	

Descriptives

Kelas			Statistic
Keterampilan Berbicara	Post-test kelas kontrol	Mean	64.39
		95% Confidence Interval for Mean	Lower Bound 61.48
			Upper Bound 67.31
		5% Trimmed Mean	64.59
		Median	64.00
		Variance	45.431
		Std. Deviation	6.740
		Minimum	50
		Maximum	75
		Range	25
	Post-test kelas eksperimen	Interquartile Range	11
		Skewness	-.410
		Kurtosis	-.412
		Mean	73.20
		95% Confidence Interval for Mean	Lower Bound 70.46
			Upper Bound 75.94
		5% Trimmed Mean	73.22

Median	73.00
Variance	44.083
Std. Deviation	6.640
Minimum	61
Maximum	85
Range	24
Interquartile Range	11
Skewness	-.032
Kurtosis	-.816

Descriptives

Kelas			Std. Error
Keterampilan Berbicara	Post-test kelas kontrol	Mean	1.405
		95% Confidence Interval for Mean	
		Lower Bound	
		Upper Bound	
		5% Trimmed Mean	
		Median	
		Variance	
		Std. Deviation	
		Minimum	
		Maximum	
	Post-test kelas eksperimen	Range	
		Interquartile Range	
		Skewness	.481
		Kurtosis	.935
		Mean	1.328
		95% Confidence Interval for Mean	
		Lower Bound	
		Upper Bound	
		5% Trimmed Mean	
		Median	
		Variance	
		Std. Deviation	
		Minimum	
		Maximum	
		Range	
		Interquartile Range	

Skewness	.464
Kurtosis	.902

Tests of Normality

Kelas		Kolmogorov-Smirnov ^a			Shapiro-Wilk
		Statistic	df	Sig.	ilk
Keterampilan Berbicara	Post-test kelas kontrol	.216	23	.007	.944
	Post-test kelas eksperimen	.116	25	.200*	.967

Tests of Normality

Kelas		Shapiro-Wilk ^a	
		df	Sig.
Keterampilan Berbicara	Post-test kelas kontrol	23	.215
	Post-test kelas eksperimen	25	.560


*. This is a lower bound of the true significance.


a. Lilliefors Significance Correction

Keterampilan Berbicara



Histograms





Stem-and-Leaf Plots

Keterampilan Berbicara Stem-and-Leaf Plot for
kelas= Post-test kelas kontrol

Frequency	Stem &	Leaf
2,00	5 .	03
4,00	5 .	6688
8,00	6 .	44444444
4,00	6 .	8889
4,00	7 .	2224
1,00	7 .	5

Stem width: 10

Each leaf: 1 case(s)

Keterampilan Berbicara Stem-and-Leaf Plot for
kelas= Post-test kelas eksperimen

Frequency	Stem &	Leaf
3,00	6 .	133
4,00	6 .	7778
8,00	7 .	00033333
4,00	7 .	7777
5,00	8 .	00033
1,00	8 .	5


Stem width: 10
Each leaf: 1 case(s)


Normal Q-Q Plots




Normal Q-Q Plot of Keterampilan Berbicara


for kelas= Post-test kelas kontrol






Detrended Normal Q-Q Plots







UJI HOMOGENITAS DATA

```
ONEWAY berbicara BY kelas
  /STATISTICS DESCRIPTIVES EFFECTS HOMOGENEITY
  /MISSING ANALYSIS.
```

Oneway

Notes		
Output Created		15-JUN-2025 20:48:55
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	N of Rows in Working Data File	48
	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax		ONEWAY berbicara BY kelas /STATISTICS DESCRIPTIVES EFFECTS HOMOGENEITY /MISSING ANALYSIS.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02

[DataSet0]

Descriptives

Keterampilan Berbicara					
	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean

					Lower Bound
Post-test kelas kontrol	23	64.39	6.740	1.405	61.48
Post-test kelas eksperimen	25	73.20	6.640	1.328	70.46
Total	48	68.98	7.972	1.151	66.66
Model	Fixed Effects		6.688	.965	67.04
	Random Effects			4.408	12.97

Descriptives

Keterampilan Berbicara

	95% Confidence Interval for Mean	Minimum	Maximum	Between- Component Variance
	Upper Bound			
Post-test kelas kontrol	67.31	50	75	36.930
Post-test kelas eksperimen	75.94	61	85	
Total	71.29	50	85	
Model	Fixed Effects			
	Random Effects			
	124.99			

Test of Homogeneity of Variances

Keterampilan Berbicara

Levene Statistic	df1	df2	Sig.
.056	1	46	.814

ANOVA

Keterampilan Berbicara

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	929.501	1	929.501	20.781	.000
Within Groups	2057.478	46	44.728		
Total	2986.979	47			

OUTPUT SPSS UJI-T

```
T-TEST GROUPS=kelas(1 2)
/MISSING=ANALYSIS
/VARIABLES=berbicara
/CRITERIA=CI(.95).
```

T-Test

Notes

Output Created	15-AUG-2025 19:33:21	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	N of Rows in Working Data File	48
	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax	T-TEST GROUPS=kelas(1 2) /MISSING=ANALYSIS /VARIABLES=berbicara /CRITERIA=CI(.95).	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,00

[DataSet0]

Group Statistics

	Kelas	N	Mean	Std. Deviation
Keterampilan Berbicara	Post-test kelas kontrol	23	64.39	6.740

	Post-test kelas eksperimen	25	73.20	6.640
--	----------------------------	----	-------	-------

Group Statistics

Kelas		Std. Error Mean
Keterampilan Berbicara	Post-test kelas kontrol	1.405
	Post-test kelas eksperimen	1.328

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means
		F	Sig.	t
Keterampilan Berbicara	Equal variances assumed	.056	.814	-4.559
	Equal variances not assumed			-4.556

Independent Samples Test

		t-test for Equality of Means		
		df	Sig. (2-tailed)	Mean Difference
Keterampilan Berbicara	Equal variances assumed	46	.000	-8.809
	Equal variances not assumed	45.542	.000	-8.809

Independent Samples Test

		t-test for Equality of Means		
		Std. Error Difference	95% Confidence Interval of the Difference	
			Lower	Upper
Keterampilan Berbicara	Equal variances assumed	1.932	-12.698	-4.919
	Equal variances not assumed	1.934	-12.702	-4.916

Data Nilai SAP Mahasiswa

	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20	M21	M22	M23	M24
Nilai Unit_1	57	62	69	72	49	54	67	65	73	62	61	66	70	72	60	65	61	74	74	69	66	64	64	60
Nilai Unit_2	59	68	63	68	48	54	66	65	67	56	52	66	66	69	58	64	68	72	75	70	66	60	72	59
Nilai Unit_3	55	65	66	71	54	54	67	71	73	61	58	60	68	73	59	62	63	71	77	69	67	61	63	58
Nilai Unit_4	56	64	68	75	49	53	62	73	76	59	59	65	68	69	61	68	67	72	77	67	65	64	70	66
Nilai Unit_5	50	64	60	72	51	52	59	63	69	54	55	66	68	73	56	65	68	76	77	64	64	66	67	59
Nilai Unit_6	58	61	68	75	51	49	65	72	69	58	60	67	66	69	54	59	63	73	78	70	66	67	65	58
Nilai Unit_7	59	62	58	69	45	52	62	70	74	56	53	59	67	77	55	64	65	74	73	69	61	64	70	66
Nilai Unit_8	51	66	60	75	54	53	66	65	74	58	52	64	69	71	63	67	60	78	70	71	58	67	73	61
Rata-Rata	55,6	64	64	72,1	50,1	52,6	64,3	68	71,9	58	56,3	64,1	67,8	71,6	58,3	64,3	64,4	73,8	75,1	68,6	64,1	64,1	68	60,9
Pembulatan	56	64	64	72	50	53	64	68	72	58	56	64	68	72	58	64	64	74	75	69	64	64	68	61



M25	M26	M27	M28	M29	M30	M31	M32	M33	M34	M35	M36	M37	M38	M39	M40	M41	M42	M43	M44	M45	M46	M47	M48
62	77	77	88	60	73	74	80	80	64	68	76	80	82	68	71	72	80	81	63	75	76	76	84
69	74	80	87	62	64	72	78	85	66	70	75	80	84	70	72	70	79	82	72	69	70	82	77
66	70	72	84	67	69	74	80	85	67	72	70	78	78	65	70	72	78	81	72	68	74	85	77
70	72	72	82	67	70	72	77	85	66	68	75	72	87	65	71	73	75	79	66	70	75	75	85
63	73	77	90	60	71	75	77	80	61	70	71	74	87	64	67	71	78	78	70	70	75	81	76
64	71	79	85	65	63	75	75	85	58	72	71	77	85	65	67	76	74	83	60	68	70	80	77
72	69	76	80	60	67	70	75	80	58	70	72	77	80	70	69	75	75	79	64	69	71	79	81
68	77	78	89	60	64	73	75	85	64	70	71	75	78	69	70	74	75	76	68	70	73	83	84
66,8	72,9	76,4	85,6	62,6	67,6	73,1	77,1	83,1	63	70	72,6	76,6	82,6	67	69,6	72,9	76,8	79,9	66,9	69,9	73	80,1	80,1
67	73	77	85	63	68	73	77	83	63	70	73	77	83	67	70	73	77	80	67	70	73	80	80



HASIL UJI AIKEN ASPEK BAHASA BUKU AJAR

No Item	Validator 1	Validator 2	S1	S2	ΣS	n(C-1)	V	Kategori
1	4	3	3	2	5	6	0,833333	Validitas Tinggi
2	4	4	3	3	6	6	1	Validitas Tinggi
3	3	3	2	2	4	6	0,666667	Validitas Sedang
4	3	3	2	2	4	6	0,666667	Validitas Sedang
5	4	4	3	3	6	6	1	Validitas Tinggi
6	4	4	3	3	6	6	1	Validitas Tinggi
7	3	4	2	3	5	6	0,833333	Validitas Tinggi
8	3	4	2	3	5	6	0,833333	Validitas Tinggi
9	3	3	2	2	4	6	0,666667	Validitas Sedang
10	4	4	3	3	6	6	1	Validitas Tinggi
11	4	4	3	3	6	6	1	Validitas Tinggi
12	4	4	3	3	6	6	1	Validitas Tinggi
13	4	3	3	2	5	6	0,833333	Validitas Tinggi
14	3	4	2	3	5	6	0,833333	Validitas Tinggi
15	4	3	3	2	5	6	0,833333	Validitas Tinggi
16	3	4	2	3	5	6	0,833333	Validitas Tinggi
17	4	4	3	3	6	6	1	Validitas Tinggi
18	3	4	2	3	5	6	0,833333	Validitas Tinggi
19	4	3	3	2	5	6	0,833333	Validitas Tinggi
20	4	3	3	2	5	6	0,833333	Validitas Tinggi
21	4	3	3	2	5	6	0,833333	Validitas Tinggi
22	4	4	3	3	6	6	1	Validitas Tinggi
23	3	4	2	3	5	6	0,833333	Validitas Tinggi
24	4	3	3	2	5	6	0,833333	Validitas Tinggi

HASIL UJI AIKEN ASPEK DESAIN BUKU AJAR

No Item	Validator 1	Validator 2	S1	S2	$\sum S$	n(C-1)	V	Kategori
1	3	3	2	2	4	6	0,666667	Validitas Sedang
2	3	4	2	3	5	6	0,833333	Validitas Tinggi
3	4	3	3	2	5	6	0,833333	Validitas Tinggi
4	4	3	3	2	5	6	0,833333	Validitas Tinggi
5	3	4	2	3	5	6	0,833333	Validitas Tinggi
6	3	4	2	3	5	6	0,833333	Validitas Tinggi
7	4	3	3	2	5	6	0,833333	Validitas Tinggi
8	4	3	3	2	5	6	0,833333	Validitas Tinggi
9	4	4	3	3	6	6	1	Validitas Tinggi
10	4	4	3	3	6	6	1	Validitas Tinggi
11	4	4	3	3	6	6	1	Validitas Tinggi
12	3	4	2	3	5	6	0,833333	Validitas Tinggi
13	4	4	3	3	6	6	1	Validitas Tinggi
14	3	3	2	2	4	6	0,666667	Validitas Tinggi
15	4	3	3	2	5	6	0,833333	Validitas Tinggi
16	4	4	3	3	6	6	1	Validitas Tinggi
17	4	3	3	2	5	6	0,833333	Validitas Tinggi
18	3	4	2	3	5	6	0,833333	Validitas Tinggi
19	4	3	3	2	5	6	0,833333	Validitas Tinggi
20	4	4	3	3	6	6	1	Validitas Tinggi
21	3	4	2	3	5	6	0,833333	Validitas Tinggi
22	4	4	3	3	6	6	1	Validitas Tinggi
23	4	3	3	2	5	6	0,833333	Validitas Tinggi
24	4	3	3	2	5	6	0,833333	Validitas Tinggi
25	3	3	2	2	4	6	0,666667	Validitas Sedang
26	4	4	3	3	6	6	1	Validitas Tinggi
27	4	3	3	2	5	6	0,833333	Validitas Tinggi
28	4	4	3	3	6	6	1	Validitas Tinggi
29	3	4	2	3	5	6	0,833333	Validitas Tinggi
30	3	3	2	2	4	6	0,666667	Validitas Tinggi
31	4	4	3	3	6	6	1	Validitas Tinggi
32	4	4	3	3	6	6	1	Validitas Tinggi

HASIL UJI AIKEN ASPEK MATERI BUKU AJAR

No Item	Validator 1	Validator 2	S1	S2	ΣS	n(C-1)	V	Kategori
1	4	4	3	3	6	6	1	Validitas Tinggi
2	4	3	3	2	5	6	0,83333333	Validitas Tinggi
3	4	4	3	3	6	6	1	Validitas Tinggi
4	4	4	3	3	6	6	1	Validitas Tinggi
5	3	3	2	2	4	6	0,66666667	Validitas Tinggi
6	4	4	3	3	6	6	1	Validitas Tinggi
7	3	4	2	3	5	6	0,83333333	Validitas Tinggi
8	3	4	2	3	5	6	0,83333333	Validitas Tinggi
9	4	3	3	2	5	6	0,83333333	Validitas Tinggi
10	4	4	3	3	6	6	1	Validitas Tinggi
11	3	4	2	3	5	6	0,83333333	Validitas Tinggi
12	3	3	2	2	4	6	0,66666667	Validitas Sedang
13	4	4	3	3	6	6	1	Validitas Tinggi
14	4	3	3	2	5	6	0,83333333	Validitas Tinggi
15	4	4	3	3	6	6	1	Validitas Tinggi
16	4	4	3	3	6	6	1	Validitas Tinggi
17	4	3	3	2	5	6	0,83333333	Validitas Tinggi
18	4	4	3	3	6	6	1	Validitas Tinggi
19	4	4	3	3	6	6	1	Validitas Tinggi
20	4	3	3	2	5	6	0,83333333	Validitas Tinggi
21	4	4	3	3	6	6	1	Validitas Tinggi
22	3	4	2	3	5	6	0,83333333	Validitas Tinggi
23	3	3	2	2	4	6	0,66666667	Validitas Sedang
24	3	4	2	3	5	6	0,83333333	Validitas Tinggi
25	4	4	3	3	6	6	1	Validitas Tinggi
26	3	4	2	3	5	6	0,83333333	Validitas Tinggi



