

**ASUHAN KEBIDANAN KOMPREHENSIF PAD PEREMPUAN “PW”  
DI PMB “TP” WILAYAH KERJA PUSKESMAS GEROKGAK I  
TAHUN 2020**

**Comprehensive Midwifery Care For “PW” Women In “TP”  
PMB Gerokgak I Public Working Area 2020**

Oleh  
Ni Made Wiadnyani Karang  
D3 Kebidanan Universitas Pendidikan Ganesha  
Email: [karang.wiadnyani@gmail.com](mailto:karang.wiadnyani@gmail.com)

**ABSTRAK**

Pada setiap ibu hamil akan mengalami perubahan fisik maupun psikologis, salah satu perubahan fisiologis ibu hamil yaitu terjadinya *hemodilusi*, dengan adanya *hemodilusi* dapat menyebabkan *anemia* pada ibu hamil. Dampak *anemia* pada ibu hamil yaitu terjadinya perdarahan saat melahirkan, kelahiran prematur. Tujuan asuhan kebidanan ini dapat mengidentifikasi asuhan kebidanan pada perempuan “PW” menggunakan jenis penelitian deskriptif dengan pendekatan studi kasus. Metode pengumpulan data yang digunakan yaitu pengumpulan data primer dan sekunder, pada pengumpulan data primer dilakukan wawancara dengan pasien melalui media sosial (online). Didapatkan hasil yaitu pada kehamilan perempuan “PW” melakukan kunjungan antenatal sebanyak 12 kali selama kehamilan, pada TM III mengeluh nyeri punggung bagian bawa serta mulas, persalinan dilakukan pada tanggal 01 Mei 2020 secara normal, bayi lahir spontan belakang kepala, jenis kelamin laki-laki, BBL 3900 gram, PB 50 cm. Asuhan masa nifas tidak ada komplikasi pada ibu dan bayi, ibu diberikan penatalaksanaan atau informasi sesuai kebutuhan ibu dan pada masa nifas KF III ibu memutuskan menggunakan KB suntik 3 bulan setelah anaknya berumur 42 hari. Adapun upaya yang dilakukan dalam mencegah komplikasi patologis yaitu melakukan antenatal care minimal 4 kali selama kehamilan, melakukan deteksi dini terjadinya komplikasi yaitu dengan pelayanan ANC 10T, melakukan asuhan secara komprehensif atau berkesinambungan.

**Kata Kunci :** Asuhan kebidanan, Komprehensif, Kehamilan normal

## **ABSTRACT**

*In every pregnant woman will experience physical and psychological changes, one of the physiological changes in pregnant women is the occurrence of hemodilution, with the presence of hemodilution can cause anemia in pregnant women. The impact of anemia on pregnant women is the occurrence of bleeding during childbirth, premature birth. The purpose of midwifery care can be to identify midwifery care for women "PW" using descriptive research with a case study approach. Data collection methods used are primary and secondary data collection, in primary data collection interviews were conducted with patients through social media (online). The results obtained are in pregnancy "PW" women made antenatal visits 12 times during pregnancy, TM TM complained of back pain and carry heartburn, labor was carried out on May 1, 2020 normally, the baby was born spontaneously behind the head, male sex , BBL 3900 grams, PB 50 cm. Postpartum care there are no complications for the mother and baby, the mother is given management or information according to the needs of the mother and during the postpartum KF III the mother decides to use injectable birth control 3 months after her child is 42 days old. The efforts made in preventing pathological complications are antenatal care at least 4 times during pregnancy, early detection of complications, namely by the ANC 10T service, conduct comprehensive or continuous care.*

*Keywords:* Midwifery care, Comprehensive, Normal pregnancy

