

DAFTAR PUSTAKA

- Asmala *et al.* (2016). Variation in Reverine Inputs Affect Dissolved Organic Matter Characteristics Throughout The Estuarine Gradient. *Frontiers in Marine Science*, Volume 2, (page 1-15).
- Arrigo *et al.*, (2011). Primary Productivity In The Arctic Ocean : Impacts Of Complex Optical Properties And Subsurface Chlorophyll Maxima On Large Scale Estimates. *Journal of Geophysical Research Oceans*, Volume 116, (page 1-15).
- Agren *et al.* (2008). Dissolved Organic Carbon Characteristics In Boreal Streams In A Forest-Wetland Gradient During The Transition Between Winter And Summer. *Journal of Geophysical Research*, Volume 113, (page 1-11).
- Ayip Choerul Rizal *et al.*, (2017). Pendekatan Status Nutrien Pada Sedimen Untuk Mengukur Struktur Komunitas Makrozoobentos Di Wilayah Muara Sungai Dan Pesisir Pantai Rancabuaya, Kabupaten Garut. *Jurnal Perikanan dan Kelautan*, Volume 2, (page 7-16).
- Coble, *et al.*,(2007). Marine Optical Biogeochemistry: The Chemistry Of Ocean Color, *Marine Chemistry*, Volume 214, (page 402-418).
- Carmack *et al.*, (2015). The Contiguous Panarctic Riverine Coastal Domain : A Unifying Concept. *Progress In Oceanography*, Volume 139, (page 13-23).
- Dewi Riski Handayani *et al.*, (2016). Hubungan Kandungan Nutrien Dalam Substrat Terhadap Kepadatan Lamun Di Perairan Desa Lalowaru Kecamatan Moramo Utara. *Sapa Laut*, Volume 1, Edisi 2 (page 42-53).
- Effendi, H. (2003). *Telaah Kualitas Air Bagi Pengelolaan Sumber Daya Dan Lingkungan Perairan*. Yogyakarta: Kanisius.
- Emi Rachmi *et al.*,(2016). Pemeriksaan Kualitas Air Sungai Sei Kera Medan Dengan Metode Spektrophotometri. *Jurnal Biologi Lingkungan, Industri, Kesehatan*, Volume 1, (page 44-55).
- Eha Soliha *et al.*,(2016). Kualitas Air dan Keanekaragaman Plankton di Danau Cikaret, Cibinong, Bogor. *Jurnal Ekologia*, Volume 16, Edisi 2 (page 1-10)
- Fichot & Benner., (2011). A Novel Method To Estimate DOC Concentrations From CDOM Absorption Coefficients In Coastal Waters. *Geophysical Research Letters*, Volume 38, (page 1-5).

- Hoge *et al.*, (1993). Inherent Optical Properties Of The Ocean: Retrieval Of The Absorption Coefficient Of Chromophoric Dissolved Organic Matter From Fluorescence Measurements. *Limnol. Oceanogr*, Volume 38, Edisi 7 (page 1394-1402).
- Helms,. (2006). Spectral Shape As An Indicator Of Molecular Weight In Chromophoric Dissolved Organic Matter. *Chemistry&Biochemistry Theses Dissertations*, Faculty of Old Dominion University.
- Helms, *et al.*, (2008). Absorption Spectral Slopes And Slope Ratios As Indicators Of Molecular Weight, Sources, And Photobleaching Of Chromophoric Dissolved Organic Matter. *Limnology And Oceanography*, Volume 53, (page 955-968)
- Heny Budi Setyorini *et al.*, (2019). Kandungan Nitrat Dan Fosfat Di Pantai Jungwok, Kabupaten Gunungkidul, Yogyakarta, *Jurnal Sumberdaya perairan*, Volume 13, (page 87-93).
- Laurion *et al.*, (2000). Attenuation Of Ultraviolet Radiation In Mountain Lakes : Factors Controlling The Among- And Within-Lake Variability. *Limnol Oceanogr*, Volume 45, Edisi 6 (page 1274-1288).
- Loiselle *et al.*, (2009). Variability In Photobleaching Yields And Related Impacts On Optical Conditions In Subtropical Lakes. *Journal Of Photochemistry & Photobiology*, Volume 95, Edisi 2 (page 129-137).
- Moran *et al.*, (2000). Carbon Loss And Optical Property Changes During Long-Term Photochemical And Biological Degradation Of Estuarine Dissolved Organic Matter. *Limnol Oceanogr*, Volume 45, Edisi 6 (page 1254-1264).
- Moran *et al.*, (1997). Role Of Photoreactions In The Formation Of Biologically Labile Organic Compounds From Dissolved Organic Matter. *Limnol. Oceanogr*, Volume 42, (page 1307-1316).
- Munifatul Izzati *et al.*, (2008). Perubahan Konsentrasi Oksigen Terlarut Dan Ph Perairan Tambak Setelah Penambahan Rumput Laut Sargassum *Plaghyophyllum* Dan Ekstraknya. *Jurnal Anatomi Fisiologi*, Volume 16, Edisi 2 (page 60-69).
- Nelson *et al.*, (1998). Seasonal Dynamics Of Colored Dissolved Material In The Sargasso Sea, *Deep-Sea Research*, Volume 45, (page 931-957).
- Nelson *et al.*, (2004). Production Of Chromophoric Dissolved Organic Matter By Sargasso Sea Microbes. *Marine Chemistry*, Volume 89, (page 273-287).
- Nelson *et al.*, (2010). Tracing Global Biogeochemical Cycles And Meridional

- Overturning Circulation Using Chromophoric Dissolved Organic Matter. *Geophysical Research Letters*, Volume 37, (page 1-5)
- Noorhadi Rahardjo, *et al.*, (2008). Pemetaan Potensi Mata Air Di Pulau Bali (Mapping Of Springs Potency In Bali Island), *JRL* Volume 4, Edisi 2 (page 71-79).
- Oestreich, W. K., Ganju, N. K., Pohlman, J. W., & Suttles, S. E. (2016). Colored Dissolved Organic Matter In Shallow Estuaries: Relationships Between Carbon Sources And Light Attenuation. *Biogeosciences*, Volume 13, (page 583-595).
- Pavlova *et al.*, (2016). Linkages Between The Circulation And Distribution Of Dissolved Organic Matter In The White Sea, Arctic Ocean. *Continental Shelf Research*, Volume 119, (page 1-13).
- Risamasu FJL, Prayitno. 2011. Kajian Zat Hara Fosfat, Nitrit, Nitrat Dan Silikat Di Perairan Kepulauan Matasari Kalimantan Selatan. *Jurnal Perikanan Kalautan* Volume 16, Edisi 3 (page 135-142).
- Solomon *et al.*, (2007). Long-Term Impacts Of Anthropogenic Perturbations On Dynamics And Speciation Of Organic Carbon In Tropical Forest And Subtropical Grass-Land Ecosystems. *Global Change Biology*, Volume 13, (page 511-530)
- Swan *et al.*, (2012). The Effect Of Surface Irradiance On The Absorption Spectrum Of Chromophoric Dissolved Organic Matter In The Global Ocean. *Deep-Sea Research, Part I* Volume 63, (page 52-64).
- Steinberg *et al.*, (2004). Production Of Chromophoric Dissolved Organic Matter (CDOM) In The Open Ocean By Zooplankton And The Colonial Cyanobacterium *Trichodesmium* Spp. *Marine Ecology Progress Series*, Volume 267, (page 45-56).
- Stedmon *et al.*, (2000). Optical Properties And Signatures Of Chromophoric Dissolved Organic Matter (CDOM) In Danish Coastal Waters, Estuarine. *Coastal and Shelf Science*, Volume 51, (page 267-278)
- Shank *et al.*, (2005). Variations In The Spectral Properties Of Freshwater And Estuarine CDOM Caused By Partitioning Onto River And Estuarine Sediments, 65. *Estuarine. Coastal and Shelf Science*, Volume 65, (page 289-301)
- Spencer *et al.*, (2007). Diurnal Variability In Riverine Dissolved Organic Matter Composition Determined By In Situ Optical Measurement In The San Joaquin River (California , USA). *Hydrological Processes*, Volume 21, (page 3181-3189)

- Suryaputra *Et al.* (2015). Non-Conservative Behavior Of Fluorescent Dissolved Organic Matter (FDOM) Within A Subterranean Estuary. *Continental Shelf Research*, Volume 110, (page 183-190)
- Simon I.Patty *et al.*, (2015) Zat Hara (Fosfat , Nitrat), Oksigen Terlarut Dan Ph Kaitannya Dengan Kesuburan. *Jurnal Pesisir dan Laut Tropis*, Volume 1, (page 43– 50).
- Wen *et al.*, (2015). Influence Of Environmental Factors On Spectral Characteristic Of Chromophoric Dissolved Organic Matter (CDOM) In Inner Mongolia Plateau, China. Hydrology And Earth System Sciences Discussions. *Science of the Total Environment*, Volume 636, (page 5895-5929).
- Zhang et al., (2007). Chromophoric Dissolved Organic Matter (CDOM) Absorption Characteristics In Relation To Fluorescence In Lake Taihu ,China, A Large Shallow Subtropical Lake. *Hydrobiologia*, Volume 581, (page 43-52)

