

AsuhanKebidananKomprehensifPadaPerempuan “MR” Di PMB “ KA” Di Wilayah

KerjaPuskesmasBuleleng II Tahun 2021

Putu Lia GinarDamara

UniversitasPendidikanGanesha

ginardamara@gmail.com

ABSTRAK

Nyeripunggungbagianbawahmerupakanmasalah yang banyak di alamiolehibu TM III.Nyeripunggungbagianbawahmerupakan nyeri di bagian lumbal, lumbosakral, atau di daerah leher.nyeri punggung bagian bawah di sebabkan oleh regangan otot atau tekanan pada akar saraf dan biasanya di rasakan sebagai rasa sakit, tegangan,atau rasa kaku,di bagian punggung bawah. Nyeri punggung bagian bawah juga dapat menyebabkan gejala yang mencegah ibu hamil untuk menjalani aktivitasnya dengan normal,seperti gangguan motorik,insomnia,dan depresi. Kemungkinan implikasi yang di sebabkan nyeri punggung bawah sebagai salah satu ketidaknyamanan selama kehamilan harus mendapatkan perhatian yang tepat dan perawatan yang benar.(Ayanniyi,2013).Jenispenelitian yang di lakukanayitupenelitiandeskriptifdenganpendekatan study kasus yang di lakukanmulaidarikehamilansampai masa nifas 2 minggupertamadengangsubjekpenelitianyaituperempuan “MR” dengankeluhannyeri punggungbagianbawah. Perempuan”MR” padasaathamil,bersalin,dannifasmengalamikeluhanfisiologisdansudah di berikanasuhansesuaidengankeluhan yang d alami. Padabayibarulahir,lahirdenganspontanbelakangkepalatanpaadapenyulitdanpada masa neonates

dengan neonates fisiologis. Sehingga simpulan yang dapat ditarik dari suhan yang telah diberikan sesuai dengan kasus.

Kata Kunci : Kehamilan, Komprehensif, Nyeri punggung bagian bawah.



***The Comprehensive Midwifery Care on A Female Patient shortened as "MR" at an
Independent Midwife Practice "KA" in the Working Area of Public Health Centre II in
Buleleng Regency Year 2021.***

Putu Lia GinarDamara

Universitas Pendidikan Ganesha

ginardamara@gmail.com

ABSTRACT

Lower back pain has found to be the health issue that most mothers in TM III experience.

Lower back pain can be defined as the severe pain that patients experience in the lumbar, lumbosacral, or neck area. This pain is caused by muscle strain or pressure on nerve roots and is usually identified as pain, tension, or stiffness in the lower back. Lower back pain can also cause symptoms that prevent pregnant women from carrying out their normal activities, such as motor disorders, insomnia, and depression. The possible implications caused by low back pain as one of the discomforts during pregnancy and this should get the right attention and the right treatment (Ayanniyyi, 2013). The type of research carried out in this study is descriptive research with a case study approach that starts from pregnancy to the first 2 weeks of postpartum with the research subject is "MR" with complaints of lower back pain that this patient has experienced during her pregnancy, childbirth. Besides. "MR" also had postpartum experience physiological complaints and have been given care in accordance with the complaints she has experienced. In newborns, the baby was born spontaneously behind the head without any complications and in neonates with physiological neonates. So that the conclusions that can be drawn is that the care has been given accordingly to the cases found in the research subject.

Keywords: Pregnancy, Comprehensive, Lower back pain.

