


Abstrak

Asuhan Kebidanan Komprehensif Pada Perempuan “EK” di PMB “SP” Wilayah Kerja Puskesmas Tejakula II Tahun 2021

Pada kehamilan Trimester III sering muncul keluhan yang lazim terjadi. Salah satu keluhan yang lazim terjadi pada ibu hamil Trimester III adalah sering kencing. Sering kencing disebabkan tekanan pada kandung kemih sehingga kandung kemih cepat terasa penuh dan menimbulkan dorongan untuk kencing. Metode penelitian yang digunakan yaitu deskriptif dengan pendekatan studi kasus. Penelitian dilakukan di PMB “SP” karena jumlah ibu hamil yang berkunjung banyak, Sehingga mudah untuk melakukan penelitian. Pada masa pandemic covid-19 pengambilan data dilakukan dengan wawancara, observasi, pengamatan serta pemeriksaan fisik dengan mematuhi protocol kesehatan. Pada penelitian ini subjek yang digunakan yaitu perempuan “EK” G3P2A0 UK 38 minggu 1 hari di PMB “SP” dengan keluhan sering kencing sehingga diberikan KIE cara mengurangi keluhan sering kencing. Kunjungan selanjutnya perempuan “EK” mampu beradaptasi dengan keluhannya. Persalinan berjalan lancar, sedangkan pada masa nifas terjadi bengkak pada kedua payudara. Penatalaksanaan yang diberikan yaitu perawatan payudara. Kunjungan nifas selanjutnya sudah tidak mengalami bengkak pada kedua payudaranya. Asuhan bayi dilakukan sampai usia 14 hari, bayi tidak mendapat ASI karena bayi di adopsi. Kesimpulan yang didapat dari asuhan komprehensif pada perempuan “EK” berjalan lancar. Keluhan yang dialami perempuan “EK” dari masa kehamilan, persalinan, dan nifas adalah keluhan yang fisiologis. Terdapat kesenjangan antara teori dan praktek.

Kata kunci : Kehamilan, Trimester III, Sering kencing



Abstract

Comprehensive Midwifery Care for “EK” Women at PMB “SP” Tejakula II Health Center Working Area

Year 2021

In the third trimester of pregnancy, complaints are common. One of the common complaints in third trimester pregnant women is frequent urination. Frequent urination is caused by pressure on the bladder so that the bladder feels full quickly and causes the urge to urinate. Midwifery care is provided comprehensively starting for pregnant women, maternity, BBL, and postpartum until 14 days. The research method used is descriptive with a case study approach. In this study, the research subjects used were women "EK" G3P2A0 UK 38 weeks 1 day in PMB "SP" with complaints of frequent urination. The results of the study on "EK" women were given KIE how to reduce the frequent urination complaints. On the next visit, the “EK” woman was able to adapt to her complaints. In labor went smoothly, while during the puerperium there was swelling in both breasts. The treatment given is breast care. The next postpartum visit, there was no swelling in both breasts. Baby care is carried out until the age of 14 days, the baby does not get breast milk because the baby is adopted. The conclusions obtained from comprehensive care for "EK" women went smoothly. And the complaints experienced by "EC" women during pregnancy, childbirth, and postpartum are physiological complaints. So there is no gap between theory and practice.

Keywords: Pregnancy, Third Trimester, Frequent urination

