

**Asuhan Kebidanan Komperhensif Pada Perempuan “M” di PMB “EP” di
Wilayah Kerja Puskesmas Gerokgak I Tahun 2021**

Retno Wahyuningsih

Universitas Pendidikan Ganesha

retno@undiksha.ac.id

ABSTRAK

Perubahan fisiologis pada ibu hamil trimester III dapat menimbulkan berbagai macam ketidaknyamanan, salah satunya yaitu sering kencing. Berdasarkan hasil observasi yang dilakukan di PMB “EP” dari 3 bulan terakhir didapatkan jumlah ibu hamil trimester III, dari 30 orang trimester III sebanyak 6 orang mengeluh mudah lelah, 3 orang mengeluh nyeri symphysis, 4 orang mengeluh kaki bengkak, 4 orang mengeluh nyeri punggung dan 12 orang mengeluh sering kencing. Gejala bisa timbul karena janin mulai masuk ke rongga panggul dan menekan kembali kandung kemih sehingga menimbulkan sering kencing pada ibu hamil trimester III.

Metode penelitian yang digunakan adalah diskriptif dengan pendekatan studi kasus asuhan kebidanan yang berlokasi di PMB “EP” wilayah kerja Puskesmas Gerokgak I, Kabupaten Buleleng. Metode pengumpulan data yang digunakan adalah teknik wawancara, observasi, pemeriksaan fisik dan penunjang, dan dokumentasi. Hasil laporan tugas akhir pada asuhan kebidanan komperhensif pada data subyektif didapatkan hasil yaitu kehamilan yang kedua, ibu mengalami gangguan sering kencing, tidak pernah melahirkan premature, tidak pernah mengalami keguguran. Pada data obyektif didapatkan hasil yaitu hasil pemeriksaan fisik dari ujung kepala sampai ekstremitas tidak ditemukan masalah, palpasi Leopold sesuai dengan usia kehamilan, pemeriksaan pada persalinan meliputi tanda-tanda vital, his, DJJ, dan pemeriksaan dalam (VT). Pemeriksaan pada masa nifas yaitu pemeriksaan trias nifas, tidak terdapat gangguan selama masa nifas. Pada analisa didapatkan hasil yaitu G₂P₁A₀ UK 40 minggu Preskep U Puka Janin Tunggal Intrauteri Fase Aktif Kala I. Pada penatalaksanaan dilakukan dengan cara memberikan KIE untuk mengatasi keluhan sering kencing dan sesak napas, serta memberikan tablet besi dan vitamin C.

Setelah dilakukan asuhan kebidanan komperhensif pada perempuan “M” dengan menggunakan pendokumentasian SOAP, maka dapat disimpulkan bahwa tidak ada kesenjangan antara teori dengan asuhan yang diberikan.

Kata kunci: asuhan kebidanan komperhensif, G₂P₁A₀, sering kencing.

**Asuhan Kebidanan Komperhensif Pada Perempuan “M” di PMB “EP” di
Wilayah Kerja Puskesmas Gerokgak I Tahun 2021**

Retno Wahyuningsih

Universitas Pendidikan Ganesha

retno@undiksha.ac.id

ABSTRACT

Physiological changes in third trimester pregnant women can cause various kinds of discomfort, one of which is frequent urination. Based on observations made at PMB “EP” from the last 3 months, it was found that the number of pregnant women in the third trimester, from 30 people in the third trimester, 6 people complained of fatigue, 3 people complained of symphysis pain, 4 people complained of swollen legs, 4 people complained of back pain and 12 people complained of frequent urination. Symptoms can arise because the fetus begins to enter the pelvic cavity and presses back on the bladder, causing frequent urination in third trimester pregnant women.

The research method used is descriptive with a case study approach of midwifery care located in PMB “EP” work area gerokgak I Public Health Centre, Buleleng Regency. The data collection methods used were interview, observation, physical examination and supporting techniques, and documentation. The results of the final report on comprehensive midwifery care in subjective data showed that the second pregnancy, the mother experienced frequent urination disorders, never gave birth prematurely, never had a miscarriage. The objective data showed that the results of a physical examination from the tip of the head to the extremities were not found to be a problem, Leopold’s palpation was in accordance with gestational age. Examination at delivery includes vital sign, hispathology, FHR, and internal examination (VT). In the analysis, the results were G₂P₁A₀ UK 40 weeks of Preskep U Puka Fetus Singel Intrauterine Active Phases I. The management was carried out by giving IEC to overcome complaints of frequent urination and shortness of breath, as well as giving iron tablets and vitamin C.

After comprehensive obstetric care was performed on the patient. Female “M” by using SOAP documentation, it can be concluded that there is no gap between theory and the care provided.

Keywords: *Comperhensive midwifery care, G₂P₁A₀, frequent urination.*