

## DAFTAR PUSTAKA

- Abdullahi, M. (2006). Characteristics of Wood ASH / OPC Concrete. *Leonardo Electronic Journal of Practies and Technologies*, 8, 9–16.
- Adesanya, D.A., Raheem, A. (2009). A study of the workability and compressive strength characteristics of corn cob ash blended cement concrete. *Construction and Building Materials*, 23, 311–317.
- Akinyele, J.O, Ajede, A. (2018). The use of granulated plastic waste in structural concrete. *Afr. J. Sci. Technol. Innov. Dev*, 10(2), 169–175.
- Albano, C, Camacho, N, Hernandez, M, Matheus, A, Gutierrez, A. (2009). Influence of content and particle size of waste pet bottles on concrete behavior at different w/c ratios. *Waste Manage*, 29(10), 2707–2716.
- B. Simsek, T. U. lu. (2018). A full factorial-based desirability function approach to investigate optimal mixture ratio of polymer concrete. *Polym. Compos*, 39(9), 3199–3211.
- Badan Standarisasi Nasional Indonesia. (1996). Bata Beton (Paving Block). In *SNI 03-0691-1996* (pp. 1–5).
- Batayneh, M., Marie, I., Asi, I. (2007). Use of selected waste materials in concrete mixes. *Waste Manage*, 27(12), 1870–1876.
- Bhushaiah, R, Mohammad, S, Rao, D, S. (2019). Study of Plastic Bricks Made From Waste Plastic. *International Research Journal of Engineering and Technology (IRJET)*, 06(04), 1122–1127.
- Coppola, B.L., Courarde, L.F., Incarnato, L., Dimaio, L. (2016). Investigation on the use of foamed plastic waste as natural aggregates replacement in lightweight mortar. *Compos. B Eng*, 99, 75–83.
- Dinesh, S., Dinesh, A., Kirubakaran, K. (2016). Utilization of waste plastik in manufacturing of bricks and paver blocks. *International Journal of Applied Engineering Research*, 11(3), 364–368.
- dos Santos, C.R., do Amaral Filho, J.R., Rejane Maria Candiota Tubino, R.M.C.T, Chneider, A. H. (2013). Use of coal waste as fine aggregates in concrete

paving blocks. *Geomaterials*, 3, 54–59.

El-Morsy, E.M., Hassan,H.M., Ahmed, E. (2017). Biodegradative activities of fungal isolates from plastik contaminated soils. *Mycosphere*, 8(8), 1071–1087.

Elinwa AU, E. S. (2004). Effects of incorporation of sawdust incineration fly ash in cement pastes and mortars. *J Asian Architecture Build Eng*, 3(1), 1–7.

Ghorpade, F. (2012). Effect of wood waste ash on the strength characteristics of concrete. *Nat. Environ. Pollut. Technol.*, 11, 121–124.

Greenwood, N. N. & Earnshaw, A. (2003). *Chemistry of the elements* (Second Edi). Elsevier, Ltd.

Gu, L, Ozbakkaloglu, T. (2016). Use of recycled plastics in concrete: a critical review. *Waste Manag*, 51, 19–42.

Hiremath P.M, Shetty S, Navaneeth Rai.P.G, P. T. . (2014). Utilization Of Waste Plastic In Manufacturing Of Plastic-Soil Bricks. *International Journal Of Technology Enhancements And Emerging Engineering Research*, 2(4), 102–107.

Ismail, Z.Z., Al-Hashmi, E. . (2008). Use of waste plastic in concrete mixture as aggregate replacement. *Waste Manage*, 28(11), 2041–2047.

Karyasa, I., W, Kirna, I, M. (2007). Analisis Logam-Logam Transisi dan Identifikasi Senyawa-Senyawa Kimia pada Batu Merah Di Desa Tajun dan Sekitarnya. *Jurnal Penelitian Dan Pengembangan Sains Dan Humaniora*, 1(2), 107–120.

Karyasa, I W. & Sudria, I. B. N. (2005). *Explorasi bahan pigmen anorganik alamai dari narbatu merah di desa Tajun (Kecamatan Kubutambahan, Kabupaten Buleleng) dan sekitarnya.*

Karyasa, I. W. (2011). UNIT USAHA BATUBARAK: PAVING BLOCK BATUBARAK. *Majalah Aplikasi Ipteks Ngayah*, 2(2), 89–103.

Kou, S.C., Lee, G., Poon, C.S., Lai, W. . (2017). Properties of lightweight aggregate concrete prepared with PVC granules derived from scraped PVC

- pipes. *Waste Manage*, 29(2), 621–628.
- Lin, K.L., Lin, D. . (2006). Hydration characteristics of municipal solid waste incinerator bottom ash slag as a pozzolanic material for use in cement. *Cement and Concrete Composites*, 28, 817–823.
- MacEvoy, B. (2002). *natural inorganic Pigments*. <http://www.handprint.com/HP/WCL/pigmt1a.html>
- Mataram, I. G. N. (1995). *Kandungan besi (Fe) pada batu merah (Studi kasus di desa Tajun Kabupaten Buleleng)*.
- Moghaddam, TB., Karim, M.R., Soltani, M. (2013). Utilization of waste plastiks bottles in asphalt mixtures. *Journal of Engineering Science and Technology*, 8(3), 264–273.
- Muhammad, H.R., Suryadi, H., Qomariah, . (2020). Performa Beton Normal dengan Abu Kayu sebagai Bahan Cementitious. *Jurnal Online Skripsi- Managemen Rekayasa Konstruksi*, 1(2), 116–124.
- Nursyamsi, N., Indrawan, I., & Theresa, V. (2016). Effect of PET plastic waste towards batako properties. *MS&E*, 309(1), 012013.
- Raziyafathima M., Praseetha, P. K., Rimal Isaac, R. . (2016). Microbial degradation of plastik waste: A Review. *Journal of Pharmaceutical, Chemical and Biological Sciences*, 4(2), 231–242.
- Safi, B., Saidi, M., Aboutaleb, D., Maallem, M. (2013). The use of plastic waste as fine aggregate in the self-compacting mortars: Effect on physical and mechanical properties. *Constr. Build. Mater*, 43, 436–442.
- Saikia, N., de Brito, J. (2013). Waste polyethylene terephthalate as an aggregate in concrete., *Mater. Res*, 16(2), 341–350.
- Smith, D. (2002). *Earth pigments: The artist's oldest paintbox*. <http://www/danielsmith.com/learn/inksmith/200208/>
- Sulaiman Y.H. (2010). Pengaruh Penggunaan Abu Serbuk Kayu Terhadap Kuat Tekan Beton. *Jurnal Portal*, 2(2), 101–106.
- Sule, S., Emmanuel, Joseph, Ibhado, Alfred, W. (2017). Use of waste plastics in

- cement-based composite for lightweight concrete production. *Int. J. Res. Eng. Technol*, 2(5), 44–54.
- T.R. Naik, S.S. Singh, C.O. Huber, B. S. B. (1996). Use of post-consumer waste plastics in cement-based composites. *Cem. Concr. Res*, 26(10), 1489– 1492.
- Udoeyo FF, Inyang H, Young DT, O. E. (2006). Potential of wood waste ash as an additive in concrete. *J Mater Civ Eng*, 18(4), 605–11.
- Udoeyo FF, D. P. (2002). Sawdust ash as concrete material. *J Mater Civ Eng*, 14(2), 173–176.
- Wahyudi, E., Zultiniar, Saputra, E. (2016). Pengolahan Sampah Plastik Polipropilena (PP) Menjadi Bahan Bakar Minyak dengan Metode Perengkahan Katalitik Menggunakan Katalis Sintetis. *Jurnal Rekayasa Kimia Dan Lingkungan*, 11(1), 17–23.
- Widari, L. A., Fasdarsyah, & Debrina, I. (2015). Pengaruh Penggunaan Abu Serbuk Kayu Terhadap Kuat Tekan Dan Daya Serap Air Pada Paving Block. *Teras Jurnal*, 5(1), 51–59.
- Wongsa, A. (2017). Use of municipal solid waste incinerator ( MSWI ) bottom ash in high calcium fly ash geopolymer matrix. *Journal of Cleaner Production. Elsevier Ltd*, 148, 49–59.
- Záleská, M., Pavlíková, M., Pokorný, J., Jankovsky, O., Pavlík, Z., Cerný, R. (2018). Structural,mechanical and hygrothermal properties of lightweight concrete based on the application of waste plastics. *Constr. Build. Mater*, 180, 1–11.