

DAFTAR PUSTAKA

- Akter, S, Goto, A, & Mizoue, T 2017, 'Smoking and the risk of type 2 diabetes in Japan: A systematic review and meta-analysis', *Journal of Epidemiology*, vol. 27, no. 12, pp. 553–561. Available from: <http://dx.doi.org/10.1016/j.je.2016.12.017>.
- Arda, ZA & Ngobuto, AR 2019, 'Gambaran Karakteristik Penderita Diabetes Mellitus Pada Beberapa Puskesmas di Kabupaten Gorontalo', *Kampurui Jurnal Kesehatan Masyarakat*, vol. 1, no. 1, pp. 26–30.
- Bell, K, Twiggs, J, & Olin, BR 2015, 'Hypertension : The Silent Killer : Updated JNC-8 Guideline Recommendations', *Continuing Education*. Available from: www.APArX.org.
- Bellou et al. 2018, 'Risk factors for type 2 diabetes mellitus: An exposure-wide umbrella review of meta-analyses. PLoS ONE [revista en Internet] 2018 [acceso 20 de agosto de 2020]; 13(3): 1-27.', *PLoS ONE*, pp. 1–27. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5860745/pdf/pone.0194127.pdf>.
- BPS Kabupaten Buleleng 2020, *Indikator Kesejahteraan Rakyat Kabupaten Buleleng 2019/2020*.
- Cannata, F, Vadalà, G, Russo, F, Papalia, R, Napoli, N, & Pozzilli, P 2020, 'Beneficial effects of physical activity in diabetic patients', *Journal of Functional Morphology and Kinesiology*, vol. 5, no. 3.
- Carbone, S, Del Buono, MG, Ozemek, C, & Lavie, CJ 2019, 'Obesity, risk of diabetes and role of physical activity, exercise training and cardiorespiratory fitness', *Progress in Cardiovascular Diseases*, vol. 62, no. 4, pp. 327–333. Available from: <https://doi.org/10.1016/j.pcad.2019.08.004>.
- Dinas Kesehatan Kabupaten Buleleng 2019, *Profil Kesehatan Kabupaten Buleleng 2019*. Available from: <http://marefateadyan.nashriyat.ir/node/150>.
- Direktorat Jenderal Pencegahan dan Pengendalian Penyakit 2019, 'Buku Pedoman Penyakit Tidak Menular', *Kementerian Kesehatan RI*, p. 101. Available from: http://p2ptm.kemkes.go.id/uploads/VHcrbkVobjRzUDN3UCs4eUJ0dVBndz09/2019/03/Buku_Pedoman_Manajemen_PTM.pdf.
- Evi, K & Yanita, B 2016, 'Faktor-Faktor yang Berhubungan dengan Kejadian Diabetes Melitus Tipe II', *Majority*, vol. 5, no. 2, pp. 27–31. Available from:

<http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/1073>.

Fadilah, NA, Saraswati, LD, & Adi, MS 2016, 'Gambaran Karakteristik dan Faktor-Faktor yang Berhubungan dengan Kejadian Diabetes Melitus Tipe 2 pada Wanita', *Jurnal Kesehatan Masyarakat*, vol. 4, no. 1, pp. 176–183. Available from: <http://ejournal-s1.undip.ac.id/index.php/jkm%0AGAMBARAN>.

Harreiter, J & Roden, M 2019, 'Diabetes mellitus—Definition, classification, diagnosis, screening and prevention (Update 2019)', *Wiener Klinische Wochenschrift*, vol. 131, no. Update, pp. 6–15.

Ismail, L, Materwala, H, & Kaabi, J Al 2021, 'Association of Risk Factors with Type 2 Diabetes : A Systematic Review', *Computational and Structural Biotechnology Journal*. Available from: <https://doi.org/10.1016/j.csbj.2021.03.003>.

Isnaini, N & Ratnasari, R 2018, 'Faktor risiko mempengaruhi kejadian Diabetes mellitus tipe dua', *Jurnal Kebidanan dan Keperawatan Aisyiyah*, vol. 14, no. 1, pp. 59–68.

Kautzky-Willer, A, Harreiter, J, & Pacini, G 2016, 'Sex and gender differences in risk, pathophysiology and complications of type 2 diabetes mellitus', *Endocrine Reviews*, vol. 37, no. 3, pp. 278–316.

Kekenusa, JS, Ratag, BT, & Wuwungan, G 2013, 'Analisis Hubungan antara Umur dan Riwayat Keluarga Menderita DM dengan Kejadian Penyakit DM Tipe 2 pada Pasien Rawat Jalan di Poliklinik Penyakit Dalam BLU RSUP Prof. Dr. R. D. Kandou Manado', *Journal Kesmas Universitas Sam Ratulangi Manado*, vol. 2, no. 1, pp. 1–6.

Kementrian Kesehatan RI 2020, *Infodatin: Tetap Produktif, Cegah, dan Atasi Diabetes Melitus*.

Kistianita, AN & Gayatri, RW 2015, 'Analisis Faktor Risiko Diabetes Mellitus Tipe 2 pada Usia Poduktif dengan Pendekatan WHO Stepwise Step 1 (Core / Inti) di Puskesmas', *Jurnal Preventia*, vol. 3(1), p. 14.

Kurniawati, NI 2013, 'Analisis Karakteristik Pasien Rawat Inap Diabetes Mellitus Berdasarkan Kadar Gula Darahnya Di Rsu Pku Muhammadiyah Bantul'.

Mansour, MA 2020, 'The prevalence and risk factors of type 2 diabetes mellitus (DMT2) in a semi-urban Saudi population', *International Journal of Environmental Research and Public Health*, vol. 17, no. 1, pp. 1–8.

Naba, OS, Adu, AA, & Hinga, IAT 2021, 'Media Kesehatan Masyarakat Gambaran Karakteristik Pasien Diabetes Melitus Di Wilayah Kerja Puskesmas Sikumana Kota Kupang Media Kesehatan Masyarakat', , vol. 3, no. 2, pp. 186–194.

- Nalendra, ARA, Rosalinah, Y, Priadi, A, Subroti, I, Rahayuningsih, R, Lestari, R, Kusamandari, S, Yuliasari, R, Astuti, D, Latumahina, J, Purnomo, MW, & Zede, VA 2021, *Statistika Seri Dasar dengan SPSS*.
- Notoatmodjo, S 2018, *Metodologi Penelitian Kesehatan*. PT. Rineka Cipta.
- Omar, SM, Musa, IR, ElSouli, A, & Adam, I 2019, 'Prevalence, risk factors, and glycaemic control of type 2 diabetes mellitus in eastern Sudan: a community-based study', *Therapeutic Advances in Endocrinology and Metabolism*, vol. 10, pp. 1–8.
- Perkeni 2015, *Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe2 Di Indonesia 2015*. Available from: <https://www.google.com/url?sa=t&source=web&rct=j&url=https://pbperkeni.or.id/wp-content/uploads/2019/01/4.-Konsensus-Pengelolaan-dan-Pencegahan-Diabetes-melitus-tipe-2-di-Indonesia-PERKENI-2015.pdf&ved=2ahUKEwjy8KO8cfoAhXCb30KHQb1Ck0QFjADegQIBhAB&usg=AOv>.
- Priyambodo, AD, Wuryaningsih, SH, & Padoli 2017, 'Karakteristik Klien Diabetes Mellitus di Puskesmas Pucang Sewu Surabaya', *Jurnal Keperawatan*, vol. 37, no. 12, pp. 66–71.
- Rice Bradley, BH 2018, 'Dietary Fat and Risk for Type 2 Diabetes: a Review of Recent Research', *Current Nutrition Reports*, vol. 7, no. 4, pp. 214–226.
- Roderick, P, Turner, V, Readshaw, A, Dogar, O, & Siddiqi, K 2019, 'The global prevalence of tobacco use in type 2 diabetes mellitus patients: A systematic review and meta-analysis', *Diabetes Research and Clinical Practice*, vol. 154, pp. 52–65. Available from: <https://doi.org/10.1016/j.diabres.2019.05.035>.
- Sastroasmoro, S & Ismael, S 2014, *Dasar-dasar Metodologi Penelitian Klinis*, 5th edn. Sagung Seto.
- Setyorogo, S & Trisnawati, S. 2013, 'Faktor Resiko Kejadian Diabetes Melitus Tipe II Di Puskesmas Kecamatan Cengkareng Jakarta Barat Tahun 2012', *Jurnal Ilmiah Kesehatan*, vol. 5, no. 1, pp. 6–11.
- Shivananda Nayak, B, Sobrian, A, Latiff, K, Pope, D, Rampersad, A, Lourenço, K, & Samuel, N 2014, 'The association of age, gender, ethnicity, family history, obesity and hypertension with type 2 diabetes mellitus in Trinidad', *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, vol. 8, no. 2, pp. 91–95.
- Solanki Niti, Virk Amrit, Gupta B.P., SJ 2016, 'Prevalence and Risk Factors of Diabetes Mellitus among Adults residing in Field Practice Area of a Teaching Hospital in Punjab', *Healthline Journal*, vol. 6, no. 1, pp. 57–62. Available from: <http://cmj.sjoi.info/articles/10.4038/cmj.v6i1.8191/>.

- Sugiarta, IGRM & Darmita, IGK 2020, 'Profil penderita Diabetes Mellitus Tipe-2 (DM-2) dengan komplikasi yang menjalani rawat inap di Rumah Sakit Umum Daerah (RSUD) Klungkung, Bali tahun 2018', *Intisari Sains Medis*, vol. 11, no. 1, p. 7.
- Sugiyono 2019, *Metode Penelitian (Kualitatif, Kuantitatif dan R&D)*, 26th edn. Alfabeta, Bandung.
- Trisnawati, S, Widarsa, IKT, & Suastika, K 2013, 'Faktor risiko diabetes mellitus tipe 2 pasien rawat jalan di Puskesmas Wilayah Kecamatan Denpasar Selatan', *Public Health and Preventive Medicine Archive*, vol. 1, no. 1, p. 69.
- Unit Kerja Koordinasi Endokrinologi Ikatan Dokter Anak Indonesia 2017, 'Diagnosis dan Tata Laksana Diabetes Melitus Tipe-1 pada Anak dan Remaja', *Jakarta*, pp. 1–15.
- Utomo, AA, Aulia, A, Rahmah, S, & Amalia, R 2020, 'Faktor Risiko Diabetes Mellitus Tipe 2: A Systematic Review', *Jurnal Kajian dan Pengembangan Kesehatan Masyarakat*, vol. 1, no. 1, pp. 44–52. Available from: <https://jurnal.umj.ac.id/index.php/AN-NUR>.
- WHO 2018, *Noncommunicable diseases*. Available from: <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases>. [4 April 2021].
- WHO 2019, *Classification of diabetes mellitus*. Available from: <https://www.who.int/publications/i/item/classification-of-diabetes-mellitus> [4 April 2021].
- World Health Organization. Regional Office for the Western Pacific 2000, *The Asia Pacific perspective: Redefining obesity and its treatment*. Sydney: Health Communications Australia. Available from: <https://apps.who.int/iris/handle/10665/206936>.
- Xia, M, Liu, K, Feng, J, Zheng, Z, & Xie, X 2021, 'Prevalence and risk factors of type 2 diabetes and prediabetes among 53,288 middle-aged and elderly adults in China: A cross-sectional study', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, vol. 14, pp. 1975–1985.
- Zhang, N, Yang, X, Zhu, X, Zhao, B, Huang, T, & Ji, Q 2017, 'Type 2 diabetes mellitus unawareness, prevalence, trends and risk factors: National Health and Nutrition Examination Survey (NHANES) 1999–2010', *Journal of International Medical Research*, vol. 45, no. 2, pp. 594–609.
- Zheng, Y, Ley, SH, & Hu, FB 2018, 'Global aetiology and epidemiology of type 2 diabetes mellitus and its complications', *Nature Reviews Endocrinology*, vol. 14, no. 2, pp. 88–98. Available from: <http://dx.doi.org/10.1038/nrendo.2017.151>.